REPORT OF THE CHIEF OF THE BUREAU OF PUBLIC ROADS, 1938

United States Department of Agriculture, Bureau of Public Roads, Washington, D. C., September 15, 1938.

Hon. HENRY A. WALLACE, Secretary of Agriculture.

DEAR Mr. Secretary: I submit herewith the report of the Bureau of Public Roads for the fiscal year ended June 30, 1938.

Sincerely yours,

THOMAS H. MACDONALD, Chief.

CONTENTS

Pa	age	P	age
Introduction	1	Loan-and-grant highway projects	52
Modernization of Federal-aid system now most	•	National-forest road construction	55
important feature of Federal-aid program	2	Road construction in national parks and monu-	
Greatest needs on main roads are widening,	-	ments	59
longer sight distances, and reduction of curva-		Inter-American highway	62
ture	2	Transportation, economic, and statistical in-	
Construction of secondary or farm-to-market	-	vestigations	64
	3	Highway-planning surveys	64
Highway safety.	4	Cafaty racorah	
Feasibility of superhighways to be studied and	*	Safety research Maintenance-cost studies-	66
	5	Highway-capacity and vehicle-performance	00
reported	5 5	studies	66
Sources of funds used during the fiscal year	0	National Conference on Street and Highway	
Employment on road work	0		67
Administration of Hayden-Cartwright Act		Safety	
penalizing diversion of motor-user revenues	9	American Association of Motor Vehicle Ad-	67
from highway purposes.	9	ministrators	
Federal-aid legislation amended and funds au-		Estimating highway-traffic volume	
thorized for 1940 and 1941	9	Railroad-abandonment studies	67
Mileage of Federal-aid system	10	Physical research	67
Status of major funds and progress in construc-		Subsurface exploration	
tion	11	Motor-vehicle impact investigations	
Progress in Public Works highway construc-		Measurement of road-surface roughness	
tion	12	The structural design of concrete pave-	
Works Program highway construction	12	ments	68
Progress in Federal-aid road construction on		Erosion test for culvert pipe	
Federal-aid system	12	The structural design of nonrigid pave-	
Progress in construction of secondary roads		ments	69
with Federal aid	13	Investigation of supporting strength of	
Grade-crossing elimination and protection		flexible culvert pipe in earth embank-	
program	13	ments	69
Summary	14	Investigation of bridge floors	69
Construction of roads through public lands and		Fatigue strength of welded joints	69
Federal reservations	48	Cements, aggregates, and concrete	70
Restoration of flood-damaged roads	50	Bituminous road materials	
Work relief highway projects	51	Subgrade investigations	71

INTRODUCTION

Highway construction of all types administered by the Bureau during the year resulted in the improvement of 15,345 miles, the elimination of 711 grade crossings, reconstruction of 144 obsolete grade-crossing structures, and protection of 744 highway-railroad crossings by signs and signals. Both the amount of work done per mile of improvement, and the total mileage improved, have considerably exceeded the average rates over the past 10 years.

101579-38--1

This year marks the initiation of Federal aid for secondary or farm-to-market roads and grants of funds for highway-railroad grade-crossing elimination as parts of the regular Federal highway program. These classes of work were begun in the emergency program to relieve unemployment and were included in the regular program by the act of June 16, 1936, which authorized \$25,000,000 for secondary roads, to be matched by the States, and a grant of \$50,000,000 to pay the full cost

of constructing grade-crossing eliminations.

The greater part of the work administered by the Bureau was carried on in cooperation with and under the immediate supervision of the State highway departments. In this way, improvements were completed on 9,333 miles of the rural portion of the Federal-aid highway system, 2,037 miles of secondary or feeder roads, and 760 miles of roads and streets in municipalities. Improvements in Federally controlled areas, reconstruction of flooded-damaged roads, and construction of roads with funds allotted by other Federal agencies aggregated 3,215 miles.

MODERNIZATION OF FEDERAL-AID SYSTEM NOW MOST IMPORTANT FEATURE OF FEDERAL-AID PROGRAM

The system of main highways in the United States is by far the most extensive of any in the world. Only the most out-of-the-way places cannot now be reached over a surfaced road. Many miles of main highways are broad, direct routes over which vehicles can travel continuously at the touring speed selected by the driver without the need for slowing down because of sharp curves, steep grades, or other obstacles and there is frequent opportunity to pass overtaken vehicles. However, there is a large mileage of roads that cannot be traveled with such facility and ease; roads on which the driver must accommodate himself to conditions that

are definitely inferior to present-day standards.

This is a condition that has been unavoidable and that is being corrected as rapidly as the necessary funds can be obtained. When the States and the Federal Government began the improvement of highways the network connecting our cities was largely unimproved. These roads had been planned for horse-drawn vehicles and the pioneer automobilists made few long trips over them. That such a large part of the network of main highways can now be traveled with ease and comfort is due to the intelligent, long-time distribution of annually limited funds over a selected system. A degree of improvement was effected, which, though generally recognized as less than that which would ultimately be necessary, was still sufficient to serve the immediate need. As the need for further improvement of various sections has become evident it has been met as promptly and as fully as was consistent with the early completion of a desirable minimum improvement of the system as a whole. This policy, sometimes called stage construction, is the only one under which the Federal-aid system and the more extensive State systems could have been improved in a short space of time to a general condition which permits their present use by a traffic of 150 billion vehicle-miles annually.

which permits their present use by a traffic of 150 billion vehicle-miles annually. There are few sections of the Nation's network of main highways that have not been initially, if inadequately, improved. State and Federal appropriations, in large part, are now being devoted to supplementary improvements on the less

adequate sections.

Many of our most used and important roads are among those that must now be classed as very inadequately improved. These are the roads that were first recognized as of outstanding importance and as such were first improved with surfaces of the highest type designed according to the standards of early road builders. There was general acceptance of these standards as sufficiently advanced—in fact, there was much opposition on the grounds that they were too advanced. The great increase in highway use and the recent marked increase in vehicle speed have forced the adoption of much higher standards.

GREATEST NEEDS ON MAIN ROADS ARE WIDENING, LONGER SIGHT DISTANCES. AND REDUCTION OF CURVATURE

Eliminating those curves that have become traffic hazards at the now normal driving speed and increasing sight distances by road straightening and by grading at the tops of hills are widespread needs on the existing main highways. These defects are found generally on roads in every part of the country and their danger to traffic is the consequence of an increase in vehicle speed far beyond what was visioned 15 or 20 years ago and far in excess of the legal limitations that existed in most States.

Greater surfaced width of road is of equal importance. There has always been the pressure to stretch highway funds beyond their limit to improve as many miles as possible. Surfaced width has been sacrificed for surfaced length. First 12-and 14-foot road surfaces were built, then widths were increased to 16 feet, and later to 18 feet, and for some years 20 feet has been the standard width for two-lane roads. The Federal Highway Act of 1921 demanded no greater width than 18 feet. Many of the older roads have been widened to this standard, generally as a part of a resurfacing operation. Here the wisdom of the stage-construction policy has been conspicuously demonstrated. The initial surfacing has caused a flow of traffic on the road with a corresponding flow of motor revenues for highways that is being used, in considerable part to remedy inadequate conditions. While many roads have been widened there is still much of this work to be done. The cost per mile of such work is not great unless it is accompanied by other improvements.

Within the last few years there has been a pronounced and desirable trend toward surfacing two-lane highways to widths greater than 20 feet to accommodate the greater volume of traffic moving at higher speeds. While many new surfaces are now being constructed 22 feet wide, a surfaced width of 24 feet will soon come to be generally recognized as a desirable standard for important two-lane

lughways.

Heavy expense for road widening only is not incurred until the traffic volume is so great that it cannot be accommodated safely by two traffic lanes. Provision of a third lane is sometimes resorted to and while this expedient involves only a moderate expense, it is not a satisfactory solution of traffic-congestion problems.

For great volumes of traffic, such as flow on the main highways adjacent to large cities and between some of the larger cities that are close together, the multiple-lane highway is the only satisfactory solution. Experience with the first four-lane roads quickly resulted in the almost unanimous conclusion that traffic flowing in opposite directions must be separated by a dividing strip of some sort if a heavy accident toll is to be avoided.

Divided four-lane roads are relatively expensive. They are necessary where population is dense and right-of-way costs are therefore high. The central strip or grass plot dividing the highway adds further to the cost. In the future, provision for pedestrians and other services must be made along these highways and will add

still further to the cost.

While the cost of properly designed four-lane roads is high, the needed expenditures in this direction do not overshadow those needed for the other purposes that have been described. Highway-planning surveys being conducted in cooperation with 46 States are resulting in an accurate picture of the flow of traffic on the main highways. These data indicate that there is not a very large mileage of highways on which four or more traffic lanes are required for the reasonable accommodation of present traffic from the standpoint of total vehicles moving. There now exists more than 3,400 miles of such width, but on the greater portion of this mileage there is no provision for the physical separation of traffic moving in opposite directions. The normal increase of traffic will add to the need for four-lane highways and a considerable portion of the existing undivided four-lane highways must be further improved so as to accomplish a separation of opposing traffic lanes. It is evident, therefore, that the provision of facilities of this general class is lagging very far behind actual needs.

CONSTRUCTION OF SECONDARY OR FARM-TO-MARKET ROADS

Since the Federal Government first undertook the construction of secondary or farm-to-market roads in the emergency program initiated in 1933, there has been completed under Bureau supervision more than 31,000 miles of such road. This is considerably in excess of the Federal-aid roads constructed in the first

7 years of operation of the Federal-aid plan.

Employment of labor was the immediate objective of the emergency program and to this end projects for improvement were selected without delay. The selection was not a particularly difficult problem with so many much-used secondary roads demanding improvement but more careful selection of these highways is necessary if they are to give the greatest service. Improvement of secondary roads as part of the regular Federal-aid program, begun in the past year, has supplied the opportunity to undertake the planning of a connected system and methods of financing a continuing program.

The highway-planning surveys, described on page 64, have as one of their most important objectives the supplying of all data needed in designating those secondary roads to be improved immediately and in annual programs to follow

with definite provision for meeting all necessary costs.

The rural highway program of the future should be directed along two principal lines: (1) The maintenance and needed enlargement of the serviceability of the main highways, and (2) the extension of reasonable improvement to those secondary and feeder roads that directly contribute to the permanent use of rural lands. There is a close relation between these classes of roads both in usage and in the sources from which funds are drawn for their support. Expenditures made for one class will necessarily affect the amounts that can be made available for the other class. It is therefore of the greatest importance that the relative needs of each class be determined with all possible accuracy and that improvement of each class be planned with full consideration of these facts. Any other course must inevitably lead to unbalanced programs and economic loss resulting from inadequate highway service. The highway-planning surveys are producing the needed facts and the Bureau is cooperating with the States in developing highway programs, giving full attention to the designation of secondary road systems.

HIGHWAY SAFETY

The safety of highway users is a first responsibility with all who plan and build the highways. Defects in the existing system are fully recognized and the speed with which they will be corrected depends primarily on the rate at which funds can be made available for the purpose. The program of highway modernization, including road straightening and widening, increasing sight distances, gradecrossing elimination, and construction of service roads and sidewalks should go forward with all possible speed. At the same time it must be realized that accomplishment of all these things will not constitute a solution of the accident problem. The present condition of the main highways is not conducive to accidents except when rendered so by risk-taking drivers. The data available on the causes of accidents indicate that improper acts by vehicle drivers are the element common to most accidents. The number of accidents and deaths can be materially lessened only by centering the attack on driving habits and a proper selection of drivers. Education and persuasion are being widely used and are well worth while but many of the most dangerous drivers will respond only to more positive measures.

A careful and detailed study of all available data on highway accidents has been made by the Bureau with the aid of experts in traffic control and law enforcement. There resulted a number of findings some of which are immediately useful in accident prevention and others point the way in further studies. Despite the availability of the vehicle code recommended by the National Conference on Street and Highway Safety there is still great lack of uniformity in essential features of State motor-vehicle and highway laws. There is undesirable variation in methods of recording and analyzing accident data. Accidents do not ordinarily result from single causes but from combinations of contributing causes. There is a relatively small group of definitely accident-prone drivers who experience a relatively large number of accidents. Drivers of 16 to 25 years in age have more than their share of accidents. Disciplining and control of delinquent drivers are in many instances, strikingly deficient. Highway police organizations are usually so small and so occupied with other duties as to be unable to operate effectively in motor-vehicle law enforcement and accident prevention. There are many improperly adjusted or inadequately maintained motor vehicles.

Împrovement of the present situation will require concerted action by the numerous agencies concerned with traffic control and law enforcement. Immediate action should be taken toward the adoption by the States of the uniform motor-vehicle code recommended by the National Conference on Street and Highway Safety. There is urgent need for uniformity in speed laws, stopping and turning regulations, and other phases of traffic control. All States should provide for rigid examination of applicants for drivers' licenses. Motor vehicles should be inspected at regular intervals to insure that those poorly equipped and

defective are kept off the road.

Expanded patrol forces are required for the enforcement of traffic laws; and violators, when arrested and convicted, must be punished without fear or favor. Mandatory revocation of the driving license should follow the more serious violations and the repetition of violation. Other steps to be taken include the skilled investigation of traffic accidents, the establishment of a uniform system of compulsory accident reporting, a national program of safety education, and a

highway-improvement program designed to eliminate as rapidly as possible all recognized dangerous conditions.

FEASIBILITY OF SUPERHIGHWAYS TO BE STUDIED AND REPORTED

There has been wide public interest in the creation of a system of multiple-lane highways, built according to the highest standards of grade and alinement, with opposing traffic separated by a center parkway, bypassing all cities, with structures separating streams of traffic at all highway and rail crossings, and with access from side roads permitted only at carefully selected points. The large volumes of traffic that flow between densely populated areas, when not too widely separated, in many instances appear to justify the high cost of such improvement.

The Bureau is now making studies that should indicate rather definitely the need for such highways and the extent to which they may be expected to be self-supporting. The Federal-aid Highway Act of 1938 directs the Bureau to investigate the feasibility of building and the cost of superhighways, not exceeding three in number, running in a general direction from the eastern to the western portion of the United States, and not exceeding three in number, running in a general direction from the northern to the southern portion of the United States, including the feasibility of a toll system on such roads. A report is to be made to Congress not later than February 1, 1939.

The highway-planning surveys conducted by the Bureau in cooperation with 46 States are yielding data on the flow of traffic on the main highways of the Nation and the extent to which this traffic is a through movement and might be concentrated on special-service highways. The problem is one of determining the number of highway users that might be expected where tolls are charged and

whether the expected revenue would support the cost of the highways.

SOURCES OF FUNDS USED DURING THE FISCAL YEAR

In contrast with the preceding year when emergency highway and grade-crossing appropriations supplied the larger part of the funds available, the fiscal year 1938 marked an almost complete return to work supported by annual Federal-aid authorizations. The apportionment for the fiscal year was \$125,000,000 for improvement of the Federal-aid system, \$25,000,000 for secondary or farm-tomarket roads, and \$50,000,000 for elimination of hazards at highway-railroad grade crossings. The States were required to match the first two of these funds but the grade-crossing funds were available to pay the full construction cost. The apportionment by States was shown in the last annual report.

The year began with \$293,739,309 available for programmed projects that had not been advanced to the contract stage. Of this amount \$33,189,957 was the remainder of the emergency funds provided to furnish employment through

highway improvement.

On December 31, 1937, the \$200,000,000 authorized for the fiscal year 1939 was apportioned to the States after first deducting \$5,000,000 for administrative expenses of the Bureau as authorized by law. The apportionment is shown in able 1.

Table 1.—Apportionments of Federal aid for the fiscal year 1939 for roads on the Federal-aid highway system, for secondary or feeder roads, and for gradecrossing eliminations

State	Federal-aid system	Secondary or feeder	Grade crossings	Total
Alabama Arizona Arkansas California Colorado Connecticut Delaware Florida	\$2,600,165 1,785,984 2,132,790 4,735,268 2,271,785 785,963 609,375 1,669,497	\$520, 033 357, 197 426, 558 947, 054 454, 357 157, 193 121, 875 333, 899	\$986, 449 315, 619 865, 366 1, 825, 553 632, 565 417, 706 243, 750 692, 981	\$4, 106, 647 2, 458, 800 3, 424, 714 7, 507, 875 3, 358, 707 1, 360, 862 975, 000 2, 696, 377
Georgia Idaho Illinois Indiana Iowa Kansas Kentucky	3, 154, 850 1, 538, 178 5, 095, 276 3, 063, 178 3, 200, 927 3, 283, 179 2, 299, 072	630, 970 307, 636 1, 019, 055 612, 636 640, 185 656, 636 459, 814	1, 194, 288 404, 755 2, 579, 163 1, 270, 383 1, 362, 859 1, 271, 424 894, 871	4, 980, 108 2, 250, 569 8, 693, 494 4, 946, 197 5, 203, 971 5, 211, 239 3, 653, 757

Table 1.—Apportionments of Federal aid for the fiscal year 1939 for roads on the Federal-aid highway system, for secondary or feeder roads, and for gradecrossing eliminations—Continued

State	Federal-aid system	Secondary or feeder	Grade erossings	Total
Louisiana	\$1, 791, 188	\$358, 238	\$777, 845	\$2, 927, 271
Maine	1, 089, 359	217, 872	338, 735	1, 645, 966
Maryland	1, 018, 447	203, 689	506, 840	1, 728, 976
Massachusetts	1, 725, 964	345, 193	1,021,971	3, 093, 128
Michigan	3, 784, 165	756, 833	1,620,378	6, 161, 376
Minnesota	3, 402, 720	680, 544	1,313,891	5, 397, 155
Mississippi	2, 196, 926	439, 385	777, 444	3, 413, 755
Missouri	3, 774, 930	754, 986	1, 496, 333	6, 026, 249
Montana	2, 553, 444	510, 689	653, 267	3, 717, 400
Nebraska	2, 579, 115	515, 823	871, 434	3, 966, 372
Nevada. New Hampshire New Jersey_ New Mexico	1, 590, 172	318, 034	243, 750	2, 151, 956
	609, 375	121, 875	243, 750	975, 000
	1, 662, 041	332, 408	972, 568	2, 967, 017
	1, 993, 177	398, 635	419, 200	2, 811, 012
New York North Carolina North Dakota Ohio	6, 105, 009	1, 221, 002	3, 345, 530	10, 671, 541
	2, 919, 413	583, 883	1, 242, 912	4, 746, 208
	1, 939, 847	387, 969	776, 153	3, 103, 969
	4, 517, 858	903, 572	2, 087, 464	7, 508, 894
OklahomaOregonPennsylvaniaRhode Island	2, 928, 955	585, 791	1, 125, 334	4, 640, 080
	2, 048, 413	409, 683	565, 844	3, 023, 940
	5, 291, 737	1, 058, 347	2, 826, 864	9, 176, 948
	609, 375	121, 875	243, 750	975, 000
South Carolina South Dakota Tennessee	1, 671, 209 2, 029, 328 2, 616, 339	334, 242 405, 866 523, 268 1, 557, 548	736, 174 674, 361 933, 280 2, 674, 043	2, 741, 625 3, 109, 555 4, 072, 887 12, 019, 330
Texas_ Utah	7, 787, 739 1, 410, 802 609, 375 2, 269, 875	282, 160 121, 875 453, 975	321, 103 243, 750 935, 084	2, 014, 065 975, 000 3, 658, 934
Washington West Virginia Wisconsin Wyoming	1, 956, 342	391, 268	750, 582	3, 098, 192
	1, 357, 927	271, 585	652, 386	2, 281, 898
	3, 030, 337	606, 067	1, 220, 638	4, 857, 042
	1, 559, 860	311, 972	331, 769	2, 203, 601
District of Columbia Hawaii Puerto Rico	609, 375 609, 375	121, 875 121, 875	243, 750 243, 750 360, 341	243, 750 975, 000 1, 091, 591
Total	121, 875, 000	24, 375, 000	48, 750, 000	195, 000, 000

EMPLOYMENT ON ROAD WORK

Employment on highway work with Federal funds administered by the Bureau declined from 1,792,760 man-months in the fiscal year 1937 to 1,262,202 manmonths in the past year. This was a direct result of the near exhaustion of the various special funds appropriated in previous years to provide employment. Employment provided by the emergency funds apportioned to all States dropped from 1,009,323 man-months in 1937 to 273,696 man-months in 1938. This was partly offset by an increase in the employment on regular Federal-aid highway and grade-crossing work which amounted to 538,579 man-months in 1937 and 778,488 man-months in 1938. Table 2 shows the employment in each of the fiscal years 1932 through 1938 by months. Table 3 shows the employment furnished in 1938 on each class of work administered by the Bureau and on State work done without Federal assistance.

Table 2.—Comparison of employment during the fiscal years 1932–38 on all Federal and Federal-aid highway construction and on all Federal

ruction	1938	334, 536 351, 853 346, 444 346, 444 370, 942 371, 675 1179, 420 272, 316 294, 240	3, 267, 683
Total men employed on all Federal and State highway construction and maintenance	1937	435, 971 433, 533 414, 147 389, 966 389, 966 388, 248 210, 027 1190, 336 200, 794 226, 286 339, 063 313, 149	3, 755, 491
State high	1936	375, 442 382, 846 340, 073 340, 073 323, 374 290, 523 202, 884 202, 884 227, 586 287, 478 374, 191	3, 680, 543
Il Federal and Stand maintenance	1935	549, 203 531, 034 456, 151 456, 322 426, 603 323, 700 221, 406 217, 539 282, 740 362, 339	4, 434, 451
ed on all F	1934	332, 277 329, 813 321, 973 384, 029 420, 069 362, 031 315, 989 345, 278 345, 278 345, 278	4, 441, 331
en employ	1933	305, 372 333, 403 374, 405 374, 405 371, 667 290, 465 275, 256 279, 213 299, 882 330, 138	3, 839, 095
Total m	1932	385, 349 389, 949 356, 617 330, 104 224, 971 229, 189 211, 549 245, 843 259, 615	3, 441, 356
ruction	1938	159, 489 163, 331 152, 784 143, 617 193, 395 54, 899 67, 829 67, 829 67, 829 114, 373	1, 262, 202
way const	1937	249, 271, 247, 841, 227, 916, 227, 916, 113, 1172, 295, 118, 76, 829, 76, 829, 88, 361, 122, 655, 144, 375	1, 792, 760
al-aid high	1936	191, 041 178, 756 143, 455 118, 898 118, 898 103, 493 70, 418 86, 050 132, 834 193, 269 237, 330	1, 673, 935
and Feder	1935	335, 223 297, 224 247, 880 2010, 046 147, 101 96, 594 123, 063 167, 535 193, 263	2, 191, 264
Men employed on all Federal and Federal-aid highway construction	1934	129, 205 111, 211 115, 047 154, 016 174, 358 154, 154 156, 814 156, 814 14, 053 187, 657 271, 972	2, 120, 761
ployed on	1933	81, 042 89, 346 122, 193 124, 106 124, 106 129, 233 75, 498 75, 498 77, 498 1122, 256 1139, 831 152, 256	1, 308, 671
Men em	1932	164, 708 151, 418 116, 100 88, 869 62, 466 35, 991 28, 673 28, 673 28, 673 28, 673 28, 673 71, 772	876, 736
Month		July August September September November December Banuary March March March Mayril May	Total (man-months)

Table 3.—Direct job employment during the fiscal year 1938 on the several classes of Federal and Federal-aid road construction administered by the Bureau of Public Roads and State road construction and maintenance

		Total men employed	334, 536 351, 853 346, 444 336, 444 314, 067 255, 530 177, 675 177, 675 177, 675 272, 316 294, 240	
	Men em- ployed on road main-	tenance by State high- way de- partments	149, 907 160, 143 167, 028 160, 045 163, 182 146, 340 115, 710 116, 812 131, 900 156, 433 158, 992	
		With State funds only, on State highways	25, 140 28, 83, 374 28, 83, 374 28, 83, 83, 83, 83, 83, 83, 83, 83, 83, 8	
		National work- relief highways	4, 683 3, 717 3, 717 3, 1136 2, 283 2, 283 3, 283 3, 284 3, 284 3, 3, 289 3, 405 4, 636 4, 636	
		Loan-and- grant highways ¹	14,861 16,612 14,058 13,032 19,761 9,034 6,314 6,5117 6,433 6,769 112,972	
uction		Works Program grade-cross- ing elin- inations	21, 456 19, 288 17, 112 17, 112 12, 40 17, 12 18, 104 4, 104 4, 638 5, 533 5, 533 5, 642	-
Men employed on road construction	ederal funds	Works Program highways	26, 21, 22, 22, 22, 22, 22, 22, 22, 22, 22	
employed or	n part with F	Public Works highways	3, 761 3, 974 3, 974 3, 908 3, 908 1, 1, 489 1, 1, 938 1, 1, 248 1, 248 2, 218 2, 218	
Men	In whole or in part with Federal funds	Federal- aid high- ways and grade-cross- ing elim- inations	84, 604 90, 905 88, 772 88, 032 74, 523 50, 622 30, 622 30, 622 31, 622 47, 225 87, 227 87, 278 87, 278	
	I	Public- lands highways	180 289 289 348 354 350 334 225 225 225 226 226 236 236 237 340 340 340 340 340 340 340 340 340 340	
		National- park highways	4, 67,4 4, 403 4, 403 4, 403 6, 504 1, 552 826 826 826 1, 351 1, 351 2, 331 2, 335 3, 721	
		National- forest highways	2, 055 2, 949 3, 774 3, 715 1, 477 2,88 3,40 2,88 3,40 2,88 3,40 1, 598 1, 598	
		Month	July August September Ogtober November December Jannary March May June Total (man-months).	

¹ Projects transferred by the Public Works Administration for engineering supervision,'

As the Federal highway program passed out of the emergency employment stage and restrictions on contractors regarding employment of labor were no longer applied the employment of individual workers became more continuous

and the weekly wage increased.

The total employment for the year on work supervised by the Bureau—1,262,202 man-months—is the equivalent of an average full-time employment each month of 105,180 men. The number of individuals actually employed, some of them on a part-time basis, averaged approximately 145,000 persons per month. Indirect employment in the production and transportation of equipment and materials is estimated at 1.7 times the direct employment for work of the character done during the year, indicating an indirect employment of 2,146,000 man-months, and this, added to the direct employment, gives a full-time employment of 3,408,000 man-months, the equivalent of the full-time continuous employment of 284,000 men.

Employment on State construction financed entirely with State funds and on State maintenance work increased slightly over the employment in the preceding year. Such work is financed almost entirely with State motor-vehicle revenues which furnish an income not subject to marked fluctuations from year to year and

the resulting employment is correspondingly uniform.

ADMINISTRATION OF HAYDEN-CARTWRIGHT ACT PENALIZING DIVERSION OF MOTOR-USER REVENUES FROM HIGHWAY PURPOSES

The Hayden-Cartwright Act of 1934 requires that any State that applies to highway purposes a lesser amount of motor-vehicle fees and gasoline taxes than was provided by law on June 18, 1934, shall be penalized not more than one-third of the Federal-aid apportionments to which it would otherwise be entitled.

Administration of this requirement is placed under the Secretary of Agriculture and has necessitated a continuous study of State laws pertaining to disposition of

motor-user revenue.

During the past year a careful review of official reports showed that motor-vehicle revenues had been diverted from highway purposes by legislative acts in New Jersey and Massachusetts. A reduction of \$250,000 in the Federal-aid funds apportioned to New Jersey for the fiscal year 1937 was made on August 7, 1937. On June 2, 1938, there was withheld from Massachusetts \$472,862 of the apportionment to that State for the fiscal year 1938.

In the preceding fiscal year State officials of Georgia were notified that the State had used motor-vehicle revenues for nonhighway purposes to such an extent as to require Federal action. Georgia officials gave assurance that required amounts would be restored to highway funds but satisfactory action has not yet

been taken by the State.

FEDERAL-AID LEGISLATION AMENDED AND FUNDS AUTHORIZED FOR 1940 AND 1941

Authorization of Federal-aid funds for the fiscal years 1940 and 1941 and for other road building administered by the Bureau was made by the act of June 8, 1938. The authorizations are as follows:

Item	1940	1941
Federal-aid system Secondary or farm-to-market roads. Elimination of hazards at grade crossings National-forest roads National-park roads Parkways Public-land roads. Indian roads.	\$100, 000, 000 15, 000, 000 20, 000, 000 10, 000, 000 4, 000, 000 6, 000, 000 1, 000, 000 2, 500, 000	\$115, 000, 000 15, 000, 000 30, 000, 000 13, 000, 000 5, 000, 000 8, 000, 000 2, 000, 000 3, 000, 000

The new legislation made the District of Columbia eligible for participation in all regular Federal-aid funds beginning with the fiscal year 1940. Heretofore the District has participated in emergency highway funds and in grade-crossing funds for 1938 and 1939 but not in regular Federal-aid for highways.

Roadside and landscape development, including such sanitary and other facilities as may be deemed reasonably necessary to provide for the suitable accommodation of the public, are now specifically authorized as a part of Federal-

aid work. The purpose of this legislation is to remove any doubt as to the

authority for these classes of improvements.

States devoting all motor-vehicle revenues to certain highway purposes and still unable to match Federal-aid funds for 1938 and 1939 may be relieved of matching under a provision of the new act. A State that applies all proceeds of special taxes on motor-vehicle transportation to highway purposes and expends 90 percent of them for administrative and operating expenses of the State highway department, maintenance of Federal-aid and State highways, and payment of interest and principal on highway debts for which such revenues have been pledged, may be relieved of matching Federal-aid funds to the extent that it

lacks funds for this purpose.

Near the close of the fiscal year a study was made of the use of motor-vehicle revenue in Arkansas which showed that they were being used in accordance with the above provisions. Shortly after the close of the year the Secretary of Agriculture announced that the State would be relieved of the necessity of matching

1938 and 1939 funds to the extent that State funds were lacking.

MILEAGE OF FEDERAL-AID SYSTEM

The Federal-aid system was designated as a result of the Federal Highway Act of 1921 and in accordance with the intention of the act there has been close adherence to the original system. Only minor revisions have been made to meet unforeseen conditions. The mileages have been changed slightly from year toyear as estimated mileages or mileages along old roads have been replaced by the measured mileage on new construction.

The original system was limited to 7 percent of the rural road mileage within each State. When provision has been made for improvement of 90 percent of the designated system an additional 1 percent is permitted and further additions are permitted on the same basis. This provision is becoming of increasing importance and has been taken advantage of by 24 States. During the past year the mileage-

of the system outside of Federal reservations increased by 2,165 miles due almost entirely to extensions beyond the original 7 percent.

The system in any State may exceed what would otherwise be the limiting mileage by an amount equal to the mileage of the system within Federal reservations. Additions to the system in reservations amounted to 1,320 miles bringing the total additions for the year to 3,485. System mileages by States are shown in table 4.

Table 4.—Designated Federal-aid highway system mileage as of June 30, 1938

State	Mileage of ap- proved routes outside Federal reserva- tions	Mileage of ap- proved routes within Federal reserva- tions	Total mileage of system	State	Mileage of ap- proved routes outside Federal reserva- tions	Mileage of ap- proved routes within Federal reserva- tions	Total mileage of system
Alabama	3, 933		3, 933	New Hampshire	968	33	1,001
Arizona 1		597	2, 214	New Jersey 1	1, 567		1, 567
Arkansas	5, 029	175	5, 204	New Mexico	3, 275	377	3, 652
California ¹	5, 029 5, 581	555	6, 136	New York I	9,078	16	9,094
Colorado	3, 211	514	3, 725	North Carolina 1	7,080	507	7, 587
Connecticut 1	1,046		1,046	North Dakota	7, 139	85	7, 224
Delaware 1	824		824	Ohio 1	7, 109		7, 109
Florida 1			2, 479	Oklahoma	6, 474	48	6, 522
Georgia	5, 654	73	5, 727	Oregon 1	3, 272	482	3, 754
Idaho		772	3,321	Pennsylvania 1	7, 656	108	7, 764
Illinois I		8	9, 012	Rhode Island 1	518	100	518
Indiana 1			5,340	South Carolina 1	4,020	196	4, 216
Iowa 1	7,703	2	7, 705	South Dakota	5, 803	477 66	6, 280 4, 632
Kansas		15	8,685	Tennessee		127	14, 301
Kentucky		6	3, 706	Texas 1		146	2, 231
Louisiana		4	2,756 1,621	Vermont		140	1, 036
Maine	1,617	4	2, 195	Virginia 1		82	4,650
Maryland 1 Massachusetts 1			1, 674	Washington		404	3, 342
Michigan 1		233	5, 962	West Virginia		29	2, 243
Minnesota		291	7, 465	Wisconsin		133	5, 641
Mississippi		10	3, 709	Wyoming		337	3, 559
Missouri I		10	7, 975	Hawaii			539
Montana		1, 058	5, 448	Puerto Rico			858
Nebraska		21	5, 619				
Nevada 1		54	1,814	Total	216, 574	8,041	224, 615
			l	1	l		1

¹ Increased beyond 7 percent.

STATUS OF MAJOR FUNDS AND PROGRESS IN CONSTRUCTION

During the year 12,129 miles of highway were brought to completion, exclusive of work done in Federal areas and with special funds. The completed work included 9,333 miles on the Federal-aid system outside of municipalities, 559 miles on extensions of the system into and through municipalities, 201 miles of secondary or feeder roads in municipalities, and 2,036 miles of secondary or feeder roads outside of municipalities. Payments to the States for construction completed amounted to \$218,637,062, as shown in table 5.

Table 5.—Funds paid to the States during the fiscal year 1938

			Works	Program	Federal-	Federal	Federal	
State	Federal			1	aid	aid. sec-	aid, grade	(T) and a 3
State	aid, 1917–33	Works, 1934-35	High-	Grade-	system,	ondary or	cross-	Total
	1011-00	1001-00	ways	cross-	1936-39	feeder	ings	
			1	ings				1

Alabama	\$20 545	\$132, 833	\$338, 184	\$444, 580	\$2, 492, 584	\$40, 365	\$108,680	\$3, 577, 771
Arizona		23, 427	208, 265	201, 391	2, 045, 124	67, 854		2, 550, 779
Arkansas		120, 402	263, 840	499, 473	2, 817, 299	2, 757	56, 681	3, 760, 452
California		439, 792	844, 199	1, 026, 711	4, 812, 670			7, 512, 679
Colorado		22, 933	193, 478	761, 122	1, 943, 618	66, 404	4,000	2, 991, 555
Connecticut Delaware		265, 702 4, 460	693, 773 140, 439	902, 485	234, 332 96, 548			2, 096, 292 241, 447
Florida		87, 623	296, 711	421, 548	1, 305, 059	118		2, 111, 059
Georgia		910, 653		1, 485, 334	2, 711, 419	21, 832		7, 623, 039
Idaho		20, 737	62, 011	452, 148	1, 647, 706	147, 486	66, 501	2, 396, 589
Illinois		599, 152	891, 053	3, 360, 116	6, 057, 598	127, 280	163, 800	11, 198, 999
Indiana		121, 449 26, 910	564, 724 749, 176	756, 083 1, 449, 680	3, 054, 514 3, 940, 950		247, 503 472, 245	4, 744, 273 6, 638, 961
Iowa Kansas		48, 641	420, 035	613, 929	2, 415, 945	7, 735	340, 425	3, 846, 710
Kentucky		60, 003		1, 348, 186	2, 245, 000	200, 471	73, 950	4, 580, 755
Louisiana		143, 795	534, 562	905, 759	610, 852	l		2, 194, 968
Maine		45, 443	192, 318	374, 695	1, 441, 875	130, 055		2, 184, 386
Maryland Massachusetts Michigan	1 000	406, 700	550, 685	381, 090	843, 789			2, 182, 264
Michigan	1,000	188, 708 103, 047	1, 594, 780 315, 332	1, 147, 328 550, 161	1, 374, 624 3, 605, 177		6, 565 518, 162	4, 313, 005 5, 091, 879
Minnesota		422, 254	637, 761	1, 002, 483	3, 540, 148	50, 635	369, 268	6, 022, 549
Mississippi	6, 109	226, 251	522, 771	596, 299	2, 703, 982		64, 587	4, 119, 999
Minnesota Mississippi Missouri		196, 203	479, 641	1, 332, 948	3, 341, 211	480, 173	74, 470	5, 904, 646
Montana		118,851	448, 287	315, 070	2, 093, 763		174, 773	3, 150, 744
Nebraska Nevada		136, 655 56, 964	577, 107 188, 316	921, 894 78, 809	2, 293, 479	78, 625 239, 895	65, 568 83, 205	4, 073, 328 2, 524, 645
New Hampshire		28, 482	187, 760	211, 219	1, 877, 456 364, 406	239, 893	3,750	822, 822
New Jersey		595, 321	512, 002	1, 505, 971	908, 823	21, 200	44, 996	3, 567, 113
New Jersey New Mexico		96, 069	298, 711	297, 518	2, 528, 690	27, 582	6, 484	3, 255, 054
New York	i i	470, 793	1, 368, 216	3, 350, 463	7, 349, 032	439, 390	198, 811	13, 176, 705
North Dekete		375, 718	844, 042 463, 928	1, 073, 692 981, 803	3, 326, 302 1, 597, 896	147, 736	61, 677 47, 222	5, 829, 167 3, 642, 194
North Carolina North Dakota Ohio Oklahoma	4 480	543, 115 354, 762	1, 656, 778	3, 097, 331	3, 402, 148	15, 656	41, 222	8, 531, 155
Oklahoma	4, 542	270, 028	639, 448	1, 415, 769	3, 039, 910	8, 986	16, 343	5, 395, 026
Oregon Pennsylvania		164, 835	524, 207	282, 636	2, 023, 294	54, 757	358, 831	3, 408, 560
Pennsylvania		1, 613, 596		4, 221, 926	5, 381, 736	44, 127	18, 425	16, 382, 502
Rhode Island.	7 500	027 502	19, 460	142, 021	689, 151	62,008	19 716	912, 640
South Carolina	1, 500	237, 583 267, 176	485, 003 520, 159	788, 986 1, 124, 436	2, 178, 118 1, 623, 124	41, 049 6, 021	13, 716 63, 711	3, 751, 955 3, 604, 627
Tennessee		170, 166	1, 193, 831	1, 899, 771	1, 523, 227	12, 529	00, 711	4, 799, 524
Tennessee Texas Utah	5, 501	415, 240	715, 205	1, 137, 672	8, 058, 319	56, 500	72, 354	10, 460, 791
Utah		49, 074	348, 857	265, 019	1, 205, 765	70, 407	92,817	2, 031, 939
Vermont		56, 767	143, 782	199, 622	770, 162	69, 657	121, 001	1, 360, 991
Virginia Washington	3,078	444, 324 69, 657	406, 933 228, 445	1, 196, 245 577, 496	2, 413, 030 1, 953, 086	23, 749 108, 418	82, 419 149, 754	4, 569, 778 3, 086, 856
West Virginia		254, 541	301, 248	999, 377	867, 314	12, 971	58, 189	2, 493, 640
Wisconsin		117, 245	296, 922	939, 290	4, 535, 504	8, 246	84, 797	5, 982, 004
Wyoming District of Columbia		83, 815	181, 759	384, 977	1, 850, 287	142, 536		2, 689, 067
District of Columbia_ Hawaii		02 575	994 919	32, 054	267 755		95, 905	127, 959
Puerto Rico		93, 575	224, 813	91, 099	367, 755 242, 730	79, 202	22, 046	777, 242 343, 978
_ acres 10100							22, 040	010, 378
Total	60, 985	11, 701, 470	31, 518, 595	47, 545, 715	119, 746, 531	3, 198, 981	4, 864, 785	218, 637, 062

Details concerning the status of the various funds by States and by classes of highways are shown in tables 6 to 9. The mileages of highway according to status, by States, and by class of highways are shown in tables 10, 11, and 12. Similar information for grade-crossing work is shown in table 13. Tables 14, 15, and 16 show the mileage by types in the different stages leading up to completion. The tables are so arranged that each shows all funds or all mileage in a given status.

PROGRESS IN PUBLIC WORKS HIGHWAY CONSTRUCTION

This program was financed with \$400,000,000 provided by the National Recovery Act and the supplementary \$200,000,000 provided by the Hayden-Cartwright Act of June 1934. At the beginning of the year only a small amount of these funds remained available for construction and they did not play an

important part in the year's work.

There have been completed since the beginning of the program 35,515 miles of highway, 698 railroad-highway grade separations, 86 separations of grade between highways, and 5,897 bridges, at a cost of \$585,368,902 from Public Works funds. Of the roads completed, 18,339 miles, involving \$274,337,625 of the Public Works funds, are on the Federal-aid system outside of municipalities; 2,670 miles, built at a cost of \$160,656,990 in Public Works funds, are on extensions of the Federal-aid system into and through municipalities; and 14,506 miles, costing \$150,374,287 in Public Works funds, are secondary roads. These cost figures include the cost of grade separations and bridges.

Of this mileage, 248 was completed during the year, including 116 miles on the Federal-aid system outside of municipalities, 24 miles on extensions of the system into and through municipalities, and 108 miles of secondary roads. The work completed during the year involved \$8,185,691 of Public Works funds. Payments to the States for construction work in progress amounted to \$11,701,470.

to the States for construction work in progress amounted to \$11,701,470. At the close of the year 119 miles of Public Works highways, to which \$6,558,836 had been allotted, were under contract and largely under construction, and 9 miles had been approved for construction at an estimated cost to the Federal Government of \$480,403 but were not yet under contract. Details concerning the funds and mileage completed, under contract, and approved for construction, but not under contract, classified according to the four classes of improvement and by States appear in tables 6, 7, 8, 10, 11, and 12.

WORKS PROGRAM HIGHWAY CONSTRUCTION

Active construction of Works Program projects under an authorization of \$200,000,000 began in October 1935 and the peak activity with these funds came in 1936 and 1937. The year began with 1,765 miles under contract and largely under construction but with only a small amount available for additional work.

under construction but with only a small amount available for additional work.

The year's work resulted in the completion of 1,615 miles, bringing the total mileage completed in the program to 12,904 miles. The Works Program funds involved in the completed work amounted to \$177,829,247. State and other

Federal funds were involved to the extent of \$11,519,637.

The classes of roads completed to date and the Works Program funds used to pay the cost were as follows: On the Federal-aid highway system outside of municipalities 2,696 miles costing \$44,322,677 in Works Program funds; on extensions of the Federal-aid system within municipalities, 1,033 miles costing \$35,738,262 in Works Program funds; on secondary roads within municipalities, 767 miles costing \$20,656,120 in Works Program funds; and secondary roads outside of municipalities, 8,408 miles costing \$77,112,188 in Works Program funds.

The 372 miles under contract and largely under construction were divided as

The 372 miles under contract and largely under construction were divided as follows: 32 miles on the Federal-aid system outside of municipalities, 67 miles on extensions of the Federal-aid system through municipalities, 46 miles of secondary road within municipalities, and 227 miles of secondary road outside of municipalities. Works Program funds involved were respectively \$4,512,141, \$3,697,875,

\$1,250,709, and \$3,875,798.

Similar information for projects approved for construction but not yet under contract appears in tables 8 and 12. Details for work in all stages by States is

presented in tables 6 to 12.

Funds available for new work and work approved but not yet under construction totaled \$3,834,231. Very little additional highway construction can be begun with Works Program funds as this program is now all but completed.

PROGRESS IN FEDERAL-AID ROAD CONSTRUCTION ON FEDERAL-AID SYSTEM

Improvement of the Federal-aid system was carried on with funds remaining from the previous fiscal year and under an authorization of \$125,000,000 for 1938 provided by the act of June 16, 1936. The apportionment of this fund was shown in the last annual report.

During the year 9,101 miles of highway financed with \$112,889,045 of Federalaid funds were brought to completion. These projects involved \$106,310,057 of State and emergency funds. Payments to the States for completed work, including work done on projects still under construction, amounted to \$119,807,516. At the close of the year projects under contract and in large part under construction included 9,142 miles of highway at an estimated cost of \$252,161,691 to be provided as follows: \$125,592,883 Federal aid, and \$126,568,808 from State funds. At the same time projects had been approved, but not yet contracted for, covering 1,805 miles, and involving \$25,782,883 of Federal-aid funds and \$28,150,839 of State funds.

On June 30, 1938, there remained available for new projects \$139,986,573 of Federal-aid funds. In greater part they were funds provided for 1939. Tables 6.

to 12 show the status of the work by States.

PROGRESS IN CONSTRUCTION OF SECONDARY ROADS WITH FEDERAL AID

Improvement of secondary roads with Federal funds was first undertaken in the emergency program of road construction as a measure to relieve unemployment. Beginning with the fiscal year 1938 such work was made a part of the regular Federal-aid program and \$25,000,000 was authorized for each of the fiscal

years 1938 and 1939.

In the emergency program Federal funds were available to pay the full cost of construction and, since employment was the primary objective, projects for improvement were selected without delay. The new program differs in that the States are required to match the Federal funds and they must also select a system of secondary roads for improvement, not exceeding 10 percent of the highway mileage, and carefully designed to connect agricultural districts with the main highway system. Pending the selection of such a system only those secondary roads that may reasonably be expected to form part of the system are to be approved for construction. These requirements occasioned some delay in getting the program under way in a number of States.

Where State funds were insufficient to permit expenditures on secondary roads or where authority for such expenditure was lacking, arrangements had to be made with local authorities to raise required amounts and place them under State control. Now that methods of financing the States' share of the cost of secondary roads are being established and highway-planning surveys are supplying information to guide the selection of projects for improvement, it is expected that the

program will go forward with a considerable gain in impetus.

In spite of these delays 713 miles were completed, 1,616 miles were under contract at the end of the year, and 905 miles were approved but not under contract, making a total of 3,234 miles. The mileage completed cost \$3,581,853, the Federal Government contributing \$1,880,320 of this amount. The mileage under contract was to cost \$19,076,924 of which \$9,616,485 is to be Federal aid. The projects approved but not under contract are estimated to cost \$10,288,648 and \$4,613,801 has been assigned as Federal aid. Tables 6 to 12 show the status of the work.

The cost of secondary roads in this program has varied greatly, being particularly influenced by local conditions and by availability of suitable materials. The average cost of all projects approved for construction has been \$10,000 per

mile.

GRADE-CROSSING ELIMINATION AND PROTECTION PROGRAM

Grade-crossing elimination work in 1938 did not equal the all-time peak established in the preceding year when 1,149 crossings were eliminated, but the record of 711 railroad-highway crossings eliminated, 144 separation structures reconstructed, and 744 crossings protected by signals or other safety devices is an important contribution to highway safety and will save much delay and inconvenience to public travel. By far the greater portion of the work done was in the emergency program of grade-crossing elimination financed by \$200,000,000 authorized by the Emergency Relief Appropriation Act of 1935. In this program 663 crossings were eliminated, 133 elimination structures were reconstructed, and 603 crossings were protected. Costs were met almost entirely with Federal funds which amounted to \$76,575,748. More than half of the expenditure was in municipalities, reflecting the relatively greater dangers and delays at city and suburban crossings.

In the new program of grade-crossing elimination for which \$50,000,000 was authorized, 20 crossings were eliminated, 11 existing structures were reconstructed, and 43 crossings were protected. Federal funds involved in this work

amounted to \$1,495,583.

Since the Public Works program started in 1933, 2,556 crossings have been eliminated and 352 obsolete elimination structures have been reconstructed. The most dangerous and therefore the most important grade crossings are rapidly

being done away with in every State. The substantial program of railroadhighway grade-crossing elimination is considered one of the most advanced and productive undertakings of the present period of highway development.

At the end of the year work under contract consisted of 422 crossing eliminations, 84 elimination structures being reconstructed, and 626 crossings being protected. Table 13 shows details of the above work by States and also the number of projects approved but not under contract at the end of the year.

SUMMARY

The year's work with the funds apportioned to all States resulted in the completion of 12,129 miles of highway and the elimination of 711 railroad-highway grade crossings, the reconstruction of 144 grade separation structures and the protection of 744 crossings at a cost of \$239,555,509 in Federal funds and \$114,-313,028 in State funds. The types of highway completed are shown in table 14.

The completed work was divided as follows: 9,333 miles on the Federal-aid system outside of municipalities, 559 miles of extensions of the system into and through municipalities, 201 miles of secondary roads in municipalities, and 2,036 miles of secondary roads outside of municipalities. Federal funds involved in the respective classes of work were \$138,853,674, \$40,949,891, \$28,262,849, and

\$31,489,095.

The roads under contract at the end of the year totaled 11,486 miles and involved \$203,433,345 of Federal funds, and there were 2,800 miles approved but not yet contracted for, involving \$37,571,525 of Federal funds. Unobligated balances available for new work totaled \$257,405,917, in large part newly apportioned funds for the fiscal year 1939. Tables 15 and 16, respectively, show the types of road under contract and the types approved but not yet under contract.

Table 6.—Funds allotted to projects completed during the fiscal year 1938 ON THE FEDERAL-AID HIGHWAY SYSTEM OUTSIDE OF MUNICIPALITIES

	Federal	Public	Works	Program	Federa	l aid	Total	Esti-
State	aid, 1917-33	Works,	High- ways	Grade cross- ings	Highways, 1936-39	Grade cross- ings	Federal funds	mated total cost
Alabama Arizona Arkansas California Colorado Connecticut Delaware Florida Georgia		2, 708 11, 000 108, 613 108, 370 420, 369	35, 944 21, 120 256, 690 104, 684	\$40, 226 190, 367 576, 707 259, 453 384, 880 	255, 680 493, 993 1, 402, 781		\$1, 716, 727 1, 718, 864 3, 223, 351 4, 716, 489 2, 237, 883 990, 656 276, 800 1, 040, 053 2, 461, 726	\$3, 709, 289 2, 490, 537 3, 252, 570 7, 925, 716 3, 912, 437 1, 484, 020 539, 741 1, 546, 093 3, 954, 644
Idaho		3, 000 6, 574	13, 500 17, 264 153, 394 43, 373 109, 676 127, 112 207, 500 43, 249 131, 718	226, 122 1, 111, 343 412, 564 387, 234 625, 238 343, 520 1, 119, 068 338, 480 9, 673	4, 799, 136 2, 837, 986 3, 281, 580 2, 253, 378 1, 211, 252 286, 501 1, 009, 510	\$48,000 137,429 6,290	2, 994, 582 1, 688, 458 1, 613, 069 1, 392, 039 684, 536	2, 961, 911 10, 929, 284 6, 432, 733 7, 511, 627 5, 326, 301 2, 926, 257 1, 948, 538 2, 435, 190 1, 208, 721
Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada		81, 163 210, 286	431, 983 6, 909 225, 702 13, 720 74, 081	103,005	2, 942, 308 1, 498, 758 4, 205, 783 2, 426, 674 1, 624, 560 1, 927, 619	18, 111	2, 860, 783 5, 592, 454 2, 512, 585 1, 801, 646 1, 927, 619	5, 274, 002 6, 536, 160 6, 200, 301 4, 391, 468 10, 107, 276 4, 426, 814 3, 489, 386 2, 310, 398
New Hampshire. New Jersey New Mexico. New York. North Carolina. North Dakota. Ohio. Oklahoma. Oregon. Pennsylvania. Rhode Island. South Carolina.	\$215, 209	132, 557 56, 663 97, 315 371, 841 233, 667 90, 500 4, 709 	55, 155 498, 445 159, 107 790, 342	46, 192 56, 505 2, 700, 669 533, 643 710, 379 924, 037 535, 228 250, 692 2, 689, 699 8, 074	942, 731 3, 284, 997 6, 695, 271 2, 697, 218 999, 312 2, 625, 613 2, 159, 803 2, 429, 590 6, 887, 610 539, 214	43, 180	2, 102, 465 4, 430, 492 2, 959, 822 3, 143, 763 10, 781, 750 553, 603	540, 355 2, 340, 533 5, 473, 761 17, 853, 474 6, 844, 929 2, 191, 489 7, 243, 866 5, 373, 454 4, 869, 519 18, 234, 628 1, 137, 685 4, 660, 905

Table 6.—Funds allotted to projects completed during the fiscal year 1938—Contd. ON THE FEDERAL-AID HIGHWAY SYSTEM OUTSIDE OF MUNICIPALITIES—Continued

	1	1			1		TIME TO STATE OF THE STATE OF T	
	Federal	Public	Works	Program	Federa	l aid	Total	Esti-
State	aid, 1917-33	Works, 1934-35	High- ways	Grade eross- ings	Highways, 1936–39	Grade eross- ings	Federal funds	mated total cost
South Dakota			\$242, 282 420, 381	\$886, 911 360, 553	\$1, 412, 569 1, 063, 749	1	1 844 683	\$3, 651, 781 2, 941, 809
Texas	\$52,968		167, 558	360, 553 277, 614	7, 775, 423	19, 700	8, 293, 263	16, 643, 120
Utah			42, 927	212, 531	987, 457		1, 242, 915	1, 686, 658 1, 562, 64
Virginia		\$184 866	7,770	135, 094	9 235 148	7, 933	824, 549	5 175 00
Washington		φ101,000		277, 014 212, 531 135, 094 400, 894 2, 214 740, 868 467, 845	7, 775, 423 987, 457 673, 752 2, 235, 148 1, 353, 633 744, 270 3, 669, 315 1, 804, 304 412, 656	68, 181	1, 424, 028	2, 675, 213
West Virginia		188, 854	297, 370 186, 988	740, 868	744, 270		1, 971, 362	2, 750, 688
Wisconsin			186, 988	467, 845	3, 669, 315		4, 324, 148	8, 217, 489
Hawaii		169, 565	57, 294 8, 907	100,010	412, 656		591, 128	1, 362, 64 5, 175, 906 2, 675, 213 2, 750, 683 8, 217, 489 3, 133, 420 1, 026, 798
Total	268, 177	2, 892, 234	6, 810, 527		105, 320, 241		138, 853, 674	-,010,100
	<u> </u>	l				1	1	
Alabama Arizona Arkansas California Colorado Connecticut Delaware Florida Georgia Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Missouri Missouri Mostana Nebraska New Hampshire New Jersey New Hampshire New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania Rhode Island South Carolina South Dakota Tennessee Texas Utah Vermont Virginia Wasington West Virginia Wasington West Virginia Wyoming District of Columbia	FEDER	AL-AID	HIGHW.	1	i	ī	1	
Alabama		\$54,028		\$567, 449 7, 768 529, 907 256, 175	\$53, 225		\$674, 702 67, 520 924, 919 620, 996	\$768, 328
Arizona			4000 105	7, 768	59, 752		67, 520	94, 287
California		25, 977	\$269, 125 216, 200	529, 907	99, 910		924, 919	928, 338
Colorado			210, 200	250, 175	36, 043		36, 043	792, 49, 67, 524
Connecticut		34, 360	197, 790		36, 100		268, 250	328, 460
Delaware		3,069	195, 870				1 206 224	215, 817
Cleorgia		134, 300	69. 309 70, 221	258, 279	66, 914		708, 659	963, 883 731, 729
Idaho		42, 124	6, 218	229, 642	45, 491	1	323, 475	369, 347
Illinois		322, 649	170	1, 493, 565	853, 758	\$17,000	2, 687, 142	369, 347 3, 746, 238 2, 297, 949 1, 922, 710 1, 226, 946
Indiana			347, 406 375, 188	258, 279 308, 451 229, 642 1, 493, 565 1, 376, 248 796, 275 673, 654 401, 737	853, 758 273, 658 301, 140 60, 278		708, 659 654, 417 323, 475 2, 687, 142 1, 997, 312 1, 492, 103 741, 488 751, 367	2, 297, 949
Vonces			375, 188	796, 275	301, 140	19, 500	1,492,103	1,922,710
Kentucky			7, 556 53, 617	401, 737	296, 013		751, 367	1, 115, 512
Louisiana			203, 270	100,004				371, 654
Maine	ļ -		9,000	2, 210	111, 440		122, 650	234, 273
Maryland		216,800	914, 575	440 890	F 040		216, 800	220, 454 1, 879, 756
Michigan		314, 240	914, 373	440, 820 764, 500 154, 988 362, 000 1, 285, 061	533, 781	191, 194	1, 874, 675 1, 298, 281 953, 776 875, 948 2, 606, 417	1, 898, 906
Minnesota		160, 120	64, 987	154, 988	382, 487	191, 194	953, 776	1, 481, 860
Mississippi		9, 533	326, 960 312, 205	362, 000	177, 455		875, 948	1, 481, 860 1, 056, 051 2, 987, 958 70, 430
Mantana		700, 723	312, 205	1, 285, 061	308, 428		2, 606, 417	2, 987, 955
Nebraska		39, 755	71, 392	886, 446	32, 478		39, 494 1, 030, 071	1, 062, 931
Nevada					124, 003	35, 109	159, 112	180 361
New Hampshire			1 505 007	103, 581	12, 161	35, 109	115, 742 1, 877, 920	129, 133 1, 894, 270 547, 671 4, 398, 912
New Jersey			1, 595, 224 10, 685	- 272, 256 530, 110	10,440		1,877,920	1, 894, 270
New York		491, 136	675, 846	1, 945, 246	441, 068		541, 958 3, 553, 296 724, 992 403, 049 499, 242	4, 398, 912
North Carolina			291, 631	306, 592	126, 769		724, 992	865, 170 409, 722 671, 571
North Dakota	<i>-</i>	1,490	128, 789	259, 357	13, 413		403, 049	409, 722
Oklahoma		12, 118	675, 846 291, 631 128, 789 147, 263 153, 046	103, 581 - 272, 256 530, 119 1, 945, 246 306, 592 259, 357 184, 009 747, 872	155, 852	33, 719	499, 242 941, 701	671, 571 1, 004, 809
Oregon		65, 000	522, 122	739, 834	97, 459	33, 719	1, 458, 134	1, 733, 583
Pennsylvania		305, 891	522, 122 248, 508	1, 746, 072	431, 612			1, 733, 583 3, 386, 600
Rhode Island					31, 260		31, 260	77, 528
South Carolina		167, 812	242, 874	289, 670	133, 257	19,770	833, 613	1, 041, 885
Tennessee.		0, 280	223, 723	307, 640	107, 954	19,770	639, 317	752, 150
Texas		49, 645	8, 041	794, 510	207, 665		1,059,861	77, 528 1, 041, 885 464, 572 752, 150 1, 375, 829 501, 053
Utah			76, 883 223, 723 8, 041 56, 518	322, 453 307, 640 794, 510 128, 441	431, 012 31, 260 133, 257 21, 264 107, 954 207, 665 223, 049		31, 260 833, 613 446, 650 639, 317 1, 059, 861 408, 008	501, 053
Vermont		30 914	15, 110 150, 311	39, 150 381, 678			1 170, 178	326, 757 838 456
Washington		30, 314	100,011	273, 682	107, 751 85, 972	30, 000	359, 654	441, 997
West Virginia		17, 240	151, 868	481, 546	93, 539		744, 193	837 851
Wisconsin			13, 300 18, 609		475, 104 63, 828		488, 404	994, 115
District of Columbia		2, 784	18, 609	235, 856	63, 828	168, 320	321, 077 168, 320	994, 115 361, 770 168, 320
								250,020

3, 616, 719 8, 441, 410 21, 053, 103

Total....

538, 032

40, 949, 891 50, 237, 915

7, 300, 627

Table 6.—Funds allotted to projects completed during the fiscal year 1938—Contd.

ON SECONDARY OR FEEDER ROADS IN MUNICIPALITIES

		Works	Program	Feder	ral aid		Esti-
State	Public Works, 1934–35	High- ways	Grade crossings	Second- ary or feeder	Grade crossings	Total Federal funds	mated total cost
Alabama		\$37, 300				\$319,864	\$319, 864
Arizona			6,095			6, 095	6,095
Arkansas		24, 781	664, 085			688, 866	694, 880
California		316, 000		\$680		1, 380, 033	
ColoradoConnecticut		44, 550	665, 124 350, 000			665, 124	665, 124
Florida		28, 890	110,300			394, 550 139, 190	415, 911 139, 837
Georgia						599, 962	
Idaho		321, 301	204, 352	22 010		226, 362	248, 819
Illinois.		407, 954			l \$9.500	711 994	713, 031
Indiana		242, 214	972, 814		117, 790	1, 332, 818	1, 341, 998
Iowa		1, 981	69, 861		11,,100	71, 842	74, 377
Kansas		21, 151				21, 151	21, 318
Kentucky		152, 203		1,047		1, 100, 369	1, 343, 671
Louisiana		323, 483				465, 020	499, 971
Maine		55, 000		46, 900		101, 900	150, 716
Maryland		85, 000				95, 360	95, 415
Michigan						586, 600	686, 600
Minnesota		251, 020			25, 913	917, 237	1, 094, 344
Mississippi Missouri		165, 624	35, 400 1, 771, 128	10 919		35, 400 1, 946, 964	35, 400 1, 967, 586
Montana		185, 240	1, 771, 120	10, 212		185, 240	185, 267
Nebraska		244, 873	131, 822	4 087		381, 682	386, 700
Nevada		41, 350	198, 694			240, 044	260, 450
New Hampshire		65, 870				234, 196	234, 876
New Jersey		303, 530				1, 865, 859	1, 865, 859
New Mexico			108, 236			108, 236	109, 216
New York		160, 400	1, 505, 730	34, 220		1, 700, 350	1, 734, 570
North Carolina		190, 597	601, 741	10, 394		802, 732	828, 656
North Dakota			471, 271			471, 271	471, 383.
Ohio		826, 758	305, 001			1, 131, 759	1, 182, 055
Oklahoma		235, 534	235, 376	552		470, 910	472, 972
Oregon		2, 220, 419	770 570	552		552 2, 990, 991	904
PennsylvaniaRhode Island			770, 572 36, 240			36, 240	3, 435, 285 36, 240
South Carolina						114, 599	114, 599
South Dakota		14, 977	263 009		7, 520	285, 506	285, 552 ^t
Tennessee		15, 765	1. 185, 142			1, 200, 907	1, 211, 804
Texas						1, 520, 269	1, 520, 272
Utah			383, 451		14,000	430, 196	471, 187
Virginia			74, 544			101, 453	102, 444
Washington			397, 851		66, 593	610, 815	673, 016
West Virginia			298, 065			298, 065	298, 565
Wisconsin		7, 234	1, 002, 352			1, 009, 586	1, 014, 226
Wyoming			265, 400			265, 400	265, 400
Total		7, 197, 0/7	20, 700, 454	131, 002	234, 316	28, 262, 849	29, 808, 301

Alabama		\$512, 367	\$233, 498		\$16, 100	\$761,965	\$791, 218
Arizona		80,743		\$66,705		243, 980	286, 196
Arkansas	\$32, 129	100,804				273, 627	276, 459
California		405, 197		73,086		657, 679	768, 338
Colorado			71, 670		1,880	73, 550	73, 550
Connecticut		504, 749	156, 370			661, 119	734, 431
Delaware		44, 195				44, 195	46, 948
Florida		61, 200				284, 325	284, 675
Georgia	63, 421	794, 471	214, 442			1,091,394	1, 123, 447
Idaho	1,886		59, 395	128, 264		189, 545	321, 838
Illinois	32, 800	391, 349	187, 861	39, 900		651, 910	698, 246
Indiana		719, 431	371,041			1,090,472	1, 210, 804
Iowa		668, 940	338, 937		58, 900	1, 066, 777	1, 145, 022
Kansas		359, 447		12, 458		371, 905	
Kentucky	14, 079	160, 050	103, 796	121, 526		399, 451	535, 286
Louisiana	319, 506	176, 836	195, 683			692, 025	714, 478
Maine	12,062	241, 850	172, 332	66, 933		493, 177	
Maryland		85, 317	549, 559			634, 876	
Massachusetts		666, 750	1, 160, 788			1, 827, 538	
Michigan		17,000	171, 150			188, 150	
Minnesota	136, 419	150, 841	208, 592			495, 852	
Mississippi	26, 380	304, 052	179, 279			509, 711	
Missouri	229, 564	244, 248	162, 932	457, 834		1, 094, 578	1, 608, 407

Table 6.—Funds allotted to projects completed during the fiscal year 1938—Contd.

ON SECONDARY OR FEEDER ROADS OUTSIDE OF MUNICIPALITIES—Continued

	Public	Works	Program	Feder	ral aid	Total	Esti-
State	Works, 1934–35	High- ways	Grade crossings	Second- ary or feeder	Grade crossings	Federal funds	mated total cost
Montana	31, 054 303, 483 1, 770 17, 100 129, 261 87, 800 9, 600 106, 258 5, 844 81, 531	157, 596 3, 561 162, 290 272, 496 493, 34, 202 75, 939 1, 423, 036 113, 513 89, 274 2, 508, 984 2, 312 242, 667 209, 709 632, 904 243, 161 317, 452 24, 858 120, 812 34, 959 719, 230 35, 000 37, 721	\$99, 291 108, 103 592, 496 576, 670 219, 384 77, 821 609, 446 423, 907 126, 924 1, 358, 675 139, 716 174, 030 392, 419 498, 703 87, 220 56, 375 341, 496 99, 845 98, 320 451, 285	153, 067 80, 092 91, 078 74, 483 29, 330 58, 984 	57,000 3,480	156, 628 270, 393 1, 168, 475 495, 114 1, 244, 037 844, 664 153, 760 2, 032, 482 537, 420 369, 774 4, 026, 246 470, 183 399, 509 1, 025, 323 804, 509 483, 018 122, 048 626, 326 202, 522 899, 081 501, 535	388, 615 217, 563 300, 464 1, 191, 390 495, 704 1, 327, 587 973, 767 154, 274 2, 068, 885 655, 789 430, 622 4, 112, 893 125, 118 490, 573 399, 509 1, 053, 526 829, 604 1, 014 673, 430 298, 434 1, 018, 106 558, 271
Hawaii		206, 782 16, 080, 108	11, 709, 198	1, 749, 318		206, 782 31, 489, 095	

TOTAL

State										
State		Fadar	Dublic	Works	Program	Fe	ederal aid	l	m	Esti-
Arkansas. 60, 814 426, 858 1, 525, 054 3, 908, 036 5, 110, 762 5, 152, 247 California	State	al aid,	Works,	High-		ways,	ary or	cross-	Federal	mated total
North Carolina 371, 841 1, 514, 876 1, 661, 360 2, 823, 987 101, 472 43, 180 6, 516, 716 9, 512, 523 North Dakota 235, 157 363, 835 1, 518, 828 1, 012, 725 3, 130, 545 3, 226, 868	Arizona Arkansas California Colorado Connecticut Delaware Florida Georgia Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Misnesota Mississippi Montana Nebraska New Hampshire New Hampshire New Mexico		60, 814 11, 000 142, 973 3, 069 242, 670 692, 621 54, 831 355, 449 3, 000 20, 653 319, 506 12, 862 235, 800 514, 240 377, 702 246, 198 930, 287 34, 791 70, 809 436, 039 58, 433 588, 431	88, 610 426, 858 1, 314, 408 783, 033 261, 185 416, 089 1, 290, 730 19, 718 816, 737 1, 462, 445 11, 089, 482 497, 830 492, 982 911, 089, 349, 099 349, 099 349, 099 349, 099 349, 013, 308 17, 700 473, 757 340, 158 547, 942 44, 911 256, 271 2, 171, 251 504, 029 1, 478, 676	150, 621 1, 525, 621 4, 627, 631 996, 247 772, 704 1, 335, 393 719, 511 3, 093, 599 3, 132, 666 1, 592, 307 1, 298, 892 1, 796, 172 569, 592 2, 029, 959 1, 984, 350 1, 136, 521 1, 502, 717 4, 605, 792 72, 191 1, 220, 563 198, 694 466, 292 2, 473, 273 694, 860 6, 728, 314	1, 730, 523 3, 098, 036 3, 911, 392 2, 003, 473 497, 319 263, 575 740, 764 1, 469, 695 1, 605, 670 2, 111, 645 3, 152, 894 3, 111, 645 3, 582, 702 2, 313, 656 1, 507, 265 2, 211, 667 2, 211, 667 3, 378, 283 3, 324, 796 1, 676, 213 4, 514, 211 2, 466, 168 1, 657, 038 2, 051, 622 221, 487 953, 171 3, 286, 151 7, 136, 340	\$66, 705 73, 766 19, 060 150, 274 39, 900 12, 458 122, 573 113, 833 468, 046 46, 656 153, 067	1, 880 19, 500 165, 790 215, 829 6, 290 235, 218 35, 109	2, 036, 459 5, 110, 76 5, 110, 73 3, 012, 600 2, 314, 575 527, 829 2, 172, 227 4, 807, 499 2, 550, 004 9, 978, 079 7, 875, 546 6, 480, 33 4, 129, 126 3, 939, 645 5, 379, 633 5, 547, 994 4, 281, 842 11, 240, 413 2, 913, 308 2, 483, 403 944, 050 944, 050 944, 050 944, 050 944, 050 944, 050 944, 051 944, 050 944, 050 944, 051 944, 050 944, 051 944, 051 944, 050 944, 051 944, 050 944, 051 944, 050 944, 051 944, 051 944, 050 944, 050 944, 050 944, 050 944, 050	2, 877, 115 5, 152, 247 11, 102, 370 4, 718, 635 2, 962, 822 802, 505 2, 934, 488 6, 425, 846 3, 901, 915 16, 086, 800 11, 283, 484 10, 653, 736 6, 958, 961 5, 920, 726 5, 981, 304 9, 242, 239 8, 981, 304 9, 242, 239 16, 671, 224 4, 859, 090 5, 327, 632 2, 968, 772 1, 204, 828 1, 66, 675, 257 1, 204, 828 5, 327, 632 2, 968, 772 1, 204, 828 6, 662, 352 2, 968, 772 1, 204, 828 5, 327, 632 2, 968, 772 1, 204, 828 5, 327, 632 2, 968, 772 1, 204, 828 5, 327, 632 2, 968, 772 1, 204, 828 5, 327, 632 2, 968, 772 1, 204, 828 5, 327, 632 2, 968, 772 1, 204, 828 5, 327, 632 2, 968, 772 1, 204, 828 5, 327, 632 2, 968, 772 1, 204, 828 5, 327, 632 2, 968, 772 1, 204, 828 5, 324, 434 1, 443

 ${\tt Table \ 6.--} Funds \ allotted \ to \ projects \ completed \ during \ the \ fiscal \ year \ 1938--- Contd.$

TO'	ΓA	L—C	onti	inued
-----	------------	-----	------	-------

	77. 1	D.11.	Works	Program	Fe	ederal aid	l	m . 1	Esti-
State	Feder- al aid, 1917–33	Public Works, 1934–35	High- ways	Grade crossings	High- ways, 1936-39	Second- ary or feeder	Grade cross- ings	Total Federal funds	mated total cost
Ohio Oklahoma Oregon Pennsylvania Rhode Island South Carolina South Dakota Tennessee Texas Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming Hawaii District of Columbia	52, 968	4, 709 82, 100 697, 931 2, 478 342, 106 15, 880 49, 645 321, 938 5, 844	546, 966 991, 699 5, 919, 569 6, 150 485, 540 543, 851 1, 292, 773 418, 759 449, 641 47, 738 298, 032 181, 330 1, 163, 468 242, 522 113, 624	6, 565, 018 44, 314 1, 196, 681 1, 646, 403 2, 245, 754 3, 091, 095 811, 644 230, 619 1, 198, 612 773, 593 1, 618, 799 1, 921, 482	2, 200, 586 2, 527, 049 7, 319, 221 570, 474 1, 750, 353 1, 433, 833 1, 171, 703 7, 983, 089 1, 210, 506 792, 849 2, 342, 899 1, 439, 605 837, 810 4, 144, 419	\$75, 035 29, 330 58, 984 	50, 960 57, 800 71, 000 14, 233 80, 710 134, 774	4, 972, 223 20, 531, 069 682, 400 3, 774, 680 3, 690, 927 4, 710, 230 11, 677, 901 2, 564, 137 4, 269, 841 2, 597, 020 3, 912, 702 6, 323, 673 2, 716, 258 797, 911	7, 507, 024 7, 034, 627 7, 034, 627 29, 169, 404 1, 376, 571 6, 307, 963 4, 801, 415 5, 959, 289 20, 368, 824 3, 184, 541 2, 080, 417 6, 790, 237 4, 088, 660 4, 905, 210 10, 784, 101 3, 874, 120 1, 294, 555
Total	268, 177	8,185,691	38,529,122	76, 575, 748	112,620,868	1,880,320	1,495,583	239,555,509	353,868,537

Table 7.—Funds allotted to projects under contract on June 30, 1938

ON THE FEDERAL-AID HIGHWAY SYSTEM OUTSIDE OF MUNICIPALITIES

	Public	Works	Program	Federa	al aid	/D-4-1 D-4	Estimated.
State	Works, 1934-35	High- ways	Grade crossings	Highways, 1936-39	Grade crossings	Total Federal funds	Estimated total cost
Alabama	\$17,000	\$104, 100	\$60,519	\$3, 302, 346	\$32,024	\$3, 515, 989	\$6, 820, 773
Arizona		38, 548	18,841	1, 363, 703	4, 718	1, 425, 810	1, 883, 750
Arkansas		100, 026	172, 109	1, 083, 304	265, 112	1, 635, 315	1, 647, 228
California		116, 218	112, 295	6, 330, 549	783, 652	7, 342, 714	13, 028, 538
Colorado		554, 697	39, 474	1, 383, 120	37, 744	2, 015, 035	3, 159, 079
Connecticut			127, 600	478, 086		607, 656	1, 101, 349
Delaware		10, 234	279, 052	336, 176	5, 000	630, 462	967, 757
Florida		38, 957	49, 918 872, 919	1, 442, 681	10, 616 18, 346	1, 582, 092 5, 012, 504	3, 024, 773 8, 555, 076
Georgia		319, 104 52, 439	25, 117	3, 542, 571 1, 204, 630	99, 994	1, 416, 342	2, 245, 896
IdahoIllinois		140, 310	414, 858	4, 751, 691	478, 675	5, 785, 534	10, 499, 486
Indiana		49, 000	122, 950	3, 216, 617	947, 600	4, 367, 667	7, 600, 236
Iowa		74, 865	84,000	3, 030, 138	364,000	3, 553, 003	7, 302, 122
Kansas.		74, 925	78, 694	2, 371, 844	491,604	3, 017, 067	5, 476, 434
Kentucky-		55, 894	159, 026	2, 992, 278	13, 609	3, 234, 183	6, 251, 945
Louisiana		124, 573	220, 222	2, 709, 725	146, 478	3, 245, 457	13, 334, 704
Maine		25, 152	69, 281	1, 158, 655	49, 687	1, 302, 775	2, 485, 549
Maryland	131, 500	291, 343	343, 899	1, 096, 021	64, 586	1, 927, 349	3, 027, 509
Massachusetts		436, 840	70, 410	857, 864	15, 710	1, 380, 824	2, 676, 535
Michigan	96, 788	94, 521	169, 432	2, 474, 244	479, 602	3, 314, 587	5, 807, 126
Minnesota		79,000	176, 500	2, 327, 036	73, 868	2, 669, 445	5, 029, 615
Mississippi		24, 339	345, 433	2, 926, 521	107, 400	3, 483, 836	7, 591, 455
Missouri	30,000	122, 484	92, 132	2, 686, 299	229, 970	3, 160, 885	5, 945, 524
Montana	7, 599	34, 485	105, 187	974, 303	253, 298	1, 374, 872	2, 138, 205
Nebraska	0.000	58, 061	86, 603	3, 655, 931	188, 967 146, 452	3, 989, 562 1, 422, 623	7, 669, 540 1, 611, 210
Nevada		33, 646 14, 178	13, 308	1, 222, 535	65, 175	674, 236	1, 261, 376
New Hampshire New Jersey		46, 947	14, 443 188, 700	580, 440 1, 003, 533	104, 554	1, 374, 039	2, 415, 065
New Mexico	30, 303	43, 071	25, 879	1, 505, 836	122, 441	1, 697, 227	2, 496, 191
New York	222, 900	144, 795	22, 000	7, 625, 282	1, 012, 700	9, 027, 677	16, 895, 064
North Carolina		50, 733	192, 799	3. 232, 277	272, 900	3, 757, 604	7, 224, 521
North Dakota	216, 988	43, 009	48, 112	2, 828, 614	12,046	3, 148, 769	3, 273, 874
Ohio		115, 062	1, 722, 688	3, 911, 813	32, 120	5, 899, 658	9, 877, 362
Oklahoma		87, 560	172, 271	2, 741, 767	17, 343	3, 030, 387	5, 563, 700
Oregon		45, 580	35. 013	1, 480, 590	48, 685	1, 624, 868	2, 652, 409
Pennsylvania	44, 426	203, 842	1, 103, 947	3, 584, 384	208, 824	5, 145, 423	8, 800, 283
Rhode Island				382, 966	223, 897	606, 863	989, 829

Table 7.—Funds allotted to projects under contract on June 30, 1938—Continued On the federal-ald highway system outside of municipalities—Con.

	Public	Works	Program	Federa	al aid	Total Fed-	Estimated
State	Works, 1934-35	High- ways	Grade crossings	Highways, 1936-39	Grade crossings	eral funds	total cost
South Carolina South Dakota Tennessee Toxas Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming Hawaii Puerto Rico	\$99, 580 90, 681 174, 061 	\$40, 530 50, 997 41, 923 179, 840 31, 007 13, 865 90, 859 65, 824 33, 471 72, 000	\$214, 539 106, 996 58, 560 162, 840 18, 461 10, 900 55, 358 46, 426 277, 876 89, 783 20, 412 169, 698	\$2, 378, 282 2, 293, 020 2, 497, 746 6, 398, 356 725, 404 692, 676 2, 679, 032 2, 471, 74 1, 085, 323 2, 329, 267 1, 399, 651 475, 695 562, 390	\$22, 137 96, 548 14, 381 108, 143 158, 996 132, 725 124, 725 124, 004 572, 947 144, 884	\$2, 755, 068 2, 638, 242 2, 612, 610 6, 915, 097 883, 015 876, 437 2, 960, 124 2, 733, 823 1, 633, 842 3, 120, 697 1, 598, 234 655, 393 623, 940	\$5, 745, 158 4, 475, 720 5, 110, 356 13, 521, 758 1, 171, 326 1, 809, 73 5, 641, 708 5, 001, 177 2, 205, 637 5, 753, 907 2, 477, 665 1, 146, 760 1, 190, 759
Total	1, 961, 743	4, 512, 141	9, 067, 480	113, 784, 986	9, 080, 511	138, 406, 861	253, 582, 751

ON THE FEDERAL-AID HIGHWAY SYSTEM IN MUNICIPALITIES

AlabamaArizonaArkansas	\$273, 322		\$131, 700	\$287, 265	\$81,800	\$774,087	\$1,069,243
							WI, 000, 240
	000			6, 108		6, 108	8, 483
	800		14, 460	16, 865	13, 370	45, 495	46, 520
California	20, 460			572, 275	203, 970	796, 705	1, 298, 605
Colorado		\$8,200		18, 260	2,450	28, 910	47, 278
Connecticut		ψο, 200	295, 180	101, 905	2, 100	397, 085	512, 440
Delaware			250, 100	12, 109		12, 109	24, 834
Florida			19, 820	91, 850		111, 670	203, 520
Georgia	344, 120	506, 240	93, 090	420, 100		1, 363, 550	2, 001, 350
Idaho	511, 120	000, 240	1, 344	18, 032		19, 376	31, 515
Illinois	423, 083		1, 045, 550	1, 149, 160	530,000	3, 147, 793	4, 354, 732
Indiana	16, 400		1, 040, 000	344, 013	10, 400	370. 813	728, 306
	10, 400	30,000	1, 005, 000				2, 179, 962
Iowa				211, 435	619,800	1, 866, 235	
Kansas	20, 885	143, 071	1, 110, 603	576, 783	203, 862	2, 055, 204	2, 746, 553
Kentucky	35, 261	174.680	417, 814	118, 950	154, 478	901, 183	1, 020, 133
Louisiana		76, 360	345, 820	14, 460		436, 640	504, 639
Maine	8, 645			243, 889	134, 770	387, 304	630, 183
Maryland	115, 570	154, 193	10,000			279, 763	279, 763
Massachusetts				521, 581		521, 581	1,043,165
Michigan		43, 400	35,000	798, 350	192, 150	1,068,900	2, 022, 500
Minnesota	178, 568		407, 520	543,681	80, 155	1, 209, 924	1, 783, 537
Mississippi	5, 300	62, 100	105, 100	387, 960	75, 300	635, 760	1,087,880
Missouri		640, 518	12,675	208, 462	155, 240	1,016,895	1, 281, 679
Montana	40,949	60,900		8,303	107, 474	217, 626	224, 088
Nebraska		146, 793	80, 551	88, 181	12, 108	327, 633	416, 441
Nevada			4, 257	16, 363		20, 620	23, 128
New Hampshire				24, 960		24, 960	50, 011
New Jersey	76, 178			421, 385		497, 563	938, 640
New Mexico	10,110		3, 129	121,000		3, 129	3, 129
New York	90,000	23,700	263, 750	758, 345		1, 135, 795	1, 985, 186
North Carolina	40,085	16,641	77, 330	220, 865		354, 921	593, 906
North Dakota	237, 831	269, 211	11,000	67, 075	337, 300	911, 417	912, 734
Ohio	201,001	395, 780	1,609,452	509, 647	551,500	2, 514, 879	3, 069, 394
Oklahoma	22, 482	000,100	7, 800	125, 330		155, 612	263, 897
Oregon	22, 102		1,000	160, 741	276, 370	437, 111	540, 862
Pennsylvania	102, 707	586, 310	1, 076, 115	334, 043	270, 370	2, 099, 175	2, 540, 093
Rhode Island	102, 707	000, 310	1,010,110	101, 400		101, 400	202, 800
South Carolina	24, 471	141,878	74, 092	217, 343	9,000	466, 784	783, 219
South Dakota	8,723	167, 900	56,370	32, 010	18, 835	283, 838	319, 285
Tennessee		107, 900	30,370	221, 611			443, 222
		46,000	000 100			221, 611	
Texas.		40,000	283, 130	200, 132		529, 262	1, 074, 817 227, 745
Utah				161, 930	2, 030	163, 960	
Vermont				30, 925	2,400	33, 325	64, 250
Virginia	11 500		568, 954	66, 860	147, 790	783, 604	850, 464
Washington				156, 350		167, 946	309, 586
West Virginia	160, 821		212, 500	191, 550	62,000	626, 871	670, 063
Wisconsin		4,000	42, 419	1, 026, 190	463, 840	1, 536, 449	2, 914, 009
Wyoming	17, 900		90,800	2,865		111, 565	113, 350
Total	2, 276, 157	3, 697, 875	9, 501, 325	11, 807, 897	3, 896, 892	31, 180, 146	44, 441, 139

Table 7.—Funds allotted to projects under contract on June 30, 1938—Continued ON SECONDARY OR FEEDER ROADS IN MUNICIPALITIES

	Public	Works P	rogram	Feder	al aid	Total	
State	Works, 1934-35	Highways	Grade crossings	Secondary or feeder	Grade crossings	Federal funds	Estimate total cost
labama				\$3,550	\$315,850	\$319,400	\$322,95
rkansas			\$6, 475	φυ, υυυ	φ310, 300	6, 475	6, 47
California Colorado		\$21, 938	ψο, 110		212, 760	234, 698	234, 69
Colorado		ψ21, 000	316, 470	5, 630	3, 550	325, 650	330, 15
Delaware				0,000	2,000	2,000	2,00
lorida			43, 290		_,	43, 290	43, 29
eorgia		363, 810	517, 950	12, 350		894, 110	906, 46
daho				2,901		2, 901	7, 57
llinois		5 600	48, 922	45, 100	4, 500	104, 122	155, 62
ndiana				2, 492	95,000	97, 492	100, 50
owa					3,000	3,000	3, 25
Cansas				21, 835	3, 950	25, 785	47, 62
Centucky			157, 000	413	62, 380	219, 793	220, 45
ouisiana						367, 720	367, 73
1aine				22, 200		22, 200	44, 40
Iaryland			72, 500	! 		72, 500	72, 50
1assachusetts					54,710	54, 710	54, 71
Iichigan					247, 775	247, 775	247, 77
Iinnesota				24, 898	425, 833	450, 731	479, 44
Iississippi		34, 100	21, 600		70,000	125, 700	125, 70
11SSOUT1			590, 923	1,070		591, 993	593, 06
Iontana			80, 744		276, 614	357, 358	417, 00
lebraska			94, 818	20, 733	110, 708	233, 637	254, 37
Jevada				166	3,309	3, 475	3, 50
lew Jersey			161,724		100, 225	261, 949	261, 94
lew York		40,070	1,095,900	8, 980		1, 144, 950	1, 153, 93
North Carolina		37, 900	634, 730	20, 520	104 700	693, 150	713, 67
North Dakota		13, 500 136, 809	364, 000 2, 038, 739		184, 700	562, 200	562, 20
hio		56, 010	2, 038, 739	6, 723		2, 175, 548 207, 433	2, 578, 89 213, 35
regon			144, 700	678		678	1, 21
ennsylvania		208, 174	285, 377	8, 271		501, 822	557, 23
outh Carolina			145, 857	3, 100	38, 500	276, 512	286, 20
outh Dakota		05, 000	9, 260	3, 100	45, 370	54, 630	54, 63
'ennessee		175, 890	519, 850		40,070	695, 740	695, 74
'exas		60, 475	2, 920	19, 255	9, 250	91, 900	130, 54
Jtah			2, 520	16, 580	0, 200	16, 580	30, 52
ermont				14, 650		14, 650	33, 18
irginia			3,892	1,050		4,942	5, 99
Vashington			0,002	40,300	250, 690	290, 990	327, 32
Vest Virginia			406, 400	13,000	58, 900	465, 300	465, 30
Visconsin			347, 148	55, 640	00,000	402, 788	473, 49
Vyoming			31,,110	58, 010	5, 030	63, 040	98, 91
Total		1, 250, 709	8, 478, 909	417, 095	2, 584, 604	12, 731, 317	13, 685, 52

13-3		A1 F0 000		4004.050	0154 400	4401 710	0000 004
Alabama		\$156, 200	\$106,600	\$204, 250	\$154, 460	\$621,510	\$826,034
Arizona	\$19, 573			192, 948		212, 521	308, 558
Arkansas				6, 563		6, 563	13, 126
California	71, 027			474,070		545, 097	901, 681
Colorado		36, 285		329, 293	2,475	368, 053	636, 179
Connecticut			254, 140			254, 140	254, 140
Delaware					70, 270	70, 270	70, 270
Florida			59, 610	10,061		69, 671	79, 732
Georgia	628, 230	983, 740	246, 490	159, 649		2, 018, 109	2, 325, 499
Idaho			52, 614	128, 808		181, 422	342, 741
Illinois	16,098	117, 331	135, 900	710, 666		979, 995	1, 763, 632
Indiana	20,000	111,001	28, 293	210, 308	317, 913	556, 514	1,000,640
Kansas		16, 102		23, 650	011,010	39, 752	63, 402
Kentucky		44, 323	17, 858	211, 697	28, 855	302, 733	764, 604
Louisiana	7, 420	97, 070	11,000	35, 961	20,000	140, 451	176, 621
Maine	1, 120	13, 000		122, 518	51, 200	186, 718	309, 236
Maryland	295, 516	223, 048	432, 075	3, 132	01, 200	953, 771	1,047,990
Massachusetts	250, 010						
		521, 293	521, 380	2,650	05 005	1, 045, 323	1, 569, 267
Michigan	000 001	185,000		11, 681	25, 625	222, 306	233, 987
Minnesota	206, 861			156, 529	27,020	390, 410	587, 149
Mississippi	120,000					120, 000	120, 000
Missouri				192, 625		192, 625	388, 410
Montana	66,036	23, 054		7, 865		96, 955	135, 377
Nebraska		40, 869		223, 699		264, 568	488, 267
Nevada	15, 297			303, 739		319, 036	365 , 87 7

Table 7.—Funds allotted to projects under contract on June 30, 1938—Continued ON SECONDARY OR FEEDER ROADS OUTSIDE OF MUNICIPALITIES—Continued

New Hampshire		Public	Works P	rogram	Fede	ral aid	Total	To the start
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	State _		Highways					Estimated total cost
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	New Jersey		\$87,794	\$246,680			246, 680	\$202, 427 246, 680
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	New York North Carolina	\$16,000 30,383	75,600		1, 172, 150	235, 600	2, 152, 880 916, 363	3, 329, 580 1, 249, 913
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	OhioOklahomaOregon	195, 373 66, 468	49,680		55, 764		525, 692 267, 637	648, 830 345, 334 609, 566
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Rhode Island South Carolina	32, 701 44, 000	281, 959		665, 390 42, 535 240, 362	15, 000	42, 535 581, 321	2, 129, 081 85, 070 921, 879
Vermont 73, 203 46, 292 119, 495 218, 10	Tennessee	184, 531	165, 205	93, 710	123, 803 739, 901	28, 850	382,718 1,000,188	341, 880 506, 521 1, 926, 920 363, 035
Washington 10,000 43,356 186,678 83,036 323,070 493,05	Vermont Virginia Washington	43, 900 10, 000	180, 679		73, 203 225, 993	46, 292 56, 600 83, 036	119, 495 507, 172	218, 168 763, 093 493, 020
Wisconsin 14,200 19,537 226,835 75,000 335,572 605,33 Wyoming 175,810 9,500 185,310 294,0	Wisconsin Wyoming	14, 200		19, 537	226, 835 175, 810	75,000	335, 572 185, 310	607, 360 605, 325 294, 040
Puerto Rico	Puerto Rico				121, 950		121, 950	70, 250 244, 000 31, 629, 565

TOTAL

	Public	Works	Program	F	'ederal aid	l 	Total	
State	Works, 1934–35	High- ways	Grade erossings	Highways, 1936–39	Second- ary or feeder	Grade crossings	Federal funds	Estimated total cost
Alabama Arizona Arkansas California Colorado Connecticut Delaware Florida Georgia Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska New Hampshire New Jersey New Mexico New York North Carolina	19, 573 15, 564 91, 487 1, 970 39, 920 1, 231, 914 34, 162 439, 181 47, 900 20, 885 48, 637 51, 879 8, 645 542, 585 98, 470 205, 443 398, 470 205, 443 30, 000 114, 585 21, 979	10, 234	\$298, 819 18, 841 193, 044 112, 295 355, 944 676, 920 279, 052 172, 638 1, 730, 465, 230 151, 243 1, 089, 000 1, 189, 297 751, 698 933, 762 69, 281 858, 474 591, 790 204, 432 584, 020 472, 133 695, 730 261, 977 17, 565 14, 443 597, 104 29, 008 1, 434, 350 1, 146, 089	\$3, 589, 610 1, 369, 811 1, 100, 169 6, 902, 824 1, 401, 380 579, 991 3348, 285 1, 534, 531 1, 222, 662 5, 900, 852 3, 560, 630 3, 241, 573 2, 948, 628 3, 111, 228 2, 142, 543 1, 906, 021 1, 379, 445 3, 272, 594 2, 870, 714, 181 2, 894, 762 982, 606 3, 744, 112 1, 238, 894, 762 982, 606 3, 744, 112 1, 238, 894, 762 982, 606 3, 744, 112 1, 238, 894, 762 1, 238, 894, 762 882, 606 3, 744, 112 1, 238, 894, 762 882, 606 3, 744, 112 882, 606 8, 883, 628 8, 883, 628 8, 883, 628 8, 883, 628 8, 883, 628	334, 923 10, 061 171, 999 131, 709 755, 766 212, 800 45, 485 212, 110 35, 961 144, 718 3, 132 2, 650 11, 681 181, 427 193, 995 7, 865 214, 431 303, 905 50, 152 330, 193	\$584, 134 4, 718 278, 482 1, 200, 383 46, 219 77, 270 10, 616 18, 346 99, 994 1, 013, 174 1, 370, 913 86, 800 699, 416 259, 322 146, 478 235, 657 64, 586 70, 420 945, 152 606, 87 6252, 700 385, 210 637, 386 311, 783 149, 761 65, 175 204, 779 122, 441 1, 845, 100 508, 500	\$5, 230, 986 1, 644, 439 1, 693, 848 8, 919, 215 2, 737, 648 1, 288, 851 714, 841 1, 806, 723 9, 288, 273 1, 620, 041 10, 017, 444 110, 017, 444 15, 392, 486 5, 422, 238 5, 137, 809 4, 657, 892 4, 190, 268 4, 190, 268 4, 190, 268 4, 193, 996 3, 233, 382 3, 002, 438 4, 520, 510 4, 365, 296 4, 902, 399 1, 765, 754 537, 142 2, 380, 231 1, 4815, 399 1, 765, 754 13, 461, 303 5, 722, 039 5, 722, 039	\$9, 039, 001 2, 200, 791 1, 713, 349 15, 463, 522 15, 463, 522 16, 773, 475 1, 867, 929 16, 773, 475 9, 429, 682 9, 485, 336 8, 334, 010 8, 257, 138 8, 257, 138 11, 388 4, 427, 761 5, 343, 676 8, 311, 388 7, 879, 745 8, 925, 035 8, 208, 677 2, 914, 673 8, 828, 618 1, 513, 814 3, 862, 334 3, 640, 714 23, 363, 760 9, 782, 000, 714 23, 363, 760 9, 782, 010
North DakotaOhioOklahomaOregonPennsylvaniaRhode IslandSouth Carolina	479, 429 117, 975 229, 300 81, 467 179, 834	398, 400 697, 332 160, 070 45, 580 1, 291, 196	412, 112 5, 754, 691 324, 771 45, 013 2, 683, 567	2, 895, 689 4, 421, 461 2, 867, 098 1, 641, 331 3, 918, 426 484, 366	92, 200 62, 487 283, 202 673, 661 42, 535 243, 462	550, 536 32, 120 17, 343 325, 055 283, 910 223, 897 84, 637	4, 736, 166 11, 115, 779 3, 661, 069 2, 421, 648 9, 030, 594 750, 798 4, 079, 684	4, 862, 588 16, 174, 476 6, 386, 281 3, 804, 053 14, 026, 689 1, 277, 699 7, 736, 466

Table 7.—Funds allotted to projects under contract on June 30, 1938—Continued TOTAL-Continued

	Public	Works I	Program	· F	ederal aid		Total	
State	Works, 1934-35	High- ways	Grade crossings	Highways, 1936-39	Second- ary or feeder	Grade erossings	Federal funds	Estimated total cost
South Dakota Tennessee Texas Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming Hawaii Puerto Rico	\$104, 534 	383, 018 325, 431 31, 007 13, 865 271, 538 65, 824 98, 871 76, 000 33, 287	456, 680 18, 461 10, 900 628, 204 89, 782 973, 266 498, 837 111, 212	6, 598, 486 887, 334 723, 601 2, 745, 892 2, 628, 124 1, 276, 873 3, 355, 457 1, 402, 516	123, 803 759, 157 216, 240 87, 853 227, 043 226, 978 104, 000 282, 475 233, 820 28, 125	14, 381 38, 100 111, 933 207, 688 337, 115 458, 525 396, 854 1, 111, 787 159, 414	3, 912, 679 8, 536, 446 1, 264, 975 1, 043, 907 4, 255, 842 3, 515, 829 3, 227, 435 5, 395, 506	6, 755, 839 16, 654, 038 1, 792, 626 2, 125, 330 7, 261, 257 6, 131, 109 3, 948, 359 9, 746, 734 2, 983, 965 1, 217, 010
Total	6, 558, 836	13, 336, 523	30, 497, 239	125, 592, 883	9, 616, 485	17, 831, 379	203, 433, 345	343, 338, 983

Table 8.—Funds allotted to projects approved but not under contract on June 30, 1938 ON THE FEDERAL-AID HIGHWAY SYSTEM OUTSIDE OF MUNICIPALITIES

	Public	Works I	Program	Feder	al aid	Total	Estimated
State	Works, 1934-35	High- ways	Grade crossings	Highways 1936-39	Grade crossings	Federal funds	total cost
Alabama				\$1, 207, 550	\$83, 400	\$1, 290, 950	\$2, 501, 301
Arizona				6,073		6, 073	7, 592
Arkansas				11,882	110,000	121,882	122, 720
California				471, 900	144, 157	616, 057	1, 034, 011
Colorado				207, 350		207, 359	372, 930
Connecticut				201, 510		201, 510	405, 970
Delaware				275, 399		275, 399	557, 100
Florida				441, 423		441, 423	882, 846
Georgia				794, 859		794, 859	1, 589, 700
Idaho				149, 208	000 000	149, 208	249, 305
Illinois	400 000			1, 227, 000	226, 000	1, 453, 000	2, 680, 000 976, 900
Indiana	\$29,686			472, 319		592, 005 794 300	1, 682, 781
Iowa				794, 300	266, 363	2, 024, 223	3, 782, 086
Kansas				1, 757, 860 949, 366	169, 402	1, 118, 768	2, 068, 134
Kentucky				227, 491	134, 100	361, 591	637, 353
Louisiana Maine Maryland				175, 217	201. 130	382, 927	558, 175
Mame	0, 559		\$120 627	287, 175	۵01, 100	417, S02	720, 350
Maryland			\$150,027	434, 110	162, 480	162, 480	162, 480
Massachusetts Michigan		POE 746		186, 200	359, 900	571, 846	918, 238
Michigan		\$20, 140		380, 570	Den, 500	380, 570	770, 436
Minnesota	1 650			390, 650	103, 300	495, 600	1, 654, 990
Mississippi Missouri	1,000			1, 229, 376	100,000	1, 229, 376	3, 071, 600
Monton			9 240	142, 262		151, 502	262, 596
Montana Nebraska			0,210	375, 303	13, 880	389, 183	766, 746
Nevada				334, 345		334, 345	385, 484
New Hampshire				47, 327		47, 327	94, 656
New Meyico				242, 840		242, 840	399, 170
New York	}		72,000	550, 045	211, 800	833, 845	1, 384, 490
North Carolina				371,060		371,060	858, 404
North Dakota				21,300		21, 300	39, 770
Ohio				1, 535, 997	71, 710	1,607,707	3, 144, 125
Oklahoma				1, 129, 064		1, 129, 064	2, 159, 721
Oregon				1, 160		1, 160	1,897
Pennsylvania				766, 419		766, 419	1, 560, 338
Rhode Island South Carolina			6, 781	40, 525		47, 306	87, 831
South Carolina			126,000	307, 900	14,820	448, 720	873, 040 684, 814
South Dakota				375, 870	4, 670	380, 540	614, 460
Tenncssee				307, 230		307, 230	2, 451, 498
Texas				902, 358	535, 345	1, 437, 703 166, 724	231, 340
Utah				150, 624	16, 100	107, 699	216, 698
Vermont				107, 699 1, 150, 293	248, 443	1, 398, 736	2, 550, 729
Virginia Washington West Virginia		1 710	70,000	1, 150, 293	12, 902	120, 048	166, 735
Washington		4,746	70,000	352, 400 352, 932	7, 200	360, 132	583, 860
West Virginia				708, 000	7, 200	708, 000	1, 605, 672
Wisconsin	26 256	20, 859		38, 427		85, 642	109, 416
Wyoming Hawail	20, 350	44, 644		350, 440	197, 540	592, 624	968, 150
Puerto Rico		44, 044		550, 110	157, 920	157, 920	159,001
			141 0:0	00 100 810			49, 796, 642
Total	64, 242	95, 995	414, 648	22, 186, 519	3, 452, 562	26, 213, 966	49, 790, 642

Table 8.—Funds allotted to projects approved but not under contract on June 30, 1938—Continued

ON THE FEDERAL-AID HIGHWAY SYSTEM IN MUNICIPALITIES

	Public	Works	Program	Feder	ral aid	Total	Estimated
State	Works, 1934–35	High- ways	Grade crossings	Highways 1936–39	Grade crossings	Federal funds	total cost
Alabama				\$79, 585		\$79, 585	\$165, 480
Arkansas				1,080		1,080	1, 320
California			\$10,000	246, 556		256, 556	474, 622
Colorado			420,000	65, 390		65, 390	117, 630
Delaware				30, 851		30, 851	62,077
Florida				645,800	\$178,800	824, 600	1,470,400
Georgia			2,710	60, 590		63, 300	123, 890
Idaho				228, 900		228,900	382, 517
Illinois	\$86, 286			95, 351		181, 637	276, 987
Indiana	39, 200			9,880		49,080	58, 960
Torro	l	1	1	78, 100		78, 100	164, 885
Kansas		\$35, 200		13, 426	6,600	55, 226	68, 652
Kentucky				160, 579		160, 579	321, 158
Louisiana				252, 661	16, 750	269, 411	545, 926
Maryland				213, 655		213, 655	446, 061
Massachusetts			249, 991	117, 225		367, 216	484, 441
Michigan				231,600	132, 300	363, 900	595, 500
Minnesota Mississippi	44 550	10.450		64, 389	39, 540	103, 929	169, 504 74, 800
MISSISSIPPI	44, 550	10, 450		4,900 21,930		59, 900 21, 930	48, 350
Missouri Nebraska		60 610		170, 740		240, 350	1, 671, 089
Nepraska		09, 010		8, 763		8,763	10, 106
Nevada New Mexico		12 106		1, 080		13, 276	16, 452
New York	6,000	12, 150		21, 550		27, 550	49, 100
North Carolina	0,000			22, 350	17, 420	39, 770	62, 186
North Dakota				2, 318	46, 140	48, 458	50, 470
Ohio				129, 678	195, 400	325, 078	454, 755
Oklahoma				1, 489		1, 489	2,800
Oregon	21, 300					21, 300	24, 211
Oklahoma Oregon Pennsylvania				54, 500		54, 500	108,800
Rhode Island				60, 410		60, 410	120,820
South Carolina				7, 700	291, 210	298, 910	309, 160
South Dakota				330		330	610
Tennessee				24, 500		24, 500	49,000
Texas	1,952			252, 029	458	254, 439	521, 590
Utah				45, 685		45, 685	64, 080
Virginia West Virginia	10, 503	11, 740	1, 256	39, 735		63, 234	104, 796
West Virginia				65, 156	43, 200	108, 356	174, 806
Wisconsin				63, 700		63, 700	139,068
Wyoming	570			2, 203		2, 773	4, 139
Total	210, 361	139, 196	263, 957	3, 596, 364	967, 818	5, 177, 696	9, 991, 198

ON SECONDARY OR FEEDER ROADS IN MUNICIPALITIES

	Public	Works	Program	Feder	al aid	Total	Estimated
State	Works, 1934-35	High- ways	Grade crossings	Secondary or feeder	Grade crossings	Federal funds	total cost
Alabama. Colorado. Connecticut. Georgia Idaho. Illinois. Indiana Kentucky. Nebraska New Jersey New York. North Carolina North Dakota. Pennsylvania South Carolina. Texas. Virginia		\$6, 910 	\$60, 200 	\$15,600 19,800 7,190 16,600 1,181 21,250 150 557	\$227, 718 12, 814 105, 000	\$15,600 19,800 7,190 83,710 1,181 21,250 557 140,000 44,730 227,718 34,400 1,713 6,300 20,914 132,307 9,423	\$34, 300 35, 630 14, 380 10, 310 3, 702 42, 500 1, 306 140, 000 44, 730 228, 468 89, 900 3, 200 7, 900 33, 934 162, 129 65, 880
Washington Wisconsin Total		11, 610	244, 930	8, 600 500 173, 971	345, 532	8, 600 500 776, 043	16, 371 1, 353 1, 026, 213

Table 8.—Funds allotted to projects approved but not under contract on June 30 1938—Continued

	Public	Works I	Program	Feder	al aid	Total	m 11 1.3
State	Works, 1934-35	High- ways	Grade crossings	Secondary or feeder	Grade crossings	Federal funds	Estimated total cost
Alabama				\$108,050		\$108, 050	\$216, 100
California				347, 128		347, 128	651, 558
Colorado				47, 570		47, 570	85, 560
Connecticut				16, 560		16, 560	33, 150
Doloworo		\$17 000				17,000	26, 712
Georgia	\$73,318	69, 030	\$5,400	126, 850		274, 598	404, 620
10300				52, 309		52, 309	135, 681
IllinoisIndiana		36, 000		413, 050		449,050	862, 100
Indiana				338, 050		338, 050	741, 953
Kansas				64, 900		64, 900	129, 800
Kentucky				326, 745		326, 745	1, 115, 721
Louisiana				147, 820		147, 820	408, 602
Maine				62,400		62, 400	124, 800
Maryland Michigan		69, 764				69, 764	70, 959 316, 000
Michigan				158,000		158, 000 93, 420	278, 080
Missouri				93, 420		90, 594	191, 536
Nebraska	10 501			90, 594 53, 422		66, 923	76, 335
Nevada	13, 501			74.848		95, 084	226, 601
New Hampshire	20, 230			55, 855		107, 702	200, 390
New Hampshire New Jersey New York	31, 847			6, 250		6, 250	12, 500
North Carolina				74, 500		74, 500	188, 773
North Dakota				29, 157		29, 157	54, 440
Ohio				5, 000		5, 000	11, 100
Oklahoma				225, 521		225, 521	442, 700
Oregon		11 846		11, 850		23, 696	31, 270
Pennsylvania		11,010		313, 876		313, 876	653, 552
Rhode Island				23, 481		23, 481	48, 090
South Carolina Tennessee Texas Utah	35 500			166, 054		201, 554	423, 485
Tennessee	5. 295			59, 230		64, 525	123, 755
Texas	, 200	30, 809		399, 293	\$802, 100	732, 202	1, 313, 425
Utah				17,000		17,000	32, 635
Vermont					22, 170	22, 170	26,450
Virginia	6, 103			181, 547		187, 650	416, 623
Washington				182,600	194, 071	376, 671	540, 803
West Virginia				59, 100		59, 100	118, 200
Wisconsin				69, 800		69, 800	160, 387
Wyoming				38,000		38,000	61, 500
							10.055.010
Total	205, 800	234, 449	5, 400	4, 439, 830	518, 341	5, 403, 820	10, 955, 946

TOTAL

	D 11	Works :	Program	1	Federal aid		Total	Esti-
State	Public Works, 1934-35	High- ways	Grade eross- ings	Highways, 1936-39	Second- ary or feeder	Grade crossings	Federal funds	mated total cost
AlabamaArizona				\$1, 287, 135 6, 073	\$123,650	\$83, 400	\$1, 494, 185 6, 073	\$2, 917, 181 7, 592
ArkansasCaliforniaColorado			\$10,000	12, 962 718, 456 272, 740	347, 128 67, 370	110, 000 144, 157	122, 962 1, 219, 741 340, 110	124, 040 2, 160, 191 611, 750
Connecticut		\$17,000		201, 510 306, 250 1, 087, 223	23, 750	178, 800		453, 500 645, 889 2, 353, 240
GeorgiaIdaho	\$73, 318	75, 940	68, 310	855, 440 378, 108	143, 450 53, 490 434, 300		1, 216, 458 431, 598 2, 104, 937	2, 218, 520 771, 205 3, 861, 587
Illinois Indiana Iowa	68, 885	36, 000		1, 322, 350 482, 200 872, 400	338, 200	272, 963	889, 285 872, 400	1, 778, 113 1, 847, 669 3, 980, 537
Kansas Kentucky Louisiana		35, 200		1, 771, 287 1, 109, 945 480, 152	64, 900 327, 302 147, 820	169, 402 150, 850	2, 144, 350 1, 606, 649 778, 822	3, 506, 319 1, 591, 880
Maine Maryland Massachusetts		69, 764	130, 627 249, 991	175, 247 500, 830 117, 225	62, 400	201, 130	445, 327 701, 221 529, 696	682, 975 1, 237, 370 646, 921
Michigan				417, 800 444, 959	158, 000	492, 200 39, 540	1, 093, 746 484, 499	1,829,738 939,940

Table 8.—Funds allotted to projects approved but not under contract on June 30, 1938—Continued

TOTAL-Continued

	Public	Works I	Program]	Federal aid		Total	Esti-
State	Works, 1934-35	High- ways	Grade cross- ings	Highways, 1936–39	Second- ary or feeder	Grade crossings	Federal funds	mated total cost
Mississippi. Missouri Montana. Nebraska. Newada. New Hampshire New Jersey. New Mexico. New York North Carolina. North Dakota. Ohio. Oklahoma Oregon. Pennsylvania. Rhode Island. South Carolina. South Carolina. South Carolina. West Virginia. Washington. West Virginia. Washington. Wyoming.	13, 501 20, 236 51, 847 6, 000 21, 300 35, 500 5, 295 1, 955 1, 666	12, 196 11, 846 4, 700 30, 809 11, 740 4, 746 20, 859	44, 730 72, 000 	243, 920 571, 595 393, 410 23, 618 1, 665, 674 1, 130, 553 1, 160 820, 919 100, 935 315, 600 376, 200 371, 730 1, 154, 387 196, 309 107, 699 1, 190, 028 32, 400 418, 088 771, 700	\$93, 420 90, 594 53, 422 74, 848 55, 855 6, 250 108, 900 30, 870 20, 5, 000 225, 521 11, 850 315, 476 23, 481 174, 154 59, 230 426, 600 17, 000 190, 970 191, 200 59, 100 70, 300 38, 000	197, 540	380, 870 396, 255 2, 556, 651 229, 409 129, 869 1, 659, 043 505, 319 527, 588 842, 000 126, 415 592, 624	\$1, 729, 790 3, 398, 030 262, 596 2, 769, 372 471, 925 321, 257 245, 120 414, 622 1, 674, 558 1, 199, 263 147, 800 2, 605, 221 57, 378 2, 330, 590 256, 741 1, 639, 613 4, 448, 643 328, 055 273, 148 3, 137, 948 723, 909 876, 866 1, 906, 480 175, 055 968, 150
Puerto Rico	480, 403	481, 250	928, 935	25, 782, 883	4, 613, 801	5, 284, 253	157, 920 37, 571, 525	159, 001 71, 769, 999

Table 9.—Balances of funds available for programmed projects on June 30, 1938

	Public	Works 1	Program	Federal- aid	Federal aid,	Federal	
State	Works, 1934-35	High- ways	Grade crossings	system 1936-39	secondary or feeder	aid, grade crossings	Total
Alabama	\$\$83,316	\$\$2,860	\$\$9,575	\$3, 873, 445	\$721, 522	\$1, 317, 985	\$6,008,703
Arizona		88	21, 114	1, 799, 834	463, 534	625, 495	2, 916, 136
Arkansas.		7,791	31, 283	4, 320, 542	857, 545	1, 370, 287	6, 597, 393
California		36, 593	178, 412	2, 209, 182	1, 023, 734	2, 355, 669	5, 805, 421
Colorado	11, 371	999, 932	32, 161	3, 038, 935	519, 275	1, 241, 823	5, 843, 497
Connecticut	12, 988	39, 576	73, 681	1, 522, 970	294, 528	844, 490	2, 788, 233
Delaware		31, 706	11,043	1, 184, 277	246, 875	416, 480	1, 890, 381
Florida		27, 893	162, 738	2, 724, 162	664, 791	1, 216, 381	4, 795, 965
Georgia		390, 655	1, 677, 060	5, 515, 965	943, 117	2, 399, 041	11, 198, 229
Idaho		3, 250	570	1, 305, 659	286, 300	722, 876	2, 318, 655
Illinois		11, 990	45, 644	3, 272, 279	836, 849	3, 965, 468	8, 222, 718
Indiana	44, 396	81, 491	10, 639	2, 596, 312	691, 438	1, 041, 793 1, 571, 017	4, 466, 069 4, 559, 159
Iowa Kansas		6, 468 52, 257	85, 175 73, 876	1, 598, 050 3, 576, 379	1, 298, 449 1, 208, 618	1, 600, 424	6, 511, 554
Kentucky		37, 839	44, 873	2, 255, 884	267, 692	1, 385, 321	4, 024, 599
Louisiana		10, 723	111, 820	2, 516, 382	540, 355	1, 279, 743	4, 459, 963
Maine		13, 793	23, 176	672, 327	121, 455	254, 416	1, 085, 167
Maryland	13, 801	245, 743	134, 200	1, 992, 259	409, 344	962, 247	3, 757, 594
Massachusetts		61, 291	99, 288	2, 847, 916	643, 750	1,680,388	5, 528, 473
Michigan		6, 903		3, 450, 087	1, 365, 858	1, 847, 833	6, 670, 681
Minnesota		30, 072	65, 536	3, 528, 637	1, 198, 153	1, 775, 066	6, 607, 709
Mississippi		20, 665	98, 085	3, 443, 858	888, 927	1, 228, 151	5, 684, 533
Missouri		41, 253	35, 693	3, 963, 961	775, 403	2, 640, 043	7, 598, 266
Montana	3,875	40 577	48, 184	4, 462, 564	1,027,170	687, 085	6, 228, 878
Nebraska Nevada	15, 990 1, 804	40, 577	69, 143 6, 789	2, 785, 460 1, 490, 200	662, 426 134, 117	1, 438, 747	5, 012, 343 1, 941, 790
New Hampshire	1, 504	7, 905	5, 510	1, 172, 082	121, 875	428, 575	1, 735, 955
New Jersey	77. 304					1, 765, 478	
	,		-2,000	-, 0, 000	. 010,010	-, , 50, 110	0,001,101

101579-38-4

Table 9.—Balances of funds available for programmed projects on June 30, 1938—Continued

State	Public Works, 1934–35 High		Program Grade	Federal- aid system	Federal aid, secondary	Federal aid, grade crossings	Total
	1994-00	ways	crossings	1936-39	or feeder	Crossings	
New Mexico		\$496	\$10,632	\$1, 134, 063	\$476, 579	\$729, 050	\$2, 364, 059
New York	113, 241	524, 519	269, 313	4, 248, 388	1, 171, 081	4, 485, 311	10, 811, 853
North Carolina		1,764	178, 986	3, 388, 863	619, 115	1, 918, 474	6, 107, 480
North Dakota	13, 541	34, 878	59, 186	3, 813, 287	756, 382	982, 545	5, 659, 819
OhioOklahoma	55, 747 4, 719	127, 214 17, 199	261, 553 108, 713	7, 760, 747 3, 387, 789	1, 734, 441 896, 907	3, 929, 938	13, 869, 640
Oregon	9, 104	28, 945	24, 943	2, 326, 410	458, 070	2, 264, 166 650, 276	6, 679, 493 3, 497, 748
Pennsylvania		125, 229	287, 202	6, 093, 096	1, 126, 751	5, 448, 625	13, 335, 554
Rhode Island	204, 001	120, 220	201, 202	1, 158, 499	121, 875	269, 853	1, 550, 227
South Carolina	3, 498	1	208, 529	1, 866, 336	261, 064	1, 085, 621	3, 425, 049
South Dakota		13, 983	62, 527	3, 442, 676	816, 436	1, 098, 084	5, 436, 983
Tennessee		10,076	222, 383	4, 938, 008	876, 457	1, 877, 652	7, 924, 576
Texas	37, 387	49, 092	129, 422	8, 602, 515	1, 938, 768	4, 360, 065	15, 117, 249
Utah Vermont		34, 704	25, 903	1, 721, 289	317, 130	444, 955	2, 543, 981
		10,820	15, 254	294, 747	121, 687	249, 659	692, 167
Virginia		90, 884	57, 121	1, 119, 840	473, 986	1, 210, 472	2, 971, 624
Washington	714	15, 216	805	1, 350, 405	311, 791	718, 301	2, 397, 232
West Virginia			6, 418	2, 518, 310	386, 574	876, 844	3, 816, 563
Wisconsin			116, 227	2, 161, 311	859, 453	1, 361, 722	4, 498, 713
Wyoming		314	38, 366	893, 056	313, 373	517, 316	1, 762, 425
District of Columbia				1 100 700	218, 750	325, 431	325, 431
Hawaii Puerto Rico	30, 788			1, 198, 792 671, 985	124, 925	296, 210 510, 830	1, 744, 540 1, 307, 740
I uci to Itico				071, 980	124, 920	010, 830	1, 307, 740
Total	1, 591, 859	3, 352, 981	5, 280, 289	139, 986, 573	33, 211, 613	73, 982, 602	257, 405, 917

Table 10.—Mileage of projects completed during the fiscal year 1938

ON THE FEDERAL-AID HIGHWAY SYSTEM OUTSIDE OF MUNICIPALITIES

	Federal	Public	Works	Program	Fede	ral aid	
State	aid, 1917–33	Works, 1934-35	High- ways	Grade crossings	High- ways, 1936-39	Grade crossings	Total
Alabama	Miles	Miles	Miles	Miles	Miles 67. 9	Miles	Miles 68.9
Arizona				0. 7	114. 7		115.4
			1.2	2.8	182. 2		186. 2
California			5.9	3.0	154. 2		163, 1
Colorado				1.6	133.8		135.4
Connecticut.		1.1		2.0	9.4		12. 5
Delaware					21.0		21.0
Florida		2.3	4.0	1, 3	32.4		40. 0 188. 4
GeorgiaIdaho		21. 3	7.0	5. 5 1. 2	154. 6 206. 0		188. 4 207. 7
Illinois			. 0	2.0	305. 7		307. 7
Indiana			8, 6	1.7	146. 0	0. 1	156. 4
Iowa			0.0	2.8	233, 1	9	236. 8
Kansas			14. 5	8.0	255, 1		277. 6
Kentucky			3. 6	1.7	91.4		96. 7
Louisiana			13.4	6, 5	15.0		34.9
Maine			1.4	1.0	57.9		60.3
Maryland			3.0		14. 9		17.9
Massachusetts			. 8	.9	20.3		22.0
Michigan				. 9	160.8		161.7
Minnesota.		1.1		1.1	326. 4		328. 6
Mississippi		12. 5	10.4	33. 2 8. 5	155.5 462.6		211. 6 471. 1
Missouri Montana				8.5	319. 5		320.0
Nebraska			3, 2	4.4	351. 7		359. 3
Nevada			3. 4	7.7	128. 8		128. 8
New Hampshire			. 5	. 2	6.9		7. 6
New Jersey		3, 9	. 0		19, 0		22. 9
New Mexico				. 4	365. 5		367. 1
New York		. 5	. 6	7.0	268.4		276. 5
North Carolina		11.8	18.0	10.3	391, 1	. 4	431.6
North Dakota		36. 2	12.7	33.3	184. 2		266. 4
Ohio		1.4	13. 3	3.3	70. 9		88.9
Oklahoma	23. 1		4,4	3, 2	216.9		247. 6

Table 10.—Mileage of projects completed during the fiscal year 1938—Continued on the federal-aid highway system outside of municipalities—Con.

			Works	Program	Feder	ral aid	
State	Federal aid, 1917–33	Public Works, 1934–35	High- ways	Grade crossings	High- ways, 1936-39	Grade crossings	Total
Oregon	Miles	Miles	Miles 2.6	Miles	Miles 166, 2	Miles	Miles 171, 6
Oregon Pennsylvania Rhode Island		6.5	21.4	12. 3	197. 4 10. 5		237. 6 10. 5
South Carolina South Dakota		1.9	26, 2	17. 2 51. 7	277. 4 231, 4		296. 5 309. 3
Tennessee Texas			13.8	1. 8 I. I	87. 8 1, 054. 5		103. 4 1, 064. 0
Utah Vermont				1. 3 1. 5	138. 3 38. 7		139. 6 40. 2
Virginia	l	11.8		1.7	175.3 77.7	.3	188. 8 78. 0
Washington West Virginia Wisconsin		.7	6.3 2.7	3. 3 6. 4	$\frac{41.8}{260.1}$		52, 1 269, 2
Wyoming Hawaii			. 1	1, 1	318.0 13.3		319. 2 14. 4
Total	31. 2	116.3	200. 4	249. 4	8, 732. 2	3. 5	9, 333. 0

ON THE FEDERAL-AID HIGHWAY SYSTEM IN MUNICIPALITIES

	 				1	
	Miles	Miles	Miles	Miles	Miles	Miles
Alabama	 0.9		1, 2	• 2. 8		4. 9
Arizona	 	1		.9		. 9
Arkansas	 . 5	17.4	1. 2	6.5		25, 6
	 	3.0	.3	4. 2		7, 5
Colorado] 0.0		1.4		1.4
	. 3	1.7		1.4		2, 7
Connecticut	 					6.0
Delaware		6.0				
Florida	 . 5	2.0	1. 1	5. 6		9.2
	 4.7	2.3	1.1	6.7		14.8
Idaho			. 7	5.8		8.4
	 . 2		2, 1	31, 2		33, 5
Indiana	 	2.0	2. 7	7.0		11, 7
Iowa	 	.7	2. 5	16. 2		19. 4
Kansas	 	.7	1. 2	4.8		6, 7
Kentucky		.8	2. 4	3.7		6. 9
Louisiana	 	2.0	. 6	0.1		2. 6
Maine	 	7.1	• •	4. 5		4. 6
Manne	2.0			4.0		2. 0
Maryland						
Massachusetts	 .1	5.0	.7			5.8
			. 5	13. 1		13. 6
Minnesota		2. 1	1, 3	25. 1	1.5	31.3
Mississippi		19.0	2. 0	12.8		34. 1
Missouri	 . 9	4.1	2.0	28. 3		35.3
Montana	 		1	4.1		4. 1
Nebraska	 . 4	1.0	1.7	4.9		8.0
Nevada	 			3.7	. 2	3. 9
New Hampshire			. 1	. 3		. 4
New Jersey		4. 7	.4	. 0		5. 1
New Mexico		2. /	.3	. 2		. 5
New Mexico		F 0		13. 7		
New York	 .8	5.8	1.0			21.3
		1.4	1.3	14.9		17. 6
	 .3	17.4	2. 2	2.3		22. 2
	 . 7	1.0	. 5	2.8		5. 0
		2. 5	1.3	3.4		7. 2
Oregon	 . 7	3.8	1.1	4.0	.7	10.3
	 3.0	2.6	4.1	8.8	li	18. 5
Rhode Island				.8		. 8
South Carolina	 2.7	8.8	2.6	9, 5		23, 6
South Dakota		11.6	4. 2	3, 8		19. 6
		1.6	.9	2. 5		5. 0
	1.0					
	 2.0	1. 1	1.7	22. 2		26. 0
		2. 5	.4	12. 1		15. 0
		. 4	. 1	5.8		6. 3
	 . 4	2.6	5. 2	5.7	. 2	14. 1
Washington			. 3	1.8		2, 1
	 . 1	2.9	1.2	3, 6		7.8
	 	1 3		21.3		21. 6
	 . 3		. 2	3.7		4. 2
District of Columbia				0.1	. 2	. 2
District of Columbia	 					
Total	24. 0	140. 9	54. 4	337. 2	2.8	559. 3
1 Utal	 24. 0	140.9	04.4	001.2	2.8	000.0
	1	1	1			

	Public	Works	Program	Feder	ral aid	
State	Works, 1934-35	High- ways	Grade crossings	Second- ary or feeder	Grade crossings	Total
		Miles	Miles	Miles	Miles	Miles
Alabama		1.3	0.7			2. 0
Arkansas.		1. 2	1.2			2.4
California		5.8	1. 2	1.0		8.0
Colorado			.8			. 8
Connecticut		1.4	. 3			1. 7
Florida		2.8	. 6			3.4
Georgia.		7.7	1.9			9.€
Idaho			. 3	9. 5		9.8
Illinois		3.9	. 5			4.4
Indiana		5. 5	1. 2		0, 5	7. 2
Iowa		.8	. 6			1.4
Kansas		. 7				. 7
Kentucky		1.8	. 3	.8		2. 9
Louisiana		2.8	. 3			3. 1
Maine		1.9		6.0		7. 9
Michigan			. 5			. 5
Minnesota		9. 5	1.6			11. 1
Missouri		1. 7	.8	8.9		11.4
Montana		1. 1				1. 1
Nebraska		3. 2	1.1	. 3		4. €
Nevada		. 3	. 2			. 5
New Hampshire		2.8	. 1			2. 9
New Jersey		1.9	2.5			4.4
New Mexico			. 1			. 1
New York		. 5	. 8	7. 2		8, 5
North Carolina.		5. 0	2. 1	4.8		11.9
North Dakota			1.0			1. (
Ohio		6. 2	. 4			6. 6
Oklahoma		6. 1	. 7			6, 8
Oregon				. 1		0
Pennsylvania		35, 8	2. 1			37. 9
Rhode Island			. 2			
South Dakota		. 9	1.0			1. 9
Tennessee		. 5	2.2			2. 3
Texas			2.8			2.8
Utah		10. 3	1.0		. 9	12. 2
Virginia		. 4	.1			. § 2. §
Washington		1. 2	1.2		. 1	
West Virginia			.8			.8
Wisconsin		. 6	1. 2			1.8
Wyoming			. 4			. 4
Total		125. 6	34. 8	38. 6	1. 5	200. 5

		1				
	Miles	Miles	Miles	Miles	Miles	Miles
Alabama		22.5	2.1			24.6
Arizona		7.3	. 5	9.9		17.7
Arkansas	11.1	23.7	. 4			35. 2
California		11.1	. 6	36. 2		47. 9
Colorado			, 2			. 2
Connecticut.			. 4			15. 3
Delaware		10.3				10.3
Florida		3. 7	10.4			14. 1
Georgia		49.3	2.6	3. 2		60.0
Idaho			. 5	33.6		34, 1
Illinois		40.3	. 7	3. 3		53, 6
Indiana		66.0	1.6			67. 6
Iowa		70. 1	4.8		0.9	75.8
Kansas		20. 7		24.4		45. 1
Kentucky		12.5	. 6	104.3		117. 4
Louisiana		11.3	.7			29. 2
Maine		11.4	1.6	9. 4		23. 3
Maryland		6.6	2, 9			9.5
Massachusetts		9.7	3. 7			13. 4
Michigan		1.4	. 6			2. 0
Minnesota	10.5	45.9	4.8			61, 2 38, 6
Mississippi		26.7	10.8	237. 6		251. 4
Missouri	. 3	12. 8 8. 9	.7	237.0		9.0
Montana	, 1	8.9				9.0

Table 10.—Mileage of projects completed during the fiscal year 1938—Continued on Secondary or feeder roads outside of municipalities—Continued

	Public	Works	Program	Feder	al aid	
State	Works, 1934-35	High- ways	Grade crossings	Second- ary or feeder	Grade crossings	Total
Nebraska		Miles 31. 0 1. 7 7. 7	Miles . 5	Miles 8. 6 26. 5	Miles	Miles 46, 4 28, 2 9, 0
New Jersey New Mexico New York North Carolina North Dakota Ohio		12. 6 33. 8 17. 6 43. 2 27. 5 104. 0	1. 0 2. 1 1. 8 . 2 6. 0	11. 8 41. 5		14. 7 33. 8 31. 5 86. 5 27. 7 110. 0
Öklahoma Oregon Pennsylvania Rhode Island South Carolina	. 7 5. 2	16. 2 3. 6 105. 3	2. 4 . 8 3. 8	36. 4 5. 9 3. 3	.2	18. 6 41. 7 120. 2 3. 3 40. 0
South Dakota. Tennessee Texas. Utah Vermont.	6. 9	34. 5 22. 2 21. 3 21. 1 1. 3	7. 1 6. 5 1. 5 . 8	25. 6 4. 8 4. 3	4. 6 6. 4	48, 5 28, 7 53, 0 33, 1 5, 8
Virginia Washington West Virginia Wisconsin Wyoming	21. 0 . 2 3. 3	57. 3 . 6 43. 3 5. 7 12. 5	1. 7 . 4 . 5 1. 2	11. 7 18. 0 	.9	92. 6 19. 2 47. 1 13. 6 19. 7
Hawaii Total		1,148.4	92. 6	674. 2	13.0	2, 036. 4

TOTAL

			Works	Program		Federal ai	d	
State	Federal aid, 1917–33	Public Works, 1934–35	High- ways	Grade cross- ings	High- ways 1936-39	Second- ary or feeder	Grade cross- ings	Total
Alabama Arizona Arkansas California Colorado Connecticut Delaware Florida Georgia Idaho Illinois Indiana Iowa Kansas Kentucky Louislana Maine Maryland Massachusetts Michigan Minnesota Missouri Montana Nebraska Nevada New Hampshire New Mersey New Mexico New York		1.5 2.9 30.9 1.9 9.5 17.2 .9 2.0 .1 12.9 13.8 1.1 6.7	Miles 23.7- 7.3 43.5 25.8 18.0 16.3 12.4 66.2 82.0 71.6 36.7 18.7 29.6 14.8 9.6 6 15.5 57.4 56.1 18.6 10.1 38.4 2.0 10.9 19.3 33.8	Miles 4.0 1.2 5.6 5.1 2.6 2.6 2.6 11.1 2.8 5.2 7.2 10.8 9.2 5.0 8.1 2.6 2.8 9.2 10.8 9.2 10.8 11.0 2.6 2.8 9.2 2.4 9.0 46.0 12.0 12.0 3.9 3.9 3.9 3.9 3.9 3.9	Miles 70.7 115.6 188.7 135.2 10.1 21.0 38.0 38.0 161.4 211.8 337.0 153.4-249.2 259.8 95.2 15.0 20.3 174.0 3351.3 168.4 490.9 323.5 57.1 19.0 365.7 282.0 365.7	3. 2 43. 1 3. 3 24. 4 105. 1 15. 4 246. 5 8. 9 26. 5	1.6	Miles 100.3 134.0 249.5 226.5 137.8 260.1 399.2 242.9 333.4 242.9 96.1 127.9 284.3 360.1 127.9 432.2 244.9 40.1 5 337.8 337.8 161.4 49.9 47.2 2401.5 337.8 3
North Carolina North Dakota		11. 8 36. 5	67. 6 57. 6	15. 4 36. 7	406. 0 186. 5	46. 4	.4	547. 6 317. 3

Table 10.—Mileage of projects completed during the fiscal year 1938—Contd.

TOTAL—Continued

	T- 31	Deskille	Works	Program	:	Federal ai	d	
State aid,	Federal aid, 1917–33	Public Works, 1934–35	High- ways	Grade cross- ings	High- ways 1936-39	Second- ary or feeder	Grade cross- ings	Total
Ohio	8, 1	12. 6 6. 9 1. 0	Miles 124. 5 29. 2 10. 0 165. 1 39. 1 73. 3 38. 1 22. 9 34. 0 1. 7 60. 3	Miles 10. 2 7. 7 3. 0 22. 3 .1 21. 4 64. 0 11. 3 7. 1 3. 5 1. 7 8. 8	Miles 73. 7 220. 2 170. 2 206. 2 11. 3 287. 0 235. 2 90. 3 1, 076. 7 150. 3 44. 5 181. 0	Miles 36. 4 5. 9 3. 3 25. 6 4. 8 4. 3 11. 7	Miles 2. 7 2. 7 4. 5 7. 3 1. 1	Miles 210. 4 280. 2 223. 7 414. 2 14. 7 360. 1 379. 4 139. 7 1, 145. 9 199. 9 52. 2 296. 0
Washington West Virginia Wisconsin Wyoming		4.2	1.8 52.5 9.3 12.4	1.9 5.7 8.8 1.7	79. 6 45. 4 281. 4 321. 7	18. 0 6. 7 7. 2	.4	101. 9 107. 8 306. 2 343. 3
Hawaii District of Columbia			7. 0		13, 3		. 2	21.4
Total	31. 2	248. 5	1, 615. 3	431. 2	9, 069. 4	712.8	20.8	12, 129. 2

Table 11.—Mileage of projects under contract on June 30, 1938

ON THE FEDERAL-AID HIGHWAY SYSTEM OUTSIDE OF MUNICIPALITIES

	Public	Works	Program	Feder	ral aid	
State	Works, 1934-35	Highways	Grade crossings	Highways, 1936-39	Grade crossings	Total
Alabama		Miles 1, 3	Miles	Miles 274. 2 103. 0	Miles	Miles 275. 5 103. 0
Arizona Arkansas California		4.0	8. 0	74. 5 237. 7	17. 4 1. 3	103. 9 239. 0
Colorado Connecticut Delaware		. 2	.4	79. 8 11. 5 18. 0		82. 6 11. 9 18. 5
Florida Georgia Idaho	1.9	15. 1	7. 9	68. 2 351. 1 176. 3	. 6	68. 2 376. 0 176. 9 243. 4
Illinois Indiana Iowa	.9		.7	241. 5 163. 0 217. 0	1. 2 3. 1 2. 5 5. 7	167. 0 219. 5
Kansas Kentucky Louisiana		.1	1. 0 1. 1 . 4	674. 0 215. 2 88. 2 54. 2	5. 7 5. 7 . 1	679. 7 216. 2 95. 1 54. 7
Maine Maryland Massachusetts Michigan	2. 1	6. 2	.1	37. 5 7. 6 128. 4	. 1	45. 9 8. 2 128. 8
Minnesota Mississippi Missouri	2. 6		1.0	232. 0 300. 2 154. 6	. 1 . 1 1. 7	232. 5 303. 9 156. 3
Montana Nebraska			1.6	70. 3 625. 8 93. 3	10. 2 7. 0	80, 9 634, 4 93, 9
Nevada New Hampshire New Jersey New Mexico			.3	23. 1 15. 2 201. 1	14.9	23. 7 15. 5 216. 0
New York North Carolina		. 2	. 5	272. 2 317. 6 208. 1	5. 9 2. 3	278, 3 320, 4 223, 6
North Dakota Ohio		.4	2. 2	85. 5 204. 1 92. 0	.2	87. 7 204. 8 92. 2
Pennsylvania Rhode Island	1		5. 4	113. 1 13. 0	.7	119. 2 13. 3

Table 11.—Mileage of projects under contract on June 30, 1938—Continued ON THE FEDERAL-AID HIGHWAY SYSTEM OUTSIDE OF MUNICIPALITIES—Continued

	Public	Works	Program	Feder	ral aid	
State	Works, 1934-35	Highways	Grade crossings	Highways, 1936-39	Grade crossings	Total
South Carolina South Dakota Tennessee. Texas Utah Vermont. Virginia. Washington West Virginia Wisconsin Wyoming. Hawaii. Puerto Rico	.1		Miles 1. 4 . 5 . 5	Miles 236. 7 361. 4 161. 4 776. 8 100. 8 42. 4 183. 1 87. 3 54. 4 168. 3 250. 6 18. 6 20. 5	Miles . 1 . 6	Miles 239, 2 376, 1 161, 4 776, 8 101, 9 44, 5 184, 1 88, 9 56, 3 172, 9 251, 7 19, 1 20, 9
Total	37. 3	32. 0	35. 9	8, 704. 4	94. 8	8, 904. 4

ON THE FEDERAL-AID HIGHWAY SYSTEM IN MUNICIPALITIES

•	Miles	Miles	Miles	Miles	Mile8	Miles
Alabama	1. 5		1.0	15. 4	0.6	18. 5
Arizona				.3		.3
Arkansas			.4	1. 4	1.2	3.0
California				22.8	. 6	23. 4
Colorado				1.4		1.4
Connecticut			. 5	1.7		2. 2
Delaware				. 7		.7
Florida				2. 0		2.0
Georgia	5.8	. 12.8	. 4	35, 3		54. 3
Idaho				.9		. 9
Illinois	.1		.8	18. 1	. 7	19.7
Indiana				19. 3	• • •	19. 5
Iowa		. 3	1. 5	11.0	7	13. 5
Kansas		.7	1.3	14.3	1.1	17. 6
Kentucky		1. 2	. 6	4.9	1.1	7. 9
Louisiana		1.3	6.0	1. 2	• • •	8. 5
		1, 0	0.0	9, 1	. 2	9. 3
Maine	.8	1.7		9. 1	.2	9. 3 2. 5
Maryland		1. 7				
Massachusetts				3. 4		3. 4
Michigan		. 3	.1	12.1		12. 5
Minnesota	.2		.3	30. 6	. 5	31. 6
Mississippi	.1	2. 5	.4	35. 7	.1	38. 8
Missouri		. 6	.1	7.3	.8	8.8
Montana		. 1		. 4	.5	1.0
Nebraska		1.1	.3	12. 7	.6	14. 7
Nevada				.3		.3
New Hampshire				1.4		1. 4
New Jersey				6. 1		6. 1
New York	. 4	. 2	. 2	20, 1		20. 9
North Carolina		. 2		17.0		17. 2
North Dakota	.8	22. 4		3, 1	.1	26, 4
Ohio		. 6	1.4	10, 2	, -	12. 2
Oklahoma			ï.i	6. 2		6. 3
Oregon			•-	4.8	. 5	5. 3
Pennsylvania	. 1	3. 3	2.0	10.8		16. 2
Rhode Island	• •	0.0	2.0	1.7		1.7
South Carolina	.4	2. 2	.7	21. 5		24. 8
		12. 9	1.5	4.9		20. 1
South Dakota Tennessee	.0	12. 9	1. 0	6. 2		6, 2
Tennessee		2.9		17.7		21. 2
Texas		2.9	.6	17.7		6.2
Utah				6. 2		
Vermont				. 5		. 5
Virginia			1, 3	4.3	1.0	6.6
Washington				2. 1		2. 1
West Virginia	2. 3		. 2	5. 2	. 5	8. 2
Wisconsin				24.9		24. 9
Wyoming	. 6		. 5	. 4		1. 5
Total	15. 1	67. 3	22. 2	437. 6	10, 1	552. 3
+ Utal	10.1	01.0	44. 4	301.0	10, 1	00211 0

Table 11.—Mileage of projects under contract on June 30, 1938—Continued on secondary or feeder roads in municipalities

	Public	Works I	Program	Feder	al aid	
State	Works, 1934-35	Highways	Grade crossings	Secondary or feeder	Grade crossings	Total
Alabama		Miles	Miles	Miles 0. 7	Miles 0.7	Miles
California Colorado Georgia			0. 3 2. 0	. 4 1. 5	. 3	. 3 . 7 16. 9
IdahoIllinoisIndiana.		.8	.3	. 1 4. 5 . 3		. 1 5. 6 . 3
KansasKentucky			.1	.5		.5
Louisiana			. 4	3. 2		3. 2 . 4
Massachusetts		1.6	. 1	. 8	1.9	2. 7 1. 8
Missouri Montana Nebraska		1, 3	.3	2.0	. 2	.6 .3 4.2
New Jersey New York North Carolina		.1	.2	1.1	. 2	. 4 1. 9 5. 3
North DakotaOhioOklahoma			1.1	1. 3	. 1	2. 1 5. 7
Oregon Pennsylvania			.5	1.6 1.6		7. 7 11. 1
South Carolina South Dakota Tennessee		2.0	.4		. 2	. 6 2. 7
Texas Utah Vermont				4. 4 1. 4 1. 4	.8	11. 2 1. 4 1. 4
Washington West Virginia Wisconsin			.6	1.4	. 6	4. 2 . 9 1. 8
Wyoming				6.0		6.0
Total		45. 9	11.4	42. 2	5.8	105. 3

	Miles	Miles	Miles	Miles	Miles	Miles
Alabama		6, 5	0.1	23. 1	1.4	31. 1
Arizona				18. 6		18.6
California				52. 7		52. 7
Colorado				29.1		35. 1
Connecticut			. 6			. 6
Florida			. 5			. 5
Georgia		80, 6	7.5	42.7		137, 2
Idaho			. 5	12.3		12.8
Illinois		10. 8	.2	113.7		130. 8
Indiana		10.0	1.1	61. 7	4.5	67. 3
Kansas		10. 2		. 6		10.8
Kentucky		2.3		76. 9		79. 2
Louisiana		10.4		5.0		16.6
Maine	.,	.8		15.0	1.6	17.4
Maryland		7.5	1.9	2010		15, 6
Massachusetts		.5	.5			1, 0
Michigan		3.3				3, 3
Minnesota		0.0		44.7		44.9
Mississippi				12. *		5, 2
Missouri				44.0		44. 0
Montana		4.4		11.0		7. 9
Nebraska		4.5		67. 2		71. 7
Nevada				46. 2		46. 2
New Hampshire				1.8		7. 5
			. 9	1.0		. 9
New Jersey			, ,	30. 7		30, 7
New Mexico		1.0	. 1	146. 9	1.7	149. 9
		4.9	.9	72. 3	. 6	78. 7
North Carolina		16. 2	. 9	12.3	.3	20. 5
North Dakota		2. 2	1.5	3. 7		7. 4
		1.6	1. 5	8.8		10. 8
Oklahoma	.4	1.0	'	. 0.0		10. 0

Table 11.—Mileage of projects under contract on June 30, 1938—Continued ON SECONDARY OR FEEDER ROADS OUTSIDE OF MUNICIPALITIES—Continued

	Public	Works 1	Program	Feder	al aid	
State	Works, 1934–35	Highways	Grade crossings	Secondary or feeder	Grade crossings	Total
Omegon	Miles 2	Mile8	Miles 1	Miles 56. 6	Miles	Miles 56, 9
Oregon Pennsylvania Rhode Island	1.0	5. 6	.1	91. 1 3. 2	.4	98.4 3.2
South Carolina	7. 7 6. 2	13. 1 . 4 9. 5	17. 4	62. 5	1.0	83. 3 25. 0 22. 4
Tennessee Texas Utah	.4	9.5	.3	223. 9 31. 6	2. 2	226. 6 31. 6
Vermont Virginia	7.3	14. 5		10. 1 43. 7 28. 0	4.8	10.8 70.3 29.1
Washington West Virginia Wisconsin	10.5	4. 3	.5	16. 5 22. 8	.6 .6 .4	32. 4 23. 2
Wyoming				37.8 2.4		37. 8 2. 4
Puerto Rico	66. 7	226. 9	35. 4	13.7	20, 8	13.7
I Otal	00.7	220. 9	30. 4	1,074.2	20.8	1, 524. 0

TOTAL

		·					
	Public	Works	Program		Federal aid	ì	
State	Works, 1934-35	High- ways	Grade cross- ings	High- ways, 1936–39	Second- ary or feeder	Grade cross- ings	Total
	Miles	Miles	Miles	Miles	Miles	Miles	Miles
Alabama	1.5	7.8	1. 1	289.6	23.8	2.8	326.6
Arizona				103.3	18.6		121.9
Arkansas		4.0	8.4	75.9		18.6	106. 9
California				260. 5	52.7	2.1	315.3
Colorado		8.8	. 4	81. 1	29. 5		119.8
Connecticut			1.5	13. 1			14.6
Delaware		.2	.3	18.6			19. 1
Florida			. 5	70. 2			70.7
Georgia		121.8	17.8	386. 5	44. 2		584. 4
Idaho Illinois		11. 6	2.0	177. 2 259. 6	12.3 118.1	. 6 2. 0	190. 7 399. 5
Indiana		11.0	1.1	182. 2	62.0	7.7	254. 2
Iowa		.3	1./5	228. 1	02.0	3.1	233. 0
Kansas		11.0	1.2	688. 2	1. 1	6, 9	708.6
Kentucky	.7	3.5	1.8	220. 1	77.3	. 4	303.8
Louisiana		11.8	7.7	89. 4	5.0	5.7	120.8
Maine		.8	.4	63. 3	18. 2	1.9	84.6
Maryland	9. 1	15.3	2.4	37.6	10.2	1.0	64. 4
Massachusetts	0. 2	1.0	.6	11.0		. 1	12.7
Michigan	l	3, 6	.4	140. 5		. ī	144. 6
Minnesota	. 4		.7	262 6	45, 5	2.5	311.7
Mississippi Missouri Montana	7.9	4.0	1.5	335. 9		.3	349. 6
		. 6	.4	161.9	44.4	2.5	209.8
Montana Nebraska	3.5	4.4	.4	70. 9		10.8	90.0
Nebraska		7.0	2.5	638. 5	69. 2	7.8	725. 0
Nevada				93. 7	46.1	. 6	140. 4
New Hampshire				24.6	1.8	.6	32.6
New Jersey			1. 5	21. 2		. 2	22. 9
New Mexico				201. 1	30.7	14.9	246.7
New York North Carolina	.0	1.5	1.0	292.3 334.7	148.0	7.6	451, 0 421, 6
North Dakota	20.3	5. 6 38. 7	1.8	334. 7 211. 2	76.6	2.9	270. 8
Ohio	20. 3	3.7	6.3	95, 6	3.8	. 0	109.4
Oklahoma.	.4	6.0	.9	210. 2	10.1		227. 6
Oregon	.2	0.0	. 1	96. 7	57. 0	. 7	154. 7
Pennsylvania		14. 4	8.1	123. 8	92.8	1. 2	241. 5
Rhode Island		1	0.1	14. 7	3, 2	.3	18. 2
South Carolina	9.1	24. 9	3.0	258. 2	63, 1	. 1	358, 4
South Dakota	20, 0	13. 8	19. 7	366. 5		1.8	421.8
Tennessee		11.6	1.0	167. 6	12.6		192. 8
Texas	. 4	9. 2	.6	794.4	228. 2	3.0	1, 035.8
Utah	1			107.0	33.0	1.1	141. 1

Table 11.—Mileage of projects under contract on June 30, 1938—Continued

TOTAL—Continued

	D 11	Works Program					
State	Public Works, 1934-35	High- ways	Grade cross- ings	High- ways, 1936-39	Second- ary or feeder	Grade eross- ings	Total
Vermont	Miles	Miles	Miles	Miles 42. 9	Miles 11. 6	Miles 2.8	Miles 57.3
Virginia	7. 3	14. 6	1. 3	187. 4	43.7	6.7	261.0
Washington		. 7	. 5	89. 5	31.6	2. 1	124. 4
West Virginia	12.9	4.3	2, 5	59. 5	16. 5	2.1	97.8
Wisconsin	. 1		. 3	193. 3	24. 2	4. 9	222, 8
Wyoming	. 6		. 5	251.0	43.8	1.1	297. 0
Hawaii			, 5	18.6	2.4		21. 5
Puerto Rico				20. 5	13. 7	. 4	34.6
Total	119. 1	372. 1	104. 9	9, 142. 0	1, 616. 4	131. 5	11, 486. 0

Table 12.—Mileage of projects approved but not under contract on June 30, 1938
On the federal-aid highway system outside of municipalities

State	Public Works, 1934-35	Works Program		Federal aid			
		Highways	Grade crossings	Highways, 1936–39	Grade crossings	Total	
	Miles	Miles	Miles	Miles	Miles	Miles	
Alabama				111.8	0. 2	112.	
Arkansas				4.0	. 5	4.	
California				20. 7	.4	21.	
Colorado				9, 5 3, 6		9.	
Connecticut				3. 6		3. 4.	
Delaware Florida				19. 8		19.	
Georgia				76.9		76.	
Idaho				15.7		15.	
Illinois				76.9	.7	77.	
Indiana	0. 3			10.4		10.	
Iowa	i			63, 6		63.	
Kansas				215. 2	8.6	223.	
Kentucky				37. 0	1.0	38.	
Louisiana				1.8	7.4	9.	
Maine Maryland	. 1			6. 4	4.7	11.	
Maryland			0.4	11.1		11.	
Massachusetts					. 6		
Michigan				7. 1	4.2	11.	
Minnesota				78.8		78. 80.	
Mississippi				80. 0 126. 6	.1	80. 126.	
Missouri				8.3		8.	
Montana Nebraska			• 1	64. 7	2. 5	67.	
Nevada				64. 1	2. 0	64.	
New Hampshire				1.4		1.	
New Mexico				38.0		35.	
New York				12. 7	. 4	13.	
North Carolina				54. 6		54.	
North Dakota				8.0		8.4	
Ohio				20.3	1.4	21.	
Oklahoma				68, 9		68.	
Pennsylvania				21. 2		21.	
Rhode Island				. 3			
South Carolina			, 5	35, 7		36.	
South Dakota				66. 1	. 5	66. 16.	
Tennessee				16, 1 86, 8	11. 9	98.	
Texas				21. 5	11.9	21.	
Utah Vermont				6. 7		6.	
vermont Virginia				63. 1	. 5	63.	
Washington			. 6	. 3	, 0	00.	
West Virginia				11, 4	. 1	11.	
Wisconsin				51. 1		51.	
Wyoming				7. 6		7. (
Hawaii				8. 7	1. 6	11.	
Puerto Rico					.6	. (
				1 710 0	4= 0	1 500	
Total	. 4	. 7	1.6	1, 719, 2	47. 9	1, 769.	

Table 12.—Mileage of projects approved but not under contract on June 30, 1938—Continued

ON THE FEDERAL-AID HIGHWAY SYSTEM IN MUNICIPALITIES

State	Public Works, 1934-35	Works Program		Federal aid			
		Highways	Grade crossings	Highways, 1936–39	Grade crossings	Total	
17-7-	Miles	Miles	Miles	Miles 7. 2	Miles	Miles	
AlabamaCalifornia			0. 2	2.9		3. 1	
Colorado				1.3		1.3	
Delaware Florida				.7	0. 2	.9	
Georgia				9.0		9. 0	
Idaho				. 3 4. 2		.3 4.2	
IllinoisIndiana	0.4			4.2		4. 2	
Iowa				1.8		1.8	
Kansas Kentucky		0. 3		2.6	. 2	1. 2 2. 6	
Louisiana				2.6	2.0	2. 0	
Maryland				. 2		. 2	
Massachusetts			.4	2. 2 3. 2	. 8	2. 6 4. 0	
Michigan Minnesota				6.3	.8	6.3	
Mississippi	.5	.1		1. 3		1, 9	
Missouri				1.8		1.8	
New Mexico				4.8		$\frac{6.6}{.2}$	
New York				.7		.7	
North Carolina				. 9	.1	1.0	
North Dakota				.8 1.2	.6	1. 4 1. 3	
				1.2	.1	.5	
Oregon	. 2					. 2	
Pennsylvania				1.4		1.4	
Rhode Island South Carolina				1.0	. 6	1.0 1.8	
South Dakota						. 1	
Tennessee				. 5		. 5	
Texas Utah				7. 8 8. 0		7. 8 8. 0	
Virginia	.3	. 2		2.5		3.0	
West Virginia				1.5	.3	1.8	
Wisconsin				5. 5		5. 5	
Wyoming				. 3		.3	
Total	1.4	2. 4	.6	85.6	4.9	94. 9	

ON SECONDARY OR FEEDER ROADS IN MUNICIPALITIES

State	Public Works, 1934–35	Works Program		Federal aid		
		Highways	Grade crossings	Secondary or feeder	Grade crossings	Total
Alabama		Miles	Miles	Miles	Miles	Miles
Colorado		0.4	0.2	.4 .3 4.6		. 4 . 3 5. 2
Idaho Illinois Indiana				.5 4.8 .1		4.8 .1
Kentucky Nebraska New Jersey New York			.6		0, 1	.6
North Carolina North Dakota Pennsylvania				10.3 .5		10.3 .5 .2
TexasVirginia				1.9 4.3 .3	.3	1.9 4.6 .3
Washington Wisconsin Total				1.7 .1 32.0	.4	1.7 .1 33.9

Table 12.—Mileage of projects approved but not under contract on June 30, 1938—Continued

	Public	Works Program		Federal aid			
State	Works, 1934–35	Highways	Grade crossings	Secondary or feeder	Grade crossings	To	otal
Alabama	Miles	Miles	Miles	Miles 18. 2	Miles	M	iles 18. 2
California				28. 2			28, 2
				3.6			3. 6
Connecticut				. 6			. 6
Delaware		4. 4		. 0			4. 4
Georgia	0, 5		0. 1	27. 8			32. 7
Idáho	0.0		0. 1	32. 2			32. 2
Illinois				70. 8			70. 8
Indiana				65. 8			65. 8
Kansas				25. 7			25. 7
				104. 9			104. 9
Louisiana				28. 5			28. 5
				6. 7			6. 7
Maryland		1, 6		0			1. 6
Michigan				26.3			26. 3
				31. 1			31. 1
				38. 7			38. 7
Nevada	1.7			7. 9			9. 6
New Hampshire				3.9			3. 9
New Jersey	1, 1			1.9			3. 0
New York				. 1			. 1
North Carolina				10. 9			10.9
				8, 5			8. 5
				. 9			. 9
Oklahoma				39.7			39. 7
		.9		2.1			3. 0
Pennsylvania				36. 9			36.9
				2.9			2.9
South Carolina	1.4			46. 7			48. 1
Tennessee	2. 6			2.6			5. 2
Texas		8. 6		124. 1	0.6		133. 3
Utah				1.6			1.6
Vermont					. 2		. 2
				21.8			21.8
				30.9	. 4		31.3
West Virginia				9.4			9.4
Wisconsin				6. 4			6. 4
Wyoming				5. 1			5. 1
Total	7.3	19.8	.1	873. 4	1.2		901.8

Table 12.—Mileage of projects approved but not under contract on June 30, 1938—Continued

TOTAL

		Works	Program		Federal aid	1	
State	Public Works, 1934–35	High- ways	Grade crossings	High- ways, 1936-39	Second- ary or feeder	Grade crossings	Total
A 1- h	Miles	Miles	Miles	Miles 118, 9	Miles 20. 1	Miles 0. 2	Miles 139,
Alabama Arkansas				4.0	20.1	.5	4.
California			0.2	23. 6	28, 2	.4	52.
Colorado .			l	10. 9	4.0		14.
Connecticut Delaware				3.6	.9		4.
Delaware		4. 4		5. 1			9.
Florida		1	1	20, 5		.2	20.
Georgia	0.5	4.7	.4	85. 9	32. 3		123.
Georgia Idaho				16.0	32.7		48.
Illinois Indiana Iowa				81.1	75. 5	.7	157.
Indiana	.7			10.7	65. 9		77.
lowa				65. 4			65.
Kansas Kentucky		.3		216.0	25. 7 105. 3	8. 8 1. 0	250. 145.
Louisiana				39. 5 2. 1	28, 4	9.4	39.
Maine				6.4	6.7	4.7	17.
Maine Maryland Massachusetts Michigan	. 1	1.6	. 4	11.3	0.7	1.1	13.
Massachusatte		1.0	.4	2. 2		. 6	3.
Michigan			, ,	10.3	26. 2	5. 0	41.
Minnesota				85. 1	20.2		85.
Mississinni	. 6	1		81. 1		.1	81.
Mississippi Missouri	l	l		128, 4	31, 1		159.
Montono	į.		. 1	8.3			8.
Nebraska		1.8	. 6	69. 5	38. 7	2.5	113.
Nevada	1. 7			64. 1	7. 9		73.
New Hampshire				1.4	3.9		5.
Nebraska Nevada New Hampshire New Jersey New Mexico	1.0		. 1		1.9		3.
New Mexico				38. 2			38.
New York				13. 4	1 . 1	.5	14.
New York North Carolina North Dakota				55, 6	21. 3	.1	77. 18.
North Dakota				8.8	9.0	. 5 1, 5	18. 24.
Ohio				21. 6 69. 4	39. 7	1.5	109.
Oklahoma		1. 0		09.4	2.0		3.
Pennsylvania		1.0		22, 5	36.9		59.
Pennsylvania Rhode Island South Carolina South Dakota Fennessee				1, 2	3.0		4.
South Carolina	1 4		. 5	36. 8	48.7	. 7	88.
South Dakota	1. 1			66, 2	10. 1	.5	66.
rennessee	2, 6			16. 7	2, 6		21.
Texas		8.6		94. 6	128, 4	12, 8	244.
J Lan				29. 5	1. 6		31.
Vermont				6.7	- 	. 2	6.
Vermont	. 3	. 2		65. 6	22.1	.5	88.
Washington			. 5	. 3	32. 6	.5	33.
West Virginia				13. 1	9, 4	. 3	22.
Visconsin Vyoming				56. 5	6. 6		63.
V yoming				7. 9	5. 1		13.
Vyoming Hawaii Puerto Rico		. 6		8.8		1.6	11.
'uerto Rico						. 6	
			3, 2	1, 804, 8	905, 4	54, 4	2, 800.
Total	9. 1	23, 5					

Table 13.—Status of grade-crossing elimination and protection projects on June 30, 1938

COMPLETED DURING FISCAL YEAR

			Total	Number	29	22	- 02	123	3 83	149	110	- 4	0	16	4	31	57		10.7	16	9		7	
		al aid	Grade cross- ings	Number		1					- e		-			18	TO		1					
	rotected	Federal aid	High- ways, 1936–39	Number		1 1	-			-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1	-		4	1	-		-					1 1
	Crossings protected	Works Program	Grade cross- ings	Number	29	21	29	24	2	130	⊣ 63		-6	16	-	14	19	1	10	91	9			
	0	Works I	High- ways	Number			1					1	1			-		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
		market.	rubne Works, 1934–35	Number			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	63	19	1	4	1			1 1 1 1 1 1	2	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1			-	
	ctures		Total	Number	2	2	-	4-	7	u		9	616	٦ ,	23	24.0	100	_	1 7 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			5	26	00 C#
	Separation structures reconstructed	Federal-		Number Number		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2	9	9		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			-			
Coming Fiscar Lean	Separ	Works Program grade cross- ings		Number	2	2	1	4-	5	T 0	71	9	C1 C	7	67	21.0	100		1	-	1	\$	26	თ ი≀
1		Total		Num	16	91	92	27	17	25	70 11	6	16	> 41	17	13 0	3 83	30	(L	L5	2	15	- 55	58.28
		al aid	Grade cross- ings	Number			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			01 =	#				1		1	1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	liminated	Federal aid	High- ways, 1936-39	Number		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			က	6 1 1 1 1 1 1			1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	က	1		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	
	Crossings eliminated	rogram	Grade cross- ings	Number	162	20	9 [2	52	15	200	3 =	6	16	9 44	14	٦٩	23	53	<u>-</u>	07	7	14	16	58 58 78
	O	Works Program	High- ways	Number									1					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 3 3 1 1	3 3 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1	
	Public Works, 1934-35		Number	1 3 1 1 1 0 1 1 1		1		1				1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1	1 1 1 1		1	4		
		State		Alabama	Arizona Arkansas	Colorado	Connecticut	Georgia	Illinois	Indiana	Kansas	Kentucky	Louisiana Maine	Maryland	Massachusetts.	Minnesota	Mississippi	Missouri	Mohraha	Neveds	New Hampshire	New Jersey	New York	North Carolina

38 39 41 41 10 10 10 10 10 10 10 10 10 1	26 27 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
24 St. 10 10 10 10 10 10 10 10 10 10 10 10 10	0 4 88 128 8 1 4 1 2
us us	
11 38 38 39 10 10 10 10 10 10 10 10 10 10 10 10 10	3 3 1 3 4 5 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2
2	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	77
112 22 21 14 1 14 1 14 1 14 1 14 1 14 1	4
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 0 0 110 0
2332822	TRACT 13 13 11 11 11 12 2
110 110 110 110 110 110 110 110 110 110	UNDER CONTRACT 1
50 83 83	UNDB
1 1 6 6 6 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
100 100 100 100 100 100 100 100 100 100	40 0401610010000000000000000000000000000
1	
Ohio Oklahoma Oklahoma Oklahoma Pergon Pergon Pergon Rhode Island South Carolina South Dakota Teas Utah Virgina Washington Washington Wyoming Total Total	Alabama. Arkansas California Colorado. Comectiout Commerciout Florida. Georgia Georgia Illinois Illino

Table 13.—Status of grade-crossing elimination and protection projects on June 30, 1938—Continued

UNDER CONTRACT-Continued

		Total	Number 115 2 115 2 115 2 2 1 1 1 1 1 1 1 1 1 1	626					
	Federal aid	Grade cross- ings	Number Number 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	282					
protected	Feder	High- ways, 1936-39		2					
Crossings protected	Works Program	Grade cross- ings	Number 1115 1115 6 6 6 1 2 1 1 2 2 1 1 2 2 1	290					
	Works 1	High- ways	Number Number						
	11.0	Fubile Works, 1934–35	Number	52					
ctures		Total	Number Number Number 2	84					
Separation structures reconstructed	1 124	grade cross- ings	Number 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	45					
	Works	grade cross- ings	Number 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	39					
pe;		Total	Number 15 16 16 17 17 17 17 17 17 17 17 17 17 17 17 17						
	l aid	Grade cross- ings	Number 8 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	169					
iminated	Federal aid	High- ways, 1936-39	Number 1	15					
Crossings eliminated	rogram	Grade cross- ings	Number 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	232					
Cr	Works Program	High- ways	Number	2					
	- G	Fublic Works, 1934–35	Number	4					
	State		New Mexico North Carolina North Dakota Ohio Oklahoma Fornson Fornossee Texas Utah Virginia Washington West Virginia Wisconsin West Virginia Wisconsin West Virginia Wyoning Hawaiii	Total					

APPROVED BUT NOT UNDER CONTRACT

				BUREAU OF PUBLIC ROADS		
onstructed		Total	Number		10	
Separation structures reconstructed	Federal-aid	grade crossings	Number		11	
Separations		Program grade crossings	Number	2 2 2	ro.	
		Total	Number	1001100031000 04 1 10	69	
ited	al aid	Grade	Number	111 20246 14 1 2 14201 28 62	55	
Crossings eliminated	Federal aid	Feder	Highways, 1936-39	Number		4
Cros	Works	Program grade crossings	Number	19 11 11 11 11 11 11 11 11 11 11 11 11 1	6	
	111111111111111111111111111111111111111	Fublic Works 1934–35	Number		1	
	Q1-0-10			Arkansas California California California California Illinois Kansas Kansas Kansas Kansas Kannas Mayland Mayland Mayland Mayland Mayland Mimeson Mimes	Total	

Table 14.—Mileage, by types of construction, of projects completed during the fiscal year 1938

		,,
	Total	Miles 100.0 199,50 120,55 120,03 120,
Grade separations	Be- tween- high- ways	Mites 0.1
Grade se	Rail- road and high- ways	2. 1. 1. 1. 1. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.
	Bridges and ap- proaches	8.60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Block	Miles 0 833333
Port-	land ce- ment con- crete	Miles 0.8 12.44 14.55 14.55 14.55 16.13 16.13 16.14 17.00 18.14 18.1
	Bitu- minous con- crete	Miles 4, 29 10, 3 10, 3 10
	Bitu- minous macad- am	Miles 9.5 9.5 9.9 9.9 9.9 9.9 9.9 9.9 9.9 9.9
1	cost bitu- minous mix	Miles 120,5 118,4 118,4 33,6 33,6 33,6 34,7 11,1 11,1 11,1 11,1 11,1 11,1 11,1 1
Macadam	Treated	Miles 10.9 51.0 14.9 20.0 9 .9 4.7 4.7 4.7 11.2
Macs	Un- treated	Miles 79.4
Gravel	Treated	Miles 50.3 7.8-5 7.7-7 17.5 17.5 17.5 17.5 24.4 44.4 44.4 44.4 49.1 11.1 5.0 5.0 5.0 5.0 5.0 6.5 7.4 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8
Gra	Un- treated	7.7.7 22.0 0 24.9 116.8 8 116.8 8 116.8 8 116.8 8 116.8 116.3 116.
Sand-clay	Treated	Miles 18.4 32.1 4.6 8.9 8.9
Sand	Un- treated	Miles 4.3 13.2 13.2 58.9
	Graded and drained	25.83 25.83 25.83 33.11 19.69 119.69 119.69 110.00 100.00
	State	Alabama Arizona Arizona Arizona Arizona Guliornia Colorado. Comecticut. Delaware Florida Georgia Hinois Hindiana Hinois Ransas Kansas Kansas Kansas Maine Ma

14.7 380.1 380.1 1.133.9 1.145.9 199.9 5.5 101.9 101.9 305.2 343.3 243.3 243.3	12, 129. 2
	e.
000 C 000 C C C C C C C C C C C C C C C	35.8
9406874	53.0
8.6 52.9 52.9 52.9 52.0 58.8 5.8 5.1 21.6 23.5 23.5 23.5 24.5	45.0
8.8 17.76 288.9 28.9 6.9 6.9 11.6 25.7 27.2 174.5	2,869.8
2.2 14.5 112.9 2.13 6.3 6.3 10.2 10.2 2.3	418.9
2. 6 6. 1 5. 3	212.9
100.1 1112.9 23.4 23.4 25.9 1.3.1 266.2	1,989.1
139.3 139.3 13.2	315.9
2.9 417.0 417.0 12.4 31.0 5.0 18.5 19.9 19.9	87.7
; ; ; ; ; ;	1, 500. 3
65.28 65.28 65.20	2, 395. 5
246.7	534. 9
29.1	164.0
112.0 112.0 27.2.9 2.0.0 1.0.0	1, 506. 1
Rhode Island. South Carolina. South Dakota. Fornessee. Texas. Vernont. Vernont. Vernont. Vernont. Washington. Washington. Wisconsin. Wyoming. Wyoming.	Total

Table 15.—Mileage, by types of construction, of projects under contract on June 30, 1938

	Total	Miles 3 226.6 6 21.9 9 22.6 6 22.2 6
Grade separations	Between high- ways	Miles 0.11
Grade se	Railroad and high- ways	Miles 0.22 0.22 0.22 0.22 0.22 0.22 0.22 0.2
	Bridges and ap- proaches	10
	Block	Miles 1.5 31.0 31.0
	Portland cement concrete	Miles 1.95 1.05
	Bitumi- nous concrete	Miles 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2
Difumi	nous mac- adam	Mites 14.7 19.9 .9 .9 .10.3 11.7 11.7 11.7 11.7 11.7 11.7 11.7 11
Low-	cost bitumi- nous mix	Miles 58.5 125.0 125.0 118.2 118.2 119.2 119.2 121.3 121.3 121.3 121.3 121.3 121.3 121.3 121.3 121.3 121.3 121.3 121.3 121.3
Macadam	Treated	20.8 20.8 20.8 20.8 20.8 20.8 3.5 16.9
Mac	Un- treated	Miles 8 118.8 .3 .3
Gravel	Treated	Miles 131.3 131.3 101.4 101.9
Gra	Un- treated	Miles 7, 3 6, 7 11, 8 117, 9 117, 9 117, 9 117, 9 117, 9 117, 9 117, 9 117, 9 117, 9 117, 9 117, 9 117, 9 117, 9 117, 8 117, 8 117, 9 1
Sand-clay	Treated	Miles 175.0 90.8 242.3
Sand	Un- treated	Miles 7.1 31.6 8.1 8.1 87.1 87.1
	Graded and drained	700 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	State	Alabama Arizona Arizona Arkansas Coliorado. Colmedo. Comecticut Coergia Georgia Georgia Illinois Illin

358.4 421.8 192.8 1,035.8 141.1 151.1 27.3 27.0 222.8 222.8 227.0 21.5 21.5	11, 486.0
1.	73.
अंधंबल नंबल्लान छ।	17.9
2	66.4
14.6	49.0
25. 7 60. 8 142. 0 9. 9 9. 9 3. 1 17. 0 15. 2 56. 8	2, 242. 9
0.64.88.4.4.89.1.89.1.99.1.99.1.99.1.99.1.9	553. 5
4.	108.0
17.7 147.1 8.5 74.0 39.2 39.2 26.8 6.6 157.4	1, 976. 7
61.5 12.0 20.8 34.2	306.0
	121.5
851.3 8.9 8.9 14.2 4.2 4.2 4.2	1,854.1
7.7.7.7.7.7.7.7.9. 187.6. 43.9. 10. 6. 87.4. 87.4. 25.0.	1,627.8
208.7	908.7
28.5	178.7
11.5 199.7 234.6 3.0 4.0 4.0 8.8 8.8 8.8 8.7 113.7	1, 474.3
South Carolina South Dakota Tennessee Texas Utah Utah Washington	Total

Table 16.—Mileage, by types of construction, of projects approved but not under contract on June 30, 1938

	Total	Miles 8.99 8.90 8.00	88.2 - 2.2
Grade separations	Be- tween high- ways	0.2 0.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1	
Grade se	Railroad and high- ways	0.11 .1 .1 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2 .2	.2
	Bridges and ap- proaches	Miles 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9	.2.
	Block	Miles	1
	Bitumi- Portland nons cement concrete	Miles 0.2 3.5 4 4 3.5 4 4 12.6 8 4 11.6 8 11.6 8 10.0 8 10.0 8 10.0 1 1 1 8 10.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.01 0.44 K
	Bitumi- nous concrete	3.4 17.8 17.8 17.8 17.8 17.8 17.8 17.8 17.8	ა ე. ც. დ დ დ
	Bitumi- nous mac- adam	3.4 . 4	19.5
Lour	cost bitumi- nous mix	Miles 29.4 29.4 29.4 38.9 38.9 34.2 5.0 5.0 60.9 9.9 18.4 9.8	
Macadam	Treated	Miles 0.8 0.8 1.8 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	
Mac	Un- treated	Miles 2.1 2.1 53.0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Sand-clay Gravel Mace	Treated	79.8 79.8 5.5 5.5 11.0 11.0 11.0 13.4 13.4 13.4 13.4 13.4 13.4 13.4	
Gra	Un- treated	Miles 13.5 4.0 4.0 14.4 14.4 14.4 16.8 19.8 19.8 19.8 19.8 19.8 19.8 19.8 19	27.7
elay	Treated	Miles 14.8 1.0 1.0 13.7 42.7	59.8
Sand-clay	Un- treated	Miles 16.3 4.2 4.2 38.6	14.7
	Graded and drained	Miles 4. 4. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	10.6
	State	Alabama. Arkansas Colforado. Connecticut Delaware Florida (feorgia (feorgia Illinois. Illinois. Illinois. Illinois. Illinois. Mansas. Kentucky Louisiana Maryland Massachusetts Massachusetts Massachusetts Missippi Missippi Missippi Missippi Missippi Missispipi Missippi Mis	Pennsylvania Rhode Island South Carolina

66.7	31.1	6.9	33.7	22.8	63.1	13.0	9.		2, 800. 4
						-			4.
	1.4		.1		-		.2		3.0
1.5	2.2		4.	-:	. 2	-:	7.		13.9
					1	-			9.4
15.8	2.8			5.7	36.6				370.5
6	16.2		11.1	7.1					93. 4
					1		٥.		20.7
21.6		6.7	21.9		-	7.9			388.6
				1	-		10.2		113.0
					1				55.2
	104.2	2			1				411.8
0 2	46.7		25.0		25.0				592. 5
		1	13.4			1			207.3
									82.8
45.0	66.6	-	2.7		1.3	5.0			437.0
South Dakota45.0	Texas	Vormont	Virginia 2.7	West Virginia	Wisconsin	Wyoming	Hawaii	The state of the s	Total

CONSTRUCTION OF ROADS THROUGH PUBLIC LANDS AND FEDERAL RESERVATIONS

Special authorizations and appropriations have been made by Congress for the survey, construction, reconstruction, and maintenance of main roads through unappropriated or unreserved public lands, nontaxable Indian lands, and Federal reservations other than the forest reservations, where such land is more than 5 percent of the total area of the State. There are 14 of these Federal-land States, all of which are situated west of the Mississippi River. The percentage of such lands in the several States varies considerably, and reaches a maximum of approximately 73 percent in Nevada.

The construction of highways across these relatively large areas that do not

contribute to State revenues imposes a serious burden on State highway funds.

The Federal-land highways differ from the Forest highways and the Federalaid highways in that there is no Federal-land highway system. Federal-land funds may be expended on roads which are on the Federal-aid system or on main roads not on the Federal-aid system. Contributions from the States are not required to be used in conjunction with Federal-land funds, but cooperative funds from the States may be used. Federal-land funds are sometimes expended under the supervision of State highway departments, following Federal-aid procedure, and sometimes under the direct supervision of the Bureau.

Special authorizations for the construction of roads in public lands have been made by seven congressional acts, passed up to the end of the fiscal year 1938. These authorizations, totaling \$20,000,000, have made funds available for each fiscal year from 1931 through 1939, excepting 1932 and 1937. In addition \$1,000,000 has been authorized for the fiscal year 1940, and \$2,000,000 for the

fiscal year 1941.

Federal-land projects, in large part, involve the grading and draining of new roads and the reconstruction of old roads to greater widths and to higher standards of grade and alinement. Most of these roads are subsequently improved by the addition of gravel and bituminous surfacing, in the effort to spread the relatively small funds over a considerable mileage of road. Very little mileage of the higher types of surface such as bituminous concrete and portland-cement concrete has been constructed.

During the fiscal year 116 miles of initial improvement and 146 miles of further improvement of roads previously improved were completed. The total improved mileage now existing is 1,458 miles. Tables 17, 18, 19, and 20 show details concerning the work completed during the year and the status at the end of the year.

Early in the fiscal year the bridge across the Colorado River near Parker, Ariz., was completed and opened to traffic. This bridge, with its approaches, is approxi-

mately a half mile in length.

Notable from the standpoint of continuous Federal-land construction during the fiscal year 1938 are: the Flagstaff-Fredonia highway, in Arizona, and the Ely-Tonopah highway, in Nevada.

Table 17.—Public-lands funds allotted to projects completed during the fiscal year 1938

State	Public- lands funds	Estimat- ed total cost	Miles	State	Public- lands funds	Estimat- ed total cost	Miles
Arizona	\$127, 476	\$129,079	39.0	Oklahoma	\$23, 162	\$23, 162	0.1
CaliforniaIdaho	277, 232 159, 656	387, 742 163, 004	20. 0 22. 6	Oregon South Dakota	168, 722 75, 924	187, 443 76, 217	16. 4 8. 1
Nevada	718, 375	744, 926	106.0	Utah	180, 606	180, 815	17. 1
New Mexico	265, 575	266, 631	10.4	m-4-1	0.000.047	0 100 600	262, 5
North Dakota	31, 619	31, 619	22.8	Total	2, 028, 347	2, 190, 638	202. 3

Table 18.—Public-lands funds allotted to projects under contract and under construction, June 30, 1938

State	Public- lands funds	Estimat- ed total cost	Miles	State	Public- lands funds	Estimat- ed total cost	Miles
Arizona Montana Nevada New Mexico Oklahoma	\$190, 843 159, 129 374, 511 107, 744 28, 935	\$190, 843 164, 891 374, 511 107, 744 37, 708	34. 1 14. 0 54. 1 13. 0	South Dakota Utah Wyoming Total	\$3, 144 25, 260 142, 390 1, 031, 956	\$3, 144 25, 260 142, 390 1, 046, 491	0. 3 9. 4 23. 1 148. 1

Table 19.—Public-lands funds allotted to projects approved but not under contract and balance available for programmed projects, June 30, 1938

State	Public- lands funds	Esti- mated total cost	Miles	Balance available for new projects	State	Public- lands funds	Esti- mated total cost	Miles	Balance available for new projects
Arizona	\$123, 920 18, 469 88, 688	106,870	7. 7 9. 5	\$400, 614 464, 183 88, 629 137, 534 136, 937 209, 305	Oklahoma Oregon South Dakota Utah Washington Wyoming	\$86, 406	\$86, 406 40, 889		108, 651 308, 176
New Mexico North Dakota				215, 856 102, 026	Total	530, 718	551, 440	65. 6	

Table 20.—Mileage of Federal-lands roads, by types of construction, completed as of June 30, 1938

	Graded		avel	Mac-	Low- cost	Bitumi- nous		Port- land		
State	and drained	Un- treated	Treated	adam, treated	bitumi- nous mix	mac- adam	nous con- crete	cement con- crete	Bridges	Total
Arizona	Miles 12. 4	Miles	Miles 32. 1	Miles	Miles 80. 8	Miles	Miles	Miles	Miles 0. 5	Miles 125, 8
California Colorado Idaho	9, 2	13. 8 14. 9 46. 8	19. 7		60. 2 7. 9 31. 5				.3	94. 3 22. 9 87. 5
Montana Nevada	19. 1	18. 2 20. 8			18. 2 454. 4				.2	55. 7 475. 3
New Mexico North Dakota Oklahoma	9. 5	18. 3 16. 1	10.8		28. 8 		1.8	6. 0 2. 5	.3	64. 2 25. 6 10. 0
Oregon South Dakota Utah	3. 5 15. 7	130. 6 2. 8 44. 4	5. 8 1. 2	4.0	129. 7		6, 8		.1	144. 0 19. 7 181. 0
Washington Wyoming	. 4 8. 8	14.3	15. 6		106. 7	2. 6		3. 7	.3	21. 0 131. 4
Total	78. 9	341. 0	85. 2	4. 0	923. 8	2. 6	8.6	12. 2	2. 1	1. 458. 4

The Flagstaff-Fredonia highway is 73 miles in length, and is a part of U. S. Route 89, a heavily traveled north-south highway. A bituminous surfacing was placed on this route for a distance of 46 miles. At the close of the fiscal year, 26 miles of the route were being improved with bituminous surfacing.

miles of the route were being improved with bituminous surfacing.

The Ely-Tonopah highway, in Nevada, a Federal-land route 102 miles in length, is part of U. S. Route 6, which carries traffic directly across the State. Three Federal-land projects on this route were completed. A gravel surfacing was converted to bituminous surfacing for a distance of 37 miles, and 9 miles were graded and gravel-surfacing placed preparatory to constructing a bituminous surface.

RESTORATION OF FLOOD-DAMAGED ROADS

Funds for reconstruction of flood-damaged roads and bridges in 11 States were authorized by special acts during the period 1928-31 and this work is still active in three States. All authorized funds have been absorbed in completed work in Florida, New Hampshire, South Carolina, and Vermont. All work planned in Alabama, Georgia, Louisiana, and Mississippi has been completed.

Florida, New Hampshire, South Carolina, and Vermont. All work planned in Alabama, Georgia, Louisiana, and Mississippi has been completed.

During the year 12 miles of flood-relief construction was completed. At the close of the year 32 miles was under contract; 14 miles had been approved but contracts had not been awarded, as shown in table 21; and three States had unobligated balances as follows: Kentucky, \$148,195; Arkansas, \$187,762; and Missouri, \$1,232.

Table 21.—Status of flood-relief funds provided under special flood-relief acts

Status and State	Flood relief funds	Estimated total cost	Miles
Completed: Kentucky	\$93, 059	\$213,005	12. 2
Under contract: Arkansas Kentucky	86, 458 69, 275	173, 467 138, 550	25. 1 7. 3
Total	155, 733	312, 017	32, 4
Approved but contracts not awarded: Arkansas Kentucky Missouri	48, 086 103, 308 7, 330	96, 173 206, 616 14, 660	. 2 10. 8 3. 4
Total	158, 724	317, 449	14. 4

The Bureau has continued to supervise other flood-relief projects at the request of the Works Progress Administration. These projects are financed by the W. P. A. and the States and, in some cases, partly with Works Program funds administered by the Bureau. The work consists of the reconstruction of flood-damaged bridges and approaches, for the most part on secondary roads. In this work, which is done by contract, the Bureau cooperates closely with the State highway departments much the same as on Federal-aid construction.

During the year 28.8 miles of bridges and approaches costing \$8,103,776 was completed, bringing the total of this class of work completed to date to 34.9 miles costing \$9,380,072. Work under contract or approved for contract aggregated 3.3 miles estimated to cost \$3,449,678, as shown in table 22.

Table 22.—Status of funds allotted for reconstruction of flood-damaged bridges by the Works Progress Administration to be supervised by the Bureau of Public Roads

Status and State	Works Progress flood recon- struction funds	Estimated total cost	Miles	Status and State	Works Progress flood recon- struction funds	Estimated total cost	Miles
Completed: Connecticut Maine Massachusetts New Hampshire. Pennsylvania Vermont	\$175, 699 1, 629, 262 1, 254, 175 500, 024 2, 727, 333 41, 190	\$324, 920 1, 927, 370 1, 696, 730 671, 963 3, 123, 121 74, 672	0.8 3.3 4.7 1.4 16.6	Under contract: Massachusetts New Hampshire. Pennsylvania Vermont	\$1, 237, 808 123, 750 444, 603 41, 689 1, 847, 850	\$2, 290, 166 165, 000 629, 500 91, 012 3, 175, 678	1.6 .1 1.3 .1 3.1
West Virginia Total	6, 470, 183	285,000 8,103,776	28.8	Approved but contract not awarded: West Virginia	68, 500	274, 000	.2

Federal funds to aid the States in the immediate repair of highways and bridges on the Federal-aid system damaged by floods or other forces of nature have been made available by two congressional acts. The Hayden-Cartwright Act of June 18, 1934, authorized the Secretary of Agriculture to use an amount not to exceed \$10,000,000, from any funds available for expenditure under the Federal Highway Act, in the repair and reconstruction of flood-damaged highways and bridges on the Federal-aid system, and authorized future appropriation of funds expended for such purposes. An additional \$8,000,000 was provided by the Federal-aid Highway Act of 1938, approved June 8, 1938. These acts make possible the immediate repair of damaged roads without waiting for specific authorization of funds. The States are required to match these funds in the same manner as regular Federal-aid funds.

Work financed by the above authorization was completed on 31.3 miles in 9 States, costing \$2,079,954 and involving \$972,749 of Federal funds. Work estimated to cost \$2,722,998 and involving \$1,396,850 of Federal funds was under contract or approved, as shown in table 23. Flood-damage funds paid to the States amounted to \$1,047,513, bringing the total paid to the States under the Hayden-Cartwright Act to \$2,569,876. Funds paid to States during the fiscal

year were as follows:

Kansas	\$165,838	Ohio	\$314,659
Kentucky		Texas	
Maine	3, 328	Vermont.	41, 844
Maryland		Virginia	76, 794
Nebraska	46, 456		
New Hampshire	37, 364	Total	1,047,513
New York	145, 453		

Table 23.—Status of flood-relief funds provided under section 3 of the Hayden-Cartwright Act

Status and State	Emergen- cy relief funds	Estimated total cost	Miles	Status and State	Emergen- cy relief funds	Estimated total cost	Miles
Completed: Kansas Kentucky Maryland	\$287, 106 31, 332 9, 900	\$629, 339 62, 664 20, 615	0. 5 3. 1 . 1	Under contract—Con. Maryland Ohio Vermont	\$124, 319 509, 200 36, 350	\$266, 639 1, 018, 400 72, 700	0.7 7.4 2.2
New Hampshire New York Ohio Texas Vermont Virginia	65, 294 126, 886 260, 001 113, 036 59, 914 19, 280	131, 078 308, 485 537, 188 226, 072 125, 953 38, 560	.3 .1 23.9 .2 2.4	TotalApproved but contract not awarded:	783, 036	1, 584, 073	11.2
TotalUnder contract:	972, 749	2, 079, 954	31.3	Maryland Missouri Ohio Virginia	68, 500 5, 500 109, 220 77, 181	137, 000 14, 800 221, 760 154, 361	12. 3 11 .2 1. 1
Kansas Kentucky	98, 996 14, 171	197, 992 28, 342	.2	Total	613, 814	1, 138, 925	14. 5

Including work completed in previous years the total obligations to the end of the fiscal year amounted to \$7,879,000, leaving a balance of \$2,121,000 for new projects, from funds provided by the Hayden-Cartwright Act. The \$8,000,000 provided by the Federal Aid Highway Act of 1938 became available at the end of the year and no part of this fund has been obligated.

WORK-RELIEF HIGHWAY PROJECTS

Work-relief highway projects, begun in the fall of 1933 to relieve distress in drouth-stricken areas, have been continued since in areas needing special relief. Road work has been carried on by an arrangement under which the Public Works Administration has granted funds to pay material and equipment costs, limited to not more than 30 percent of the total expenditure, and the labor has been supplied from relief rolls and paid first by the Federal Emergency Relief Administration and later by the Works Progress Administration.

The Bureau, cooperating with the respective State highway departments, has assumed the responsibility of supervising road work under this arrangement.

During the year 365 miles of work of this kind costing \$2,300,490 was completed, bringing the total to date to 6,366 miles. At the close of the year work was under contract on 1,092 miles, estimated to cost \$9,381,947, as shown in table 24.

Table 24.—Status of National Recovery work-relief projects

Status and State	Federal funds	Total cost	Miles	Status and State	Federal funds	Total cost	Miles
Completed: Kansas Minnesota Texas	\$57, 180 57, 474 561, 586	\$192, 237 208, 103 1, 900, 150	48. 5 30. 6 286. 1	Under contract: Minnesota Oklahoma Texas	\$743, 892 570, 000 1, 064, 145	\$3, 725, 311 2, 000, 000 3, 656, 636	28. 9 442. 7 620. 8
Total	676, 240	2, 300, 490	365. 2	Total	2, 378, 037	9, 381, 947	1, 092, 4

LOAN-AND-GRANT HIGHWAY PROJECTS

The P. W. A. has continued the policy of financing or aiding, by loans or grants or both, the construction of roads and bridges in a number of States. Projects of this kind are initiated by their sponsors with the P. W. A. and, after agreement has been reached and funds allotted, are turned over to the Bureau for detailed administration of construction. Practically all of this work is done by the contract method.

This work was begun in 1934 with funds provided by the National Industrial Recovery Act and has been continued with funds allocated under authorization of the Emergency Relief Appropriation Act of 1935. Up to the close of the year, loans and grants of \$56,436,272 had been made for specific projects 9,478 miles in length and estimated to cost \$126,391,251. This represents a net increase during the year of 438 miles involving \$4,798,385 of loan-and-grant funds and estimated to cost \$12,612,490. Table 25 shows details by States.

Table 25.—Status on June 30, 1938, of loan-and-grant Public Works projects transferred by the Public Works Administration to the Bureau of Public Roads for supervision and audit

ALLOTMENTS FROM NATIONAL INDUSTRIAL RECOVERY ACT

	ts approved		Other		\$4, 752, 374, 61 3, 618, 345, 36	5, 799, 208, 44	754, 103. 37	31, 256. 75	3 832 663 30	29, 818, 00	1, 924, 540, 50	9, 450. 35 2, 447, 587, 39	126, 462, 56	28, 620, 22 545, 325, 52	202, 667, 88	200 000 10	5, 938, 486, 39	4, 757, 935, 20	71, 876. 96	37, 927, 301, 37
	Mileage, estimated cost, and funds assigned to specific projects approved under Public Works Administration allotments	Funds assigned	Loan	\$49, 630. 71				181,000.00			385, 000. 00	_	1, 250, 000. 00		653, 302, 24	+			312, 000. 00	11, 267, 688. 76 3
	estimated cost, and funds assigned to specifi under Public Works Administration allotments	1	Grant	\$20,617.28	1, 207, 595. 74	2, 377, 251. 02	307, 586. 75	88, 258, 33	1, 408, 108, 25	10,000.00	952, 211, 57	1. 026. 000. 00	579, 000. 00	375, 033, 67	139, 877, 63	21, 283, 31	2, 270, 571, 22	1, 997, 850. 82	142, 300. 00	18, 670, 803. 86
OVERY ACT	timated cost, ander Public Works	Estimated	total cost	\$70, 247. 99	6, 065, 258, 26 4, 825, 941, 10	8, 176, 459, 46	1, 061, 690, 12	300, 515, 08	5, 449, 602, 94	39, 818. 00	3, 261, 752, 07	3, 473, 587, 39	1, 955, 462, 56	1, 282, 140, 00	995, 847. 75	3 954 907 97	8, 209, 057. 61	6, 755, 786. 02	526, 176. 96	67, 865, 793, 99
RIAL REC	Mileage, es		Sentar	6.7	10.4	97.6	823.6	47.3	105.1	29.0	472.9	50.6	697.8	30.9	27.1	238.1	1, 275. 2	453.8	86.4	5, 216, 8
ALLOTMENTS FROM NATIONAL INDUSTRIAL RECOVERY ACT	ks Adminis-	Allotment by contracts executed	Loan	\$49, 630. 71			3. 595. 000. 00	181,000.00	±, 000, 000. 00		385, 000, 00	991, 990, 92	1, 250, 000. 00	361, 780.81	653, 302, 24	539, 600, 00			312, 000. 00	11, 780, 099. 74
FKOM NATIO	Funds allotted by Public Works Adminis- tration	Allotment by co	Grant	1	1, 207, 595. 74														ı	18, 813, 233. 76
LOTMENTS	Funds allotte	Tentative allotment by Special Board	for Public Works	\$70, 247, 99	1, 207, 595. 74	200, 662, 04	307, 586. 75 5, 119, 129. 85	269, 258, 33 5, 411, 866, 00	1, 702, 395, 00	10, 000, 00	1, 337, 211. 57	1,026,000.00	1,829,000.00	736, 814, 48	793, 179, 87	1, 471, 020, 71	2, 270, 571, 22	2, 000, 000, 00	454, 300, 00	30, 593, 333. 50
AL		State		Alabama California	Connecticut Illinois	Indiana	Iowa	Louisiana Maryland	Massachusetts	Minnesota	Mississippi	Missouri	Nebraska	New York	South Carolina	Texas	Washington.	Wisconsin		Total

Table 25.—Status on June 30, 1938, of loan-and-grant Public Works projects transferred by the Public Works Administration to the Bureau of Public Roads for supervision and audit-Continued

ALLOTMENTS FROM EMERGENCY RELIEF APPROPRIATION ACT OF 1935

rojects approved		Other	\$71, 020, 70 1, \$81, 920, 70 1, \$81, 973, 56 877, 407, 52 77, 017, 56 10, 018, 573, 40 11, 018, 573, 40 11, 018, 573, 40 11, 018, 573, 40 11, 018, 573, 40 11, 018, 573, 40 11, 018, 573, 40 11, 018, 573, 40 11, 018, 573, 40 12, 573, 40 13, 562, 57 14, 125, 18 18, 555, 707, 01 2, 577, 77, 10 2, 577, 77, 10 2, 577, 77, 10 2, 577, 577, 50 30, 649, 65 30, 674, 675 30, 674	
Mileage, estimated cost, and funds assigned to specific projects approved under Public Works Administration allotments	Funds assigned	Loan	\$338, 396, 44 \$338, 000, 00 490, 000, 00	
nd funds assign Works Administ		Grant	2, 944, 301, 46 571, 514, 42 571, 514, 42 571, 514, 42 377, 663, 76 14, 463, 60 83, 633, 61 119, 435, 60 119, 436, 41, 87 846, 611, 93 28, 862, 95 29, 862, 95 21, 410, 192, 72 440, 192, 72 447,	
timated cost, an	Estimated	total eost	\$128, 841. 97. 576. 275. 0.2 158, 920. 94. 1, 336. 691. 06 889. 873. 696. 16. 872. 972. 972. 972. 972. 972. 972. 972. 9	
Mileage, es	24.1	MIRES	266.6 266.6 266.6 211. 36.2 1.36.3 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2	
ks Adminis-	Allotment by contracts executed	Loan	\$3888, 396, 44 \$388, 396, 44 233, 000, 00 490, 000, 00	
Funds allotted by Public Works Adminis- tration	Allotment by eo	Grant	\$57, 821, 22 3, 000, 000, 00 71, 514, 42 56, 673, 50 813, 632, 17 14, 463, 00 119, 389, 18 16, 611, 28 29, 862, 29 29, 862, 29 47, 728, 27 47, 728, 27 47, 728, 27 47, 728, 27 47, 728, 27 47, 728, 27 47, 900, 00 730, 883, 06 26, 770, 454, 43	
Funds allotte	Tentative allotment by	for Publie Works	\$57.821.22 3,000,000,00 71,514.42 56,673.60 38,632.17 11,4463.00 11,9453.00 11,9453.00 11,9453.00 11,9453.00 11,9453.00 11,9453.00 11,9453.00 12,9862.95 12,9862.95 12,9862.95 13,900.30 13,900.30 14,510.27 2,900.30 130.83	
	State		California Colorado. Color	

NATIONAL FOREST ROAD CONSTRUCTION

The area of the national forests is extensive, covering parts of 42 States. The greater part of this area is in the Western States, where in some instances the national-forest area is a relatively large percentage of the area of the State.

Transcontinental United States routes, Federal-aid highways, and State highways are coincident with a considerable part of the forest-highway system. Of the forest-highway system, of approximately 22,000 miles, over 39 percent is on the Federal-aid system, and an additional 39 percent is on the respective State systems, and roads of lesser importance make up only about 22 percent. It is therefore necessary that the system be constructed according to standards comparable with those used on the Federal-aid and State systems.

Construction of the forest-highway system has been under way for about 20

years, starting at a time when high standards had not come into use and when funds were relatively small. Routes could be opened up through the forests only by constructing roads having narrow widths, sharp curves, and steep grades when judged according to present standards. Surfacing was largely with local materials, such as clay-bound gravel, crushed stone, or gravel; all of which resulted in considerable mileage of low-standard roads which, while adequate for the traffic when constructed, has been gradually improved to meet constantly increasing traffic

Crushed stone has been generally used for surfacing in recent years and a variety of types of bituminous construction have been developed to preserve surfaces from wear and loosening under high-speed traffic. Reconstruction has been necessary at times, in the interest of safety, to straighten roads of sharp

curvature and reduce excessive grades.

With the general increase in highway traffic and expansion of highway systems it has been necessary continually to add to the original system. Approximately 1,700 miles was added during the past year. This mileage is largely in the Eastern

States where new forest areas have been acquired.

The Bureau has constructed a substantial mileage on the forest-highway system, which carries interstate and transcontinental traffic, a large portion of which is recreational in character. These roads furnish millions of tourists an opportunity for recreation and enjoyment in forest areas, many of which are at a high elevation and have unusual scenic beauty. Recreation in forest areas is increasing yearly and is recognized in the design and location of forest roads by providing vistas, parking areas, and convenient accommodations for observation, camping, fishing, and hunting.

Landscaping and erosion control are of particular importance by reason of character of traffic and because of the wealth of natural beauty in the forests to be preserved. Effort is made to remove all sears of construction operations by sodding, seeding, and placing checks on washes, to control drainage and to prevent erosion. Where traffic is predominantly recreational many vistas and parking areas are provided. Emphasis is placed on the exterior appearance of the bridges, attention being given to pleasing proportions and to coordination between substructure and superstructure. Bridge railings are designed to give unobstructed vision of the surrounding country.

The two principal classes of forest roads are designated forest highways and forest-development roads, respectively. The latter class, as the name implies, serve primarily the development of the forests; the former are roads of a higher order of traffic importance, generally connecting with sections of the Federal-aid or State-highway systems outside the forests, or important community-service roads. This class requires improvement to higher standard than that required

on forest-development roads.

In the main, the work supervised by the Bureau is limited to the construction and maintenance of forest highways; forest-development road work is generally administered by the Forest Service. While this definition of the work of the two classes, defining the responsibility for construction, is approximately correct, the exact line of separation is drawn between what are termed major and minor projects. Work in connection with major projects is administered by the Bureau. Major projects include all projects on the forest-highway system except those that do not require the technical services of a highway-engineering organization or those having an estimated average cost of less than \$2,000 per mile. Forestdevelopment road projects of estimated average cost greater than \$5,000 per mile, and those requiring the technical services of a highway-engineering organization, are also classed as major projects.

Funds for the improvement of forest roads and trails have been authorized at a rate of \$10,000,000 for each of the fiscal years 1935–37 and \$14,000,000 was authorized for 1938. At the beginning of the fiscal year the active program involved \$9,694,602 and \$18,420,772 additional was available for new work, being in part composed of funds remaining from authorizations for previous years.

The active program involving \$9,694,602 included work amounting to \$6,208,594 under construction, surveys costing \$1,626,750, maintenance work costing \$1,447,408, and \$411,850 involved in miscellaneous items. Of the \$18,420,772 available for new work, \$6,419,902 was assigned to projects not then under contract, and \$12,000,870 was available for projects to be selected. This \$12,000,870 was comprised of \$9,333,333 of funds authorized for the new fiscal year and a remainder of \$2,667,537 from previous years. During the year \$8,475,643 was assigned to major projects and \$162,767 was assigned to minor projects, leaving a balance of old funds available for programming of \$3,362,460.

Major work costing \$8,166,648 was put under contract and completed work

amounted to \$7,636,503.

At the close of the year, the active program of forest road work under the supervision of the Bureau amounted to \$10,224,747, of which \$6,825,767 was involved in work under construction, \$1,647,091 in surveys, \$1,426,578 in maintenance operations, and \$325,311 in miscellaneous work. The amount available for new work was \$10,091,357, of which \$6,728,897 had been assigned to projects not then under contract. These amounts include the \$14,000,000 authorized for the fiscal year 1939.

In accordance with requirements of the governing rules and regulations, the system of forest highways has been designated by concurrent action of the several State highway departments, the Forest Service, and this Bureau, and approved by the Secretary. Also, as required by the rules and regulations, the highways constituting this system have been classified as follows:

Class 1. Forest roads forming sections of the Federal-aid highway system, either wholly within or, when so designated by the Chief of the Forest Service and the Chief of the Bureau of Public Roads, partly without and adjacent to the national forests.

Class 2. Forest roads, not of class 1, which are parts of approved State highway systems, when so designated by the Chief of the Forest Service and the Chief of the Bureau of Public Roads.

Class 3. All other forest roads of primary importance to counties or com-

munities.

The roads which, according to these definitions, have been classified as forest highways have an aggregate length, as of June 30, 1938, of 21,969.8 miles, classified as shown in table 26.

Table 26.—Classification of the mileage of the forest-highway system at end of fiscal year 1938

Region and State	Class 1	Class 2	Class 3	Total	Region and State	Class 1	Class 2	Class 3	Total
Western:	Miles	Miles	Miles	Miles	Eastern—Con.	Miles	Miles	Miles	Miles
Alaska	1.21100	1	352.8		Louisiana	66. 1			
Arizona	345.8	268. 6			Maine			11.0	
California		1, 291. 0			Michigan	466. 7	283.8		
Colorado	533.0	1, 163. 0	94.0	1,790.0	Minnesota	179.4	217.7	207.4	604. 5
Idaho					Mississippi	204.0	264.0	71.0	539.0
Montana	666.0	304.6	231.0	1, 201. 6	Missouri	426. 2	160.1		833.6
Nevada	104.7	282. 2	31.0	417.9	Nebraska	10.4		18.4	28, 8
New Mexico				684.0	New Hampshire.	40.9		41.7	174.7
Oregon	718.5				North Carolina	483.6			783.1
South Dakota			86.0		Oklahoma	31.5			62.0
Utah	191.4				Pennsylvania	134.0	250.9		
Washington			246.8		Puerto Rico			21.0	21.0
Wyoming	387. 3	37.0	217.7	642.0	South Carolina	196, 0			348.0
					Tennessee	131.6			345. 4
Total	5, 094. 4	4,980.7	2,769.2	12,844.3	Texas	123. 5			403.1
	===				Vermont	32.7			134.5
Eastern:			0.1		Virginia	79.0			416.9
Alabama	4.0		31. 0		West Virginia	131.0			365.8
Arkansas				629.5	Wisconsin	85.7	177.0	206. 9	469. 6
Florida				246. 2	m	0 504 0	0 500 0	1 000 0	0 105 5
Georgia				205.3	Total	3, 504. 0	3, 596. 2	1, 905. 3	9, 125. 5
Illinois				268.9	G.,, 3 4-4-1	0.000.4	0 570 0	4 724 5	01 060 0
Kentucky	132.8	132. 1	28.5	293.4	Grand total	8, 058. 4	8, 570. 9	4, 734. 5	21, 909. 8
		1		<u> </u>					

The work done in further improving roads previously constructed considerably exceeded the building of entirely new roads. The further improvement of roads, called stage construction, totaled 374 miles. New work on the forest-highway system totaled 129.4 miles, bringing the total mileage improved to date with Federal funds to 6,694.7. Of the new mileage, 95.9 miles was in the Western States and Alaska, and the remaining 33.5 miles was in forests of the Eastern States. Of the total mileage improved, 460.1 miles is in the west and 43.3 miles is in the east. The mileage of forest highways completed by the Bureau, both stage and new, is shown in table 27.

Table 27.—Mileage of completed forest-highway projects by States, fiscal year 19381

Region and State	Initial improve- ment and stage con- struc- tion	Initial improve- ment	Total to June 30, 1938	Region and State	Initial improve- ment and stage con- struc- tion	Initial improve- ment	Total to June 30, 1938
Western:		Miles 7.7	Miles 238. 2	Eastern—Continued. Georgia	Miles	Miles	Miles 21.0
Arizona California	24. 0 44. 1	5. 3 18. 7	575. 7 781. 4	Illinois Kentucky	.1	.1	4.7
Colorado	40.9	4.3	536. 5	Louisiana	.5	.5	.5
Idaho		4.2	692. 0	Michigan	6.2	6. 2	56.7
Montana	42.3	16.7	609.3	Minnesota	21.6	18.3	131.8
Nevada	18.7	2.6	176.4	Missouri			8. 1
New Mexico		8.8	313.6	Nebraska	6.5		8.7
Oregon	100.2	14.9	1,021.8	New Hampshire	2.8	2.8	28.0
South Dakota			61, 2	North Carolina			50.9
Utah	19.5	3.1	355.5	Oklahoma		. 9	16. 1
Washington	15.4	7.5	333. 1	Pennsylvania	1.5	1.5	10.6
Wyoming	15.1	2.1	360.3	South Carolina		. 4	16.0
Total	400 1	05.0	e orr o	Tennessee			47.4
10tal	460.1	95. 9	6, 055. 0	Virginia			22. 9 8. 7
Eastern:				West Virginia Wisconsin			15.7
Alahama			5, 1	W ISCOUSIII			13. 7
Arkansas		2. 7	125. 0	Total	43. 3	33. 5	639.7
Florida	- i	. i	61. 7		10.0	30.0	======
			32	Grand total	503. 4	129. 4	6, 694. 7
							, , , , , ,

¹ Changes in the mileage of completed road, resulting from abandonments, relocations, and correction resulting from recent surveys are reflected in this table.

Tables 28 and 29, respectively, show the mileage of highways under construction and completed by the Bureau, segregated by types of construction and by States.

Table 28.—Mileage of forest highways under construction as of June 30, 1938

Region and State	Graded and drained	Water- bound mac- adam	Bitu- minous surface treat- ment	Low- cost bitu- minous mix	Bitu- minous mac- adam	Port- land- cement con- crete pave- ment	Bridges	High- way- railroad grade separa- tions	Total
Western: Alaska	Miles 0,8	Miles 18.0	Miles	Miles	Miles	Miles	Miles 0, 2	Miles	Miles
Arizona	24. 3		13. 2				.1		37. 6
California	50.8	8.0	16. 2	4.3			$\hat{2}$		79. 5
Colorado		33. 0					(1)		33.0
Idaho	26. 9	15. 6					,1		42.6
Montana	10. 2		5. 5	. 5			.1	0.1	16. 4
Nevada	7. 6		0.0						7. 6
New Mexico		.8		12.9					13. 7
Oregon	11.3		15. 5			0.2	(1)		27. 0
South Dakota				3. 9					3.9
Utah	2, 2	7.2					(1)		9.4
Washington	11.1								11. 1
Wyoming		2.3		8, 1					10.4
Total	145. 2	84.9	50.4	29.7		. 2	.7	.1	311. 2
	l								

¹ Mileage less than 0.1 mile.

Table 28.—Mileage of forest highways under construction as of June 30, 1938—Continued

Region and State	Graded and drained	Water- bound mac- adam	Bitu- minous surface treat- ment	Low- cost bitu- minous mix	Bitu- minous mac- adam	Port- land- cement con- crete pave- ment	Bridges	High- way- railroad grade separa- tions	Total
Eastern: Arkansas	Miles	Miles 6.6 7.9	Miles	Miles	Miles	Miles	Miles . 1 . 2 (1) 1	Miles	Miles 6.7 .2 7.9 8.3
New Hampshire North Carolina Texas. Virginia West Virginia Wisconsin	5. 0 1. 6 6. 8	12. 4	6. 5				(¹) (¹)		1. 1 12. 4 5. 1 6. 5 1. 6 6. 8
Total	21.7	26. 9	7. 6				. 5		56.7
Grand total	166, 9	111.8	58. 0	29. 7		. 2	1. 2	. 1	367. 9

¹ Mileage less than 0.1 mile.

Table 29.—Completed forest highways by States and by types to June 30, 1938

Region and State	Graded and drained	Sand- clay	Traffic- bound surfaces of mis- cellaneous material	Bitu- minous surface treat- ment	Low- cost bitu- minous mix	Bitu- minous macad- am	Port- land- cement con- crete	Bridges	Total
Western: Alaska Arizona California Colorado Idaho Montana Nevada New Mexico Oregon South Dakota Utah Washington Wyoming	Miles 213, 2 240, 8 153, 6 291, 5 216, 1 46, 9 47, 9 160, 8 133, 5 86, 5 38, 6	Miles	Miles 235. 8 298. 4 170. 4 265. 3 260. 0 228. 5 51. 4 197. 0 612. 7 46. 4 162. 3 239. 8 255. 4	Miles 24. 6 262. 3 2. 0 37. 5 16. 1 15. 3 157. 3	Miles 15. 4 105. 4 115. 3 138. 2 125. 2 62. 0 53. 2 72. 3 14. 8 59. 1	Miles 23. 4	0. 1	Miles 2.4 2.5 3 2.2 2.0 (1) 2.3 8	Miles 238. 2 575. 7 781. 4 536. 5 692. 0 609. 3 176. 4 313. 6 1, 021. 8 61. 2 355. 5 333. 1 360. 3
Total	1, 629. 4		3, 023. 4	519.7	826. 9	38.0	. 4	17. 2	6, 055. 0
Eastern: Alabama Arkansas Florida Georgia Illinois Kentucky Louisiana Michigan Minnesota Missouri Nebraska New Hampshire North Carolina Oklahoma Pennsylvania South Carolina Tennessee Virginia Wisconsin	55. 5 2. 2 14. 2	6.5	5. 1 28. 5 9. 9 4. 7 60. 1 8. 1 14. 8 6. 6 15. 9 1. 8 2. 3 2. 6 14. 2	13. 1 30. 1 16. 0	16.0	8.8			5. 1 125. 0 61. 7 21. 0 4. 7 1 5. 56. 7 131. 8 8. 1 1 8. 7 28. 0 50. 9 16. 1 10. 6 16. 0 47. 4 22. 9 8. 7
Total	190.0	10.8	279. 1	96. 4	45. 8	15. 3		2.3	639.7
Grand total	1, 819. 4	10.8	3, 302. 5	616. 1	872.7	53. 3	. 4	19. 5	6, 694. 7

¹ Less than 0.1 mile.

Important through routes are being developed progressively by improvements made from year to year. Examples of recent improvements are as follows.

California:

Montana: Libby-State line on U. S. 2. Pleasant Valley highway on U. S. 2. Yellowstone Trail, U. S. 10.

Oregon:
Willamette highway on U. S. 30. Santiam highway on U. S. 30. Columbia River highway on U. S. 30. Fremont highway on U. S. 395. Pendleton-John Day highway on U. S. 395. John Day-Burns highway on U.S. 395. Cascades Lakes highway. Washington: Stevens Pass highway. Randle-Yakima highway. Arizona:

Fredonia-Houserock Valley highway on U.S. 89.

Placerville-Lake Tahoe highway on U.S. 50.

Colorado: Rabbit Ears Pass highway on U. S. 6. Rabbit Ears Pass highway on U. S. 40. Berthoud Pass highway on U. S. 40. New Mexico: Navajo Canyon highway on U. S. 285. Cedro Canyon highway. Carrizozo-Roswell highway on U. S. 380.

South Dakota:

Deadwood-Custer-Hot Springs highway on U. S. 85-A.

Wyoming:
Wind River highway on U. S. 287.
Hoback Canyon highway on U. S. 187.
Buffalo-Tensleep highway on U. S. 16. Idaho:

Clark Fork highway. Payette highway. Sawtooth Park highway on U. S. 93.

ROAD CONSTRUCTION IN NATIONAL PARKS AND MONUMENTS

National parks and monuments have been established in 33 States, the largest and best known being in the Western States. These areas of exceptional natural phenomena and places of particular historic significance and scenic beauty are recreation grounds for the entire Nation. Nature and events in past history have provided places that everyone desires to see and highways are the primary requirement in making them accessible to thousands of people who must plan vacation trips of moderate cost.

The construction of roads in and approaching national parks and monuments is a responsibility of the Bureau under an inter-Bureau agreement with the National

Park Service.

In addition over 900 miles of parkways have been established by Congress in These parkways connect points of special interest to tourists and are the East. located on a right-of-way sufficiently broad to give complete control of roadside development. One follows closely the crest of the Blue Ridge between the Shenandoah National Park in Virginia and the Great Smoky Mountains National Park in Tennessee and North Carolina. Another follows the old historic trail between Natchez, Miss., and Nashville, Tenn.

Table 30.—Highways completed in or leading to national parks and monuments, fiscal year 1938

Park, monument, or parkway	Initial improvement and stage construction	improve- ment com-	Total to June 30, 1938	Park, monument, or parkway	Initial improve- ment and stage construc- tion	improve- ment com-	Total to June 30, 1938
Acadia	Miles 3, 2	Mites 3. 2	Miles 15. 3	Hawaii	Miles	Miles	Miles 35.6
Blue Ridge Bryce Canyon		l	124. 5 21. 7	Hot Springs Kill Devil Hill Lassen Volcanic			3. 5 1. 6 35. 1
Carlsbad Caverns Chalmette Chickamauga-Chatta-			8.4	Meriwether Lewis Mesa Verde			1 1.8 32.0
nooga Colonial			1 12.3	Morristown Mount Rainier	29. 7	1. 2	2.6 1 81.7
Crater Lake Devil's Tower Fort Donelson			57.9	National Capital Parks. Petersburg Petrified Forest		4.8	5.7 7.3 31.1
Fort Matanzas Fort Pulaski	.6	. 6	.6	Rocky Mountain	46.9	4.0	51.4
Fredericksburg - Spot- sylvania	. 3	.3	23. 5	Sequoia Shenandoah	3. 8 18. 2	18. 2	46. 1 89. 8
General Grant George Washington Birthplace	6.3	3. 9	10.3	Shiloh Vicksburg Wind Cave	. 5	.5	10.3 5.3 15.9
Gettysburg Glacier	4. 2 19. 9	4. 2 16. 4	7.3 74.4	Yellowstone Yosemite	43.3	1. 9 5. 5	289.7 104.0
Grand Canyon Great Smoky Moun-			162. 1	Zion			18.7
tains Guilford Courthouse	7. 7 2. 6	4. 1 2. 6	27. 0 2. 6	Total	329. 7	153.5	1, 442. 7
	`						

¹ Revised figure resulting from final survey.

Highway construction in national parks and monuments is carried on under the same general plan and according to the same standards as have been described for work in the national forests with the exception that the landscaping branch of the Park Service participates actively in locating and planning highways to

fit them into and preserve the natural beauty of the parks.

At the close of the year, 1,443 miles of road had been constructed in the national parks and monuments, an increase of 153 miles during the past year. This mileage includes both approach roads and parkways. In addition, 176 miles of road previously constructed was further improved, in most instances by placing a better surface. The completed mileage is shown by parks and monuments in table 30, and by types in table 31.

Table 31.—Highways completed in or leading to national parks and monuments at end of fiscal year 1938, by types

Park, monument, or parkway	Graded and drained	Gravel	Bitu- minous treat- ment	Bitu- minous mix- ture	Bitu- minous mac- adam	Bitu- minous con- crete	Port- land- cement concrete	Bridges	Total
	3.62	3 621	3.63.00	Miles	Miles	Miles	Miles	Miles	Miles
Acadia	Miles	Miles 0, 2	Miles 7.1	Mues	Mues 8.0	Mues	Milles		15. 3
Blue Ridge Parkway	2. 5	122. 0	,,1		0.0				124. 5
Bryce Canyon				21.7					21.7
Carlsbad Caverns				8.4					8. 4
Chalmette				10. 4			0. 5 7. 2		. 5, 17. 6.
Chickamauga-Chattanooga	9 7		. 6	10.4			8.8	0, 2	12. 3.
Colonial Crater Lake	4.1	18. 6	1. 9	26. 4	6.8			. 1	57. 9
Devil's Tower								.3	. 3.
Fort Donelson				2. 7					2.7
Fort Matanzas				.5				.1	. 6.
Fort Pulaski Fredericksburg-Spotsyl-	-1							. 2	. 0.
vania			18. 0	5. 3		0. 2	 		23. 5.
General Grant	7.9		2. 4						10. 3
George Washington Birth-									
place			2.6						2.6
Gettysburg			34. 1	.8		6.5		2	7. 3. 74. 4
Glacier Grand Canyon		23.7	34.1	146. 7	14.6			.1	162. 1
Great Smoky Mountains		3.6	19, 4	4.0	14.0				27. 0
Guilford Court House			10. 1			2.6			2.6
Hawaii			10.6	9.0					35. 6
Hot Springs			3.5						3. 5
Kill Devil Hill				1.6					1. 6. 35. 1
Lassen Volcanic				35.1					1.8
Mesa Verde				32. 0					32. 0
Morristown		2. 6		1		f			2.6.
Mount Rainier	20.5	24.7		20.7	15.5			.3	81. 7
National Capital parks			. 4						5. 7
Petersburg			6. 0 4. 9	26. 0				. 2	7. 3. 31. 1
Petrified Forest Rocky Mountain			8.0	43. 4				. 2	51. 4
Scotts Bluff			0.0	10. 1	1		1.6		1.6.
Sequoia			14. 3	25. 5				, 1	46. 1
Shenandoah	6.4	18. 1	12.5	52.8					89.8
Shiloh				3.7			6. 6		10. 3
Vicksburg		. 3		15. 9			4.7	. 1	5. 3 15. 9
Wind CaveYellowstone		36.6	98. 2	154. 2				. 7	289. 7
Yosemite		30.0	26. 3	27. 7	14.1	10. 0	6. 2	.3	104. 0-
Zion				17. 6			1.0	.1	18. 7
		-							1 110
Total	88.8	251. 1	270.8	693. 9	75. 0	23. 3	36.6	3. 2	1, 442. 7
	1		•						

In Glacier National Park a surfaced road has been constructed through the park and across the continental divide at Logan Pass at an elevation of 6,654 feet. In Mount Rainier National Park both the Westside and Stevens Canyon routes, which are of considerable length, are being improved by including sections in each year's program. Work is now being concentrated in Stevens Canyon. In Crater-Lake National Park the last section of the loop around the lake between Government Camp and Kerr Notch is approaching completion. In Yosemite the Big Oak Flat road route, involving difficult location and construction, is approaching completion. The tunnels on this route will soon be lined and sections between these tunnels graded and surfaced. There still remains a long uncompleted gap in the Tioga Road in Yosemite. This is a superb mountain highway through some of the most rugged of the high Sierras, crossing the Sierras at Tioga Pass at an elevation of nearly 10,000 feet. Additional work on this road is planned. Roads-

within Yellowstone National Park and the approach road from the east are

being improved.

In the Eastern States attention is being focused on the construction of parkways. The Blue Ridge Parkway following closely the crest of the Blue Ridge Mountains for approximately 480 miles passes through Virginia and North Carolina into Tennessee and connects the Shenandoah and Great Smoky Mountains National Parks. Approximately 124 miles has been completed and 157 miles is under construction, a portion of which is surfacing of roads previously graded.

The Natchez Trace Parkway passes through historic sections of Mississippi, Alabama, and Tennessee for approximately 455 miles. No mileage is as yet com-

pleted but 36 miles is under construction.

Mileage of highways under construction is listed by location and types in table 32.

Table 32.—Highways under construction in or leading to national parks and monuments at end of fiscal year 1938, by types

Park, monument, or parkway	Graded and drained	Gravel	Bitu- minous treat- ment	Bitu- minous mix- ture	Bitu- minous mac- adam	con-	Port- land- cement concrete	Bridges	Total
AcadiaBlue Ridge ParkwayBoulder Dam Recreational	Miles	Miles 51.8	Miles 3. 1 56. 6	Miles 49.1	Miles	Miles	Miles	Miles 0.1	Miles 3. 2 157. 8
Area_ (Colonial Crater Lake Glacier Grand Canyon Grand Can	4. 9		24.6 16.4 30.4	9. 4			1.7		9. 4 1. 9 41. 9 16. 4 45. 0
Great Smoky Mountains Mount Rainier Natchez Trace National Capital parks	4. 6 36, 3	3. 1	13. 7	14.0		0.6		(¹) .1	3. 1 18. 3 36. 3
Petrified Førest			4.8			9. 5	2. 2		4. 8 8. 1 12. 5 23. 3 2. 6
Yellowstone Yosemite Zion-Bryce Canyon	10.0 2.7 1.9 60.4	12. 6 82. 2	150. 2	2. 1		10. 1	3, 9	.5	13. 0 15. 3 1. 9 415. 5

¹ Less than 0.1 mile.

The mileage of approach roads completed and under construction and approved for construction is reported in table 33.

Table 33.—Location and length of approach roads to national parks and monuments, June 30, 1938

Road	Park	Designated	Under con- struction	Completed
Fresno-General Grant Cameron-Desert View South Approach Jacobs Lake-North Rim Mineral-Lassen Volcanic Sequoia-General Grant Custer-Wind Cave Southwest Approach Moran-Yellowstone Red Lodge-Cooke City East Approach	dodo	Miles 3. 9 28. 1 52. 3 31. 2 8. 8 13. 5 8. 6 13. 9 24. 0 59. 6 23. 0	Miles 31. 2	Miles 3. 9 28. 1 52. 3 1 31. 2 4. 7 2 4. 1 13. 5 8. 6 13. 9 5. 8 59. 7 13. 7
Zion-Bryce Canyon Total	Zion-Bryce Canyon	35.0	33. 1	204. 2

Graded as a forest-road project. Figure not included in total.
 Completed as a forest-road project. Figure not included in total.

INTER-AMERICAN HIGHWAY

Work on the Inter-American highway continued throughout the year, and substantial progress was made in the construction of bridges and in assisting the various countries in locating and planning links in the highway. This highway, which is to extend from Laredo, Tex., to Panama City, Panama, follows a route recommended by the Bureau in 1934, as the result of a reconnaissance survey made at the request of the Department of State and the countries concerned. Recent work has been done under an authorization of \$1,000,000 made in 1934-

for cooperation in the survey and construction of the highway.

Under a cooperative arrangement assistance has been given to Panama, Costa Rica, Nicaragua, Honduras, and Guatemala in the erection of bridges. The United States agreed to furnish all needed engineering supervision and products of American heavy industry such as steel, cement, and equipment necessary in the work, and to transport such articles to the construction sites. The other countries agreed to furnish local materials needed for the bridges; to furnish all labor needed for construction; to build all substructures of bridges and approaches wherever necessary; and to construct the necessary sections of road to make all bridges serviceable on or immediately following construction.

Cooperation has also included the making of additional reconnaissance surveys in Guatemala, Nicaragua, and Costa Rica, and location surveys in Panama, Nicaragua, Guatemala, and Costa Rica; additional bridge investigations and surveys in all countries mentioned except Guatemala; and the designing of a group of standard bridge plans considered most useful for the immediate future-programs of the several countries. A complete list of the 39 projects included

under the entire program follows:

Bridges built under contract (9):	Total length
Rio Chiriqui, Panama	
Alo Chinqui, I anama	101 1000
Rio Choluteca, Honduras	1,088 feet.
Rio Tamazulapa, Guatemala	486 feet.
Die Lee Medewer Nicoromie	06 foot span
Rio Las Maderas, Nicaragua Rio Platanar, Panama	go-toot span.
Rio Platanar, Panama	120-foot span.
Rio Grande, Nicaragua	120-foot span.
Die Esteli Missengus	Of foot apon
Rio Esteli, Nicaragua	90-100t Span.
Rio Amatal, Guatemala	96-foot span.
Rio Tahuapa, Guatemala	30-foot span.
Bridges erected by force account (6):	oc root spani
Bridges erected by force account (o):	
Rio Chirigagua, Panama	96-foot span.
Rio San Cristobal, Panama	100-foot span.
Die Timel Customele	20 foot span
Rio Tiucal, Guatemala Rio Zonjon, Guatemala	20-100t span.
Rio Zonjon, Guatemala	8-foot span.
Rio Mongoy (1) Guatemala	12-foot span.
Rio Mongoy (2) Guatemala	21 foot 4 inch chan
Rio Mongoy (2) Guatemaia	at-100t 4-fitth span.
Bridges surveyed and designed (5):	
Rio Tenorio, Costa Rica.	
Rio Ochomogo, Nicaragua.	
Rio Viejo, Nicaragua.	
Rio Istaca, Honduras.	
Rio La Leona, Honduras.	
Bridges investigated (4):	
Rio Mula, Panama.	
Rio Chico, Panama.	
tio Chico, I anama.	
Rio Caimito, Panama.	
Rio Agua Caliente, Honduras.	
Road surveys completed (4):	
David Comprise Francisco Parama	65 miles
David-Concepcion-Frontera, Panama	oo mnes.
Tipitapa-Rio Las Maderas, Nicaragua	20.5 miles.
Asuncion Mita-Frontera, Guatemala	12.5 miles.
Cartago-San Marcos, Costa Rica	25 miles.
Road reconnaissance surveys completed (4):	
La Conora Mountain, Guatemala	8 miles.
Progreso Mountain, Guatemala	8 miles
Las Maderas-Sebaco, Nicaragua	30 miles.
Naranjo-Las Canas, Costa Rica	116 miles.
Roads under construction on which assistance was given in planning (3):	
Roads under construction on which assistance was given in planning (a).	10 :100
Tipitapa-Rio Las Maderas, Nicaragua	
Asyncion Mita-Frontera, Guatemala	12.5 miles.
Cartago-San Marcos, Costa Rica	
	20 111100
Standard plans designed (4);	
Three pony truss bridges.	
Three through truss bridges.	
Five cantilever I-beam bridges.	
One concrete box culvert, 10 by 10 feet.	

The Chiriqui, Choluteca, and Tamazulapa Bridges which were included in a single contract were major structures of suspension design.

All of the larger bridges are now completed except those at the Rio Chirigagua and Rio San Cristobal in Panama, which are now being erected.

Shipments from the United States to the several countries for this work have amounted to a total of 6,357 tons. The more important items were cement, fabricated bridge steel, reinforcing steel, and road and bridge equipment. Miscellaneous items included culvert pipe, corrugated sheet metal, steel piling, and a

small quantity of quarry supplies.

The delivery of materials and equipment from shipside to bridge site was in every case a serious problem. Deliveries of materials for the Choluteca and Tamazulapa Bridges are typical of the difficulties encountered. All shipments to Choluteca were landed at the port of Amapala, Honduras. This port is on Tigre Island, 16 miles from the mainland port. Ships anchored in the roadstead, and as there are no wharf facilities freight was discharged into open lighters. The lighters were then towed or sailed 16 miles to the mainland port where freight was discharged, loaded into carts or trucks, and hauled approximately 25 miles to the bridge site.

Deliveries for the Tamazulapa Bridge in Guatemala were made by ocean steamer at Puerto Barrios on the Caribbean side, shipped by rail to Santa Lucia, El Salvador, there unloaded, and hauled by truck 52 miles to the bridge site.

In each country where cooperative work has been conducted, a Bureau engineer has been placed in charge as resident engineer. All other positions have been filled with local engineers, most of whom have been trained in the United States. It has been the policy to aid each country in developing its own highway engineers capable of carrying on future highway programs according to the most modern standards.

Approximately 90 percent of the \$1,000,000 made available in 1934 has been. expended. Slightly more than 70 percent has been expended for materials produced in this country and about 20 percent has been paid for services and per-

sonnel.

Although work has been done at many points along 1,000 miles of the route and has often been accompanied by unusual difficulties and the necessity of resorting to primitive means, the cost of engineering services and overhead expenses has been kept down to about 12 percent. Expenditures by the United States for construction have been slightly exceeded by corresponding expenditures by the cooperating countries. On work for which the United States pro-

vided \$680,000 the cooperators provided \$710,000.

Efforts by the United States to foster the development of the Inter-American highway have been highly successful. In every country interest in road construction has been aroused and efforts are being concentrated on the route from There has been no direct cooperation with Mexico Panama to the United States. but relations with Mexican highway officials have been amicable at all times. The section of the highway from Laredo to Mexico City was completed by the Mexican Government more than a year ago and a program is now under way to complete the road from Mexico City to Guatemala, although the original plan of the Mexican authorities was to direct the next effort to a route on the Pacific coast from Arizona to Mexico City.

In Guatemala the highway organization has been notably strengthened and reconstruction and betterments now in progress will make the road across Guate-

mala entirely serviceable at all seasons of the year by 1940.

Very friendly relations have been maintained with the highway authorities of El Salvador but there has been no active participation in highway work there. Encouraged by the work in neighboring countries the Government of El Salvador is carrying on a program under which the entire route across this Republic will be three-quarters completed in 1940, and probably entirely completed in 1941.

In Honduras only about 90 miles of highway are included in the inter-American route, and one-third of this is now passable at all seasons. The Government of Honduras has requested further engineering assistance, and if possible, further

cooperation in improving this section.

In Nicaragua the Government has tried twice to enter into a satisfactory contract with private contractors for a considerable mileage of highway construction, but difficulties in independently financing a large program have so far prevented success in this direction. The Government is able, however, to expend from 40,000 to 60,000 cordobas (\$8,000 to \$12,000) a month and has requested further surveys and engineering assistance in extending the improved road in that country. At the last session of the Congress of Costa Rica, 1,050,000 colones (\$187,200) was appropriated to provide for cooperative construction under the direction of Bureau engineers, and also for about 12½ miles of additional road, all. on the inter-American route.

The Government of Panama has committed itself to complete approximately 65 miles of road north of David, where assistance has been given in the construction of three bridges. This work will complete the road from Panama City to the Costa Rica line. Owing to the present financial condition of Panama, construction is proceeding slowly but steadily.

The present general status of the inter-American highway from Laredo, Tex.,

to Panama City is given in table 34.

Table 34.—Status of improvement of the inter-American highway, Laredo, Tex., to Panama, June 30, 1938 1

Section	Paved road	Gravel road	Graded earth road	Ungraded road or trail
Nuevo Laredo-Mexico City	Miles 765	Miles	Miles	Miles
Mexico City-Oaxaca	40			300 635
Mexico line-Quetzaltenango. Quetzaltenango-Asuncion Mita		212	24	80
Guatemala line-Santana	30	20 49	4	88
El Salvador line-San Lorenzo		23		37
Honduras line-Esteli Esteli-Las Maderas				50 60
Las Maderas-Managua Managua-Costa Rica line Nicaragua line-Naranio				100 163
Naranjo-Cartago - Cartago - Panama line - Costa Rica line-David -	48		15	145 44
David-Panama City		108		
Total	1,083	447	43	1,732

¹ Mileage figures based on proposed new location in Mexico and Nicaragua.

If the programs in Mexico, Guatemala, and El Salvador are carried out as now projected, an all-weather road should be completed as far south as Choluteca, Honduras, by the end of 1941.

TRANSPORTATION, ECONOMIC, AND STATISTICAL INVESTIGATIONS

HIGHWAY-PLANNING SURVEYS

At the beginning of the year, 43 States had undertaken State-wide highway planning surveys in cooperation with the Bureau under authority contained in the Hayden-Cartwright Act of 1934 and subsequent legislation which authorized the Secretary of Agriculture to approve allotments of not to exceed 1½ percent of the amount of Federal highway funds apportioned for any year, for surveys, plans, and engineering and economic investigations of projects for future construction. Since then, three additional States, New Jersey, Mississippi, and Connecticut, have undertaken the work, bringing the total to 46.

Many States which undertook the surveys when they were first proposed by the Bureau have progressed to the point of interpreting the data for a series of reports to their citizens on the status of the highway plant, generally following an outline suggested by the Bureau. The planning surveys are demonstrating their value more convincingly as analysis of the data progresses and the results are used in supplying facts and figures to other branches of the highway departments and to interested agencies. In this way the surveys have served as an essential aid in the general administration and operation of government. Upon request copies of the county base maps prepared in connection with the surveys have been furnished to the National Park Service, the Agricultural Adjustment Administration, the Soil Conservation Service, and other agencies. Copies will also be furnished to the Census Bureau for use in taking the 1940 census. In a number of instances, traffic information has been furnished to the Forest Service for use in planning roads under their jurisdiction.

Field inventories of the rural road system have been completed in 38 States with 2,519,000 miles of road. In eight other States, with an estimated road mileage of 406,583, the mileage inventoried to June 30 was 170,429. Preparation of base maps showing all rural roads and other essential data, is progressing and most States expect to complete the majority of their maps by the middle of the 1939 fiscal year. Alabama, Arizona, Arkansas, Idaho, Illinois, Kansas, Montana, Nebraska, North Dakota, Oregon, and Wyoming have completed base map Approximately 4,080 base maps will be required for the 3,005 counties of the States now conducting planning surveys. Already 1,625 maps have been forwarded to Washington for examination. Base maps, in general, have been constructed on well established land coordinates in close cooperation with the General Land Office, the Geological Survey, and the Coast and Geodetic Survey. Nineteen States have reported the use of aerial photographs in making or checking county base maps, and Virginia in particular will have the advantage of aerial photographs of its entire area.

The surveys include the collection of data on sharp curves, steep grades, lack of superelevation, and limited sight distance on the primary highways, and a record is made of the location and nature of critical restrictions. These data are assembled under two general classes: (1) Nonmountainous roads having sight distances of less than 1,000 feet, curvature exceeding 6°, and grades exceeding 5 percent; and (2) mountainous roads having sight distances less than 650 feet, curvature exceeding 14°, and grades exceeding 8 percent. These data will reveal critical sections of the highway system requiring early attention and, when correlated with traffic density and accident records, will provide the basis for highway programs in which priority will be given to those improvements most urgently needed.

In cooperation with the Association of American Railroads, pertinent facts relating to rural and urban grade crossings are being obtained which will be combined with a field inventory of the crossings and traffic data to arrive at programs of abandonment, protection, and elimination by separation of grades, giving priority to the most dangerous crossings. Most of the data to be supplied by the railroads have been received and await the completion of the urban-cross-

ing inventory.

Field work on traffic surveys has been completed by the majority of the States. At 3,323 weighing stations, the weights of trucks, commodities carried, as well as other data, were recorded for thousands of trucks, tractor-truck semitrailers, and trucks with full trailers. Information on the tonnage moved over the highways has been obtained from stations where portable weighing devices were used, while more detailed and precise data were obtained at pit-scale stations to determine loading practices. Such data have important bearing on regulation and taxation. Information regarding the weights and dimensions of busses and number of passengers carried was also obtained at these stations. Traffic-flow

maps for the primary road system have been prepared by nine States.

Working continually are 353 automatic traffic-recording machines, recording the hourly passage of vehicles. The design of these units was originally conceived by the Bureau and later perfected by commercial organizations. Installed at strategically located points, these machines provide a long-period record of traffic Completeness of the records permits the determination of characteristic traffic patterns and factors with which to expand short-period counts to annual

averages and to show minimum, average, and maximum traffic volumes.

Summaries of road-life data, extracted from the records of State highway departments are being prepared in all States making the planning surveys. Life tables are being prepared and the probable average life determined for each surface type as well as construction costs, maintenance costs, and probable salvage value. From a careful interpretation of these data, more dependable estimates may be made of the public investment in highways, cost of ownership, and probable annual

cost of present and future improvements.

The financial surveys involve studies of highway income, expenditure, and debt of the State and of all the subdivisions within the State. They will indicate where and how the money is now being spent and for what purpose. Motor-vehicle allocation studies, based on an analysis of questionnaires received from motor-vehicle owners, will show the location and occupation of persons paying motor-taxes and the share paid by residents of cities, towns, and rural areas. The roaduse surveys will show the benefits derived from roads, and the extent of use by the various classes of residents.

Information regarding land uses, present and potential, which will have a direct bearing on rural road improvements is to be obtained in an extensive survey contemplated by the Bureau of Agricultural Economics in cooperation with a number of other agencies of the Department, including this Bureau. Plans for the survey include a classification of land according to its usefulness for agricultural purposes. This information will be used in preparing county maps which will show submarginal areas and the various degrees of usefulness of areas suitable for agriculture.

SAFETY RESEARCH

The results of the safety studies made during the previous year in cooperation with the Highway Research Board of the National Research Council were embodied in a detailed report and published in six parts as House Document No. 462, Seventy-fifth Congress, third session. The six parts are entitled:

Part 1. Nonuniformity of State Motor-Vehicle Traffic Laws.
Part 2. Skilled Investigation at the Scene of the Accident Needed to Develop Causes.
Part 3. Inadequacy of State Motor-Vehicle Accident Reporting.
Part 4. Official Inspection of Vehicles.
Part 5. Case Histories of Fatal Highway Accidents.
Part 6. The Accident-Prone Driver.

A summary report on these researches was also prepared and published as a bulletin of the Bureau, Highway Accidents, Their Causes and Recommendations for Their Prevention.

By cooperative agreement with the Highway Research Board, certain research projects in highway safety that could not be completed for inclusion in the report to Congress were continued, particularly an investigation of the validity and utility of driver test clinics in identifying and re-educating the accident-prone driver.

MAINTENANCE-COST STUDIES

Agreements with the State Highway Departments of Connecticut, New Hampshire, and Rhode Island for a study of highway-maintenance costs in relation to traffic volume were renewed for the fourth year. Traffic records for the third consecutive year were obtained for 31 sections of highway in Connecticut, 52 sections in New Hampshire, and 102 sections in Rhode Island. The States were furnished copies of the records with the average 24-hour traffic density on each A detailed report on each section was completed. Detailed maintenance costs on each of the sections are being kept by the States and supplied to the Bureau.

The object of this study is to determine the maintenance costs for different types of road surface in relation to the traffic carried. Due to nonperiodic or infrequent costs of maintenance, no determinations can be made until the records have been kept for a period of at least 5 years.

HIGHWAY-CAPACITY AND VEHICLE-PERFORMANCE STUDIES

Traffic-capacity studies in cooperation with the Illinois Highway Planning Survey were continued. Analysis of the field data was made in Washington and in Chicago. Attention was directed to the design of equipment to reduce the cost and labor of collecting data, and for use in broadening the field of study

Under cooperative agreements with the Quartermaster Corps of the United States Army and the National Bureau of Standards, and with the assistance of a number of truck manufacturers, an exhaustive study of the performance of new trucks on highway grades was begun. Actual performance of a number of trucks will be determined on a series of grades, and laboratory tests will be conducted on the same vehicles to determine their engine efficiency.

Methods were developed and apparatus was designed and assembled for studying in detail the movements of vehicles over long sections of highway. The normal driving practices under various conditions of traffic and of physical alinement, as well as the distances required for passing under various conditions, will be deter-

mined with this apparatus.

Methods were developed, equipment was designed and assembled, and preliminary studies were conducted to determine the lateral placement of vehicles on the highway. This apparatus is to be used in conjunction with apparatus being developed that will automatically indicate the speed of vehicles. This equipment is to be used in a variety of localized studies of driving practices and how they are affected by various conditions of traffic volume and speed, width, surface, and alinement of the highway, and type and condition of the shoulders.

NATIONAL CONFERENCE ON STREET AND HIGHWAY SAFETY

The Bureau continued to cooperate with the executive committee of the National Conference on Street and Highway Safety in the promotion of uniform traffic regulation. Copies of the Uniform Vehicle Code and other literature prepared by the Conference were widely distributed. A revised edition of the pamphlet Guides to Traffic Safety, originally prepared by the executive committee of the Conference in 1934, was published by the Bureau. The Conference reprinted a second large edition of the Manual on Uniform Traffic Control Devices for Streets and Highways compiled in 1935 by a joint committee representing the conference and the American Association of State Highway Officials. At the close of the year, plans were being made for meetings of the committee on uniform traffic laws and ordinances of the Conference to revise the Uniform Vehicle Code and the Model Traffic Ordinance. The joint committee on uniform traffic control devices was also making preparations for revision of the Manual on Uniform Traffic Control Devices for Streets and Highways.

AMERICAN ASSOCIATION OF MOTOR VEHICLE ADMINISTRATORS

Active cooperation was continued with the Association in its program of education and research to advance uniformity in State motor-vehicle laws, reciprocity between States, and in measures aimed at greater highway safety. During most of the year a member of the Bureau staff served as executive secretary of the Association. Under a subsequent arrangement, the Bureau is cooperating with the Automotive Safety Foundation and the National Conservation Bureau in establishing in Washington an administrative office for the Association, with an executive director.

ESTIMATING HIGHWAY-TRAFFIC VOLUME

Further research on the problem of estimating the volume of highway traffic for long periods by extending counts of limited duration made according to fixed schedules has been conducted to determine the most efficient procedure. It is desired to obtain estimates that are closely representative of actual traffic with the minimum number and duration of counts. Precision is affected not only by the number and length of the counting periods, but also by the parts of the day, the days of the week, and the months of the year during which the observations are made. Records from different parts of the country have been studied to determine periods of least dispersion and greatest reliability for sampling. A research report was presented at the annual meeting of the Highway Research Board in 1937.

RAILROAD-ABANDONMENT STUDIES

Abstracts were completed of the records from 1920 to May 31, 1937, of proceedings before the Interstate Commerce Commission for certificates of convenience

and necessity permitting the abandonment of railroad lines.

The abstracted data were assembled in tabular form for each abandoned section of railroad to show the carrier, mileage of line, average investment per mile, population density, passenger and freight operating statistics for the last 5 years of operation, purposes for which the railroad was constructed, and reasons for the abandonment of operation. The data were summarized by States.

The proceedings of the Interstate Commerce Commission were also reviewed to determine the portions of the railroads abandoned that were later returned to

operation.

The continuing purpose of these investigations is to ascertain what additional burden must be assumed by the highways as the abandonment of railroad lines progresses, especially the abandonment of unprofitable branches originally constructed as feeders to the main lines of railroads. It is desired to keep constantly informed as to the changing interrelationship between highway and railway patterns in each State.

By the orderly examination of causes and conditions surrounding former abandonments, it is hoped to arrive at ways of foreseeing future abandonments and the probable eventual relation between rail and highway transport which should

so develop as to produce the largest public benefit from each form of transportation.

PHYSICAL RESEARCH

For a number of years the Bureau has been planning permanent laboratories for its research work at a location where there would be space for outdoor experiments. In previous years funds had been authorized for such an undertaking,

land had been acquired on the Mount Vernon Memorial Highway near Washington and plans had been prepared for laboratories and offices to house the Division of Tests.

Early in the fiscal year a contract for construction was awarded, work was begun soon thereafter, and is now nearing completion. It is expected that during the next fiscal year all the activities of the Bureau at the Arlington Experiment Farm of the Department will be transferred to the new research station.

SUBSURFACE EXPLORATION

The application of electrical resistivity and seismic methods in determining the distance from the ground surface to rock has been continued. Both types of apparatus have now been brought to a satisfactory state of development. ments of the types developed by the Bureau are now available commercially.

A complete set of seismic equipment has been purchased for use in the Bureau's. work in the Western States and engineers are being given field instruction in its

During August and September 1938, at the request of the Corps of Engineers of the United States Army, demonstrations were made of the application of the seismic method of subsurface exploration to problems that arose in flood-control work in New York and New England. The tests indicated that information valuable in such work can be obtained with this equipment at relatively low cost.

In May 1938, at the request of the New Hampshire State Highway Department, demonstrations of both methods of exploration were conducted on a variety of highway projects in that State. By invitation the tests were observed by engineers from neighboring States, the Corps of Engineers and other interested agen-The electrical-resistivity method was found to be unsatisfactory in the soils encountered, but the seismic method proved its value in detecting and locating the position of solid ledge rock. In the salt-water marshes the seismicmethod could not be used to determine the depth to solid sand layers where the overlying muck was in a fluid state.

An educational film strip, with text describing the principles and application of the two methods of exploration, has been prepared and copies are being distributed.

to State highway departments and universities.

MOTOR-VEHICLE IMPACT INVESTIGATIONS

The study of the elastic properties of concrete when acted upon by comparable static and impact forces, as mentioned in the last annual report, has been contin-This fundamental research is expected to furnish a connecting link between the considerable volume of data already obtained on (1) the effects of static loads on concrete pavement slabs, and (2) the magnitude and frequency of the impact forces developed on the highway by motor vehicles. This work is an important part of a broad research to rationalize the structural design of pavements.

A report was published describing the apparatus and method of test. It is anticipated that a progress report describing the results of the tests to date may be

published during the coming year.

MEASUREMENT OF ROAD-SURFACE ROUGHNESS

Smoothness of road surface is necessary for comfort in travel and is a matter of concern to every highway engineer. There has been no reliable means for measuring degrees of road roughness. The Bureau has attempted to develop suitable apparatus, and definite progress has been made. A special standardizable oneapparatus, and definite progress has been hader to wheel trailer has been built on which is mounted a device for integrating the successive vehicle spring deflections as the vehicle is towed along the road. This successive vehicle spring deflections as the vehicle is towed along the road. apparatus is ready for preliminary trials.

THE STRUCTURAL DESIGN OF CONCRETE PAVEMENTS

Work in this important field of investigation has been continued. Four reports. on the recent researches at the Arlington Experiment Farm have already been published and a fifth report is in the course of preparation. The results presented in the fourth report of the series dealing with the design of joints in concrete pavements resulted in the submission to the Bureau for approval of many new designs, among which were a number of the dowel-plate type. In order to determine the merits of the designs, certain additional or supplementary tests were found to be necessary and are being made.

Final arrangements were made with the Indiana State Highway Commission for the construction of specially reinforced pavement sections on one of their current Federal-aid projects. This work will be done during the coming year. The purpose of this research is to determine the extent to which longitudinal steel reinforcement can be used economically to increase the spacing between transverse

ioints.

A survey of a considerable number of the older concrete pavements in Michigan was made in June 1938 in cooperation with the Michigan State Highway Department. These pavements were designed without provision for load transfer at the joints. The purpose of the survey was to determine the effect on pavement condition of the absence of provision for load transfer. The pavements studied were, in general, about 10 years old and were on the more heavily traveled routes.

EROSION TEST FOR CULVERT PIPE

Study of the erosion test for quality of bituminous coatings on corrugated-metal culvert pipe has been continued. In recent experiments, an abrasive charge of portland-cement mortar cubes has been used. A progress report covering these

tests has been prepared.

The work that has been done indicates that the substitution of mortar cubes for the fragments of brick that are now specified improves the test in that more consistent results are obtained on duplicate samples. However, the test method appears to be deficient in certain respects and consideration is now being given to the possibilities of some other method.

THE STRUCTURAL DESIGN OF NONRIGID PAVEMENTS

Study of this important problem has been under way for some time and during the year a report reviewing past researches and summarizing present knowledge was published. Considerable study has been given to the development of needed instruments, particularly the development of devices for measuring pressures as distributed through nonrigid road surfaces.

INVESTIGATION OF SUPPORTING STRENGTH OF FLEXIBLE CULVERT PIPE IN EARTH EMBANKMENTS

The study of experimental installations of flexible culvert pipe buried in earth fills was continued and a progress report was published. This report presents a theoretical analysis of the problem, applicable to the design of flexible pipe culverts, and a comparison of the results of this analysis with the phenomena observed in the experimental installations. This investigation is to be extended to include observations in the field of the performance of a considerable number of culvert structures to determine, over a wide range of conditions, the value of certain constants that are required in theoretical computations of loads and supporting strength. These field observations will begin during construction of the culverts and will continue for some time thereafter. This is a cooperative study by the Bureau and the Engineering Experiment Station of Iowa State College.

INVESTIGATION OF BRIDGE FLOORS

The cooperative investigation of the action under load of concrete floor slabs of bridges, begun at the University of Illinois in 1936, was continued. This involves theoretical mathematical analyses of various types of floors and the verification of these analyses by observation of experimental floor slabs constructed in the laboratory. Two valuable reports on this work were published as bulletins of the University. One describes a distribution procedure for the analysis of slabs continuous over flexible supports and the other gives solutions for a number of special cases. This work is conducted cooperatively by the Bureau, the Illinois Division of Highways, and the University of Illinois.

FATIGUE STRENGTH OF WELDED JOINTS

The use of arc welding in fabricating steel highway bridges has been hampered by a lack of knowledge of the strength of welded connections when subjected to repeated applications of stress. The fatigue strength of steel, or its resistance to a great number of load applications, is much less than its strength as measured by one load or a few loads, and therefore it is a characteristic of major importance in bridge design. Arrangements have been made for a comprehensive laboratory

study of the fatigue strength of various types of welded joints. In this investigation the Bureau is cooperating with the University of Illinois and the welding research committee of The Engineering Foundation. The tests are to be made at the University.

CEMENTS, AGGREGATES, AND CONCRETE

A laboratory study to determine the effect of using a blend of natural and portland eements on the strength and durability of concrete was completed and a report is being prepared for publication. The report will present the conclusion that, although the crushing and flexural strength of pavement concrete may be slightly reduced by substituting one of the natural cements studied for 14 or 28 percent of portland cement, the resistance of the surface of the pavement to alternate freezing and thawing will be materially increased. Similar tests made with another brand of natural cement of approximately the same chemical composition did not show the same improvement, indicating that the beneficial effect of the natural cement may be influenced by the method of manufacture. Further information along this line will be obtained during the coming year through the inspection of experimental pavements in New York State in which both brands of natural cement have been used.

The extended series of tests to determine the relative efficiencies of different methods of curing concrete were completed and a report is being prepared for publication. Preliminary indications pointing to the importance of applying moisture to the surface of concrete slabs during the early curing period rather than merely sealing the existing moisture within the slab were confirmed.

The Bureau was requested by a committee of the American Society for Testing Materials to cooperate in a series of laboratory tests as part of a study of methods of measuring the soundness of portland cement by the use of a high-pressure steam (autoclave) test. Thirty-five portland cements were tested and the results reported to the committee. In addition, numerous other special tests of cement, all designed to measure properties not revealed by the present standard tests, were investigated. These included methods of determining the bleeding characteristics of cements and various tests to determine the efficiency of the operation of burning the mixture of raw materials in the manufacture of portland cement.

A study of the causes of deterioration of concrete pavements in certain of the Southeastern States indicates the probability that variations in quality of cement not covered by the present specifications may account for at least some of the trouble. In view of this fact, the laboratory studies of cement described above are considered highly important and will be continued.

Work on aggregates has been confined largely to continuation of studies of the Los Angeles abrasion test. Additional data correlating the results of the test with service behavior have been obtained and a report was published. A paper discussing the relation between the results of the Los Angeles test and a special roller test designed to simulate the action of a road roller is in course of preparation.

BITUMINOUS ROAD MATERIALS

Research to determine the significant properties of bituminous materials and aggregates and to correlate those properties with service behavior was continued along the lines followed in previous years. Laboratory tests, performed by commonly accepted methods, were made on materials for (1) compliance with given specifications on routine construction, (2) standardization and perfection of procedure, and (3) determining the suitability of new materials and combinations of materials. Additional tests were also performed on materials and mixtures by methods more recently developed to provide more information on quality and serviceability and to determine the effectiveness of the methods used.

Correlation between laboratory test results and field behavior was attempted by observation of bituminous roads of known characteristics. Differences in service behavior were compared with test results obtained in the laboratory.

Studies of general or special significance, designed to verify accepted theories or to develop additional information on bituminous materials and mixtures, were initiated or continued by the Bureau alone or in cooperation with State highway departments and committees of technical organizations.

Laboratory investigations of the physical and chemical properties of asphaltic materials, tars, and emulsions, and the behavior of surfacing materials containing them, were continued. Changes in refinery procedure and the development of new paving mixtures make a continuation of these studies necessary.

The laboratory examination of asphalt cements in general use throughout the-United States was completed, and the data, which are being embodied in a report, will be of considerable assistance in evaluating such changes in specification requirements as are often proposed and in suggesting changes that may be of value in the control of this class of material. This work is to be supplemented by in the control of this class of material. mechanical tests on sand mixtures containing these materials in order to determine more definitely their probable service behavior.

In cooperation with the Minnesota State Highway Department and the University of Minnesota, the laboratory study of asphalts in use in that area was continued. The effect of various aging processes and the value of the various tests in showing the changes that occur in the asphaltic materials and mixtures:

were studied.

The field and laboratory investigation of sheet-asphalt construction and itsservice behavior on two projects in the District of Columbia were continued. The changes that occurred during the preparation of the mixtures have been determined, and changes that occur during service will be determined from time to-

In cooperation with the Ohio Highway Department, a study of the character of the asphalts in old pavements was completed and a report on this investigation

is being prepared.

The determination of the absolute viscosity of all grades of bituminous materials was continued. Determinations of the absolute viscosity of a large number of asphalts of 50-60 and 85-100 penetration was completed and a report will beprepared on this work.

A number of bituminous materials and bituminous mixes were subjected to-

accelerated weathering in a special apparatus.

A study is being made of the microscopic film test to determine its suitability

as a specification requirement.

The study to determine the resistance in different bituminous mixtures to stripping of the bituminous films from the particles of aggregate due to the action of moisture is being continued.

The bituminous and nonbituminous joint-filling materials installed on a section of the Mount Vernon Memorial Highway are still under observation. Several

new materials, untried but appearing to have promise, were installed.

The experimental roads built in Alabama, North Carolina, Tennessee, and South Carolina, to study the use of cotton fabric in bituminous construction. are under observation and reports of construction, maintenance, and service behavior of similar roads built by a number of States with cotton fabric furnished to them under the cotton diversion program are being received from the States participating.

SUBGRADE INVESTIGATIONS

The Bureau's investigations of subgrade soils and their utilization in highway construction are of a continuous nature and include a number of separate activities. Some of these are closely related, while others are related only in that they have the common objective of improving highway construction through a greater knowledge of the performance of soil materials when used for a variety of

reposes.

Application of soil mechanics in the design of foundations for buildings, earth application of soil mechanics for highways, is receiving much attention. Theodams, and earth embankments for highways, is receiving much attention. retical analyses of the various problems are being made and much work is being: done in the development and interpretation of appropriate laboratory tests. This work has been and will continue to be supplemented by field observations as the opportunities arise. Studies are being made with two devices for making direct tests of shear resistance and with the stabilometer which establishes the relation between the horizontal pressure developed by a soil sample and the vertical pressure to which it is subjected. The data obtained in these tests disclose wide differences in the stress-deformation relations of different cohesive A study is being made of the practical application of shear-test data in the design of structures. A report on the principles of soils mechanics involved in fill construction was published.

Investigations of soil stabilization as applied to fill construction and the construction of road bases continues to be a major activity. Progress was made in the study of the relation between moisture content, density, and stability of soils and a further study is being made of the volume changes of soils that have been compacted under a variety of conditions. Arrangements were made to study fill consolidation and the economic value of the control of moisture and density in fill construction on three highway-construction jobs. The fills on these jobs will be consolidated by a number of methods, costs will be obtained, and settlements will be observed over a period of years. The projects are located in Indiana, Ohio, and South Carolina, and the experimental work is to be done

in cooperation with the respective State highway departments.

Several series of tests of stabilized bases were made on the small circular tracks at the Arlington Experiment Farm. As a result, a report on the influence of grading and plasticity on the performance of sand-clay and sand-clay-gravel bases was prepared for publication. A similar report on the effect of chemicals on the properties of base-course materials and on the use of chert gravels, quarry screenings, etc., is in preparation. The data obtained in these studies have been utilized in the preparation of specifications for materials to be used in base-course construction.

Preliminary to the construction of an experimental road, a study of the use of portland cement as a stabilizing agent in base construction was made on one of the small circular tracks. The experiment in the stabilization of soil with cement will involve the construction of a number of different sections of road in which the proportion of cement and the thickness of the stabilized base will be varied. The experimental road is located in South Carolina and the Bureau is cooperating

with the State Highway Department in its construction.

Different agencies use different tests to measure the desired characteristics of stabilized soils and to determine the optimum content of admixtures used for stabilization. The Bureau has started a comprehensive laboratory investigation to study the fundamentals of soil stabilization with admixtures such as bituminous materials and portland cement and to develop and standardize satisfactory test

procedures.

For some years the Bureau has furnished to interested laboratories standard check samples of soils for use in the instruction of laboratory personnel and to improve and standardize the technique of testing. The demand for this service continues. An analysis of the test results obtained with these samples by the various laboratories provides information relative to errors in testing procedure and as to the degree of uniformity of results that may be expected when the tests are made by different laboratories in strict accordance with the standard methods. The standard methods of test are being studied constantly in order to improve and simplify them.

The Bureau is cooperating with the Forest Service in a laboratory investigation of the effect of various colloidal materials on the permeability of sandy soils. The purpose is to determine the best method of treating sandy soils used in the

construction of earth dams.

Two special 2-week courses of instruction in soil surveying and sampling, soil testing, and soil mechanics were held in Washington. The attendance at both courses was large and was comprised of representatives of Federal bureaus, State highway departments, universities, foreign governments, and commercial organizations.